

Learn more about
Samsung Built-in Kitchen at:
www.samsung.com

Samsung Electronics Co., LTD
Head Office(Suwon Korea)
416, Maetan-3dong, Yeongtong-gu,
Suwon-City, Gyeonggi-do,
443-742, Korea

SAMSUNG

2011 SAMSUNG BUILT-IN PRODUCT CATALOG

SAMSUNG

2011 SAMSUNG
Built-in Kitchen
PRODUCT CATALOG

SAMSUNG

Samsung is moving ahead and with our customers


A brand is created by its customers and that's the novel perspective at Samsung. With all the customer attention, Samsung had another successful year. Business Week and Interbrand ranked Samsung 19th in Global Brands.

Samsung has been on the forefront of digital and design, developing new products and increasing its presence in all its markets. Its sales growth, even in tough economic times, demonstrates its ability to effectively hedge its portfolio of businesses. This year, Samsung saw strong mobile phone sales. In the U.S., it also placed number one for HDTV shipments and French-door refrigerators. But while Samsung continues to carve a reputation for itself and has maintained its price premiums, it would benefit from better brand consistency, as well as a unified brand promise.

As a global leader, Samsung will continue to create future with its customers.



Best Global Brand

1. Coca Cola
2. IBM
3. Microsoft
- *
- *
18. Marlboro
- 19. SAMSUNG Electronics** 
20. Honda
- *
- *
33. Cannon
34. Sony
73. Panasonic

Global Business Network

7 Global Operation Centers

- Gwangju (Korea) • SESS (China) • Thailand (TSE) • Malaysia, Mexico (SEM) • SIEL (India) • SEPM (Poland)

7 Design Centers

- Seoul (Korea) • Los Angeles (US) • London (UK)
- Milano (Italy) • Tokyo (Japan) • Shanghai (China)
- Delhi (India)

10 Global Headquarters

- Seoul (Korea) • New Jersey (North America)
- San Paulo (Latin America) • London (Europe)
- Beijing (China) • Singapore (Southeast Asia)
- Moscow (CIS) • Dubai (Middle East)
- New Delhi (Southwest Asia) • Johannesburg (Africa)

4 HA R&D Centers

- Chicago (US) • Stuttgart (Germany)
- Shanghai (China) • Osaka (Japan)



'Eco-friendly' Samsung



Preserves the nature you live in.

Thinking of you and the environment, Samsung plans for the future. Realizing your hopes for a greener, healthier life for you and the generations that follow, Samsung's environmentally friendly technologies work to make the world a more beautiful place.



Air & Water Conservation

As a leading innovator of environment-friendly products and technologies, Samsung products already drastically reduce the strains on nature's valuable resources. Samsung uses R-600, a natural refrigerant, and cyclopentane insulation in its refrigerators, which do not promote global warming and does not add to the greenhouse effect. Samsung's water-efficient washing machines also use less detergent and water without effecting cleanliness, helping to conserve water.



Use Less, Save More

Samsung products are energy efficient, receiving Energy Grade A+ in the EU and ENERGY STAR in the U.S. Samsung washers with its ceramic heaters use less power, which saves you energy, money, and time. This energy-efficient technology protects you and nature, giving you a greener lifestyle.



Global Recycling

Samsung Electronics is making significant efforts to save the environment and complies with the WEEE (Waste Electrical and Electronic Equipment) directive by joining or establishing the recycling schemes for each country.

Samsung Eco-Friendly Dishwasher

Making continuous efforts to be eco-friendly, Samsung's energy efficient dishwashers use less energy and water. Samsung dishwashers are triple A rated for energy efficiency.

These energy-efficient dishwashers save on energy consumption and help preserve the environment, supporting a healthier and greener lifestyle.





"IDEA 2009 GOLD
Award Winners
with Twin Convection™
Twin Cooking Oven"

CERTIFICATION AND AWARDS RECEIVED



2010



iF Product
Design Award



iF Product
Design Award



2009



G-Mark



iF Product
Design Award



iF Product
Design Award



International Award

- The IDEA (International Design Excellence Awards) Program is the premier international competition honoring design excellence.
- The iF Product Design Award is the most important international product design award which is judged by renowned experts.
- The Good Design Awards is a comprehensive program for the evaluation and encouragement of design organized by Japan Industrial Design Promotion Organization (JIDPO).



SAMSUNG's innovative dual cook oven has been designed to add convenience to your kitchen with a simple design. With Samsung's unique dual cook technology you can now cook two separate dishes for different times, at different temperatures in the same oven.



SAMSUNG steam oven will help you cook delicious home-cooked meals with its easy to use, advanced features and a smart oven technology. Enjoy healthy and delicious meals every day.



SAMSUNG built-in appliances combine quality and good design. It delivers high efficiency and modern design to your kitchen. SAMSUNG built-in appliances offer user-friendly features and new technologies to help make your everyday life easier, providing a perfect kitchen for your family.



SAMSUNG's smart hobs provide stylish design and efficient features to help make cooking a true pleasure. Get fast, easy and precise cooking while preserving energy. SAMSUNG's smart technology ensures perfect cooking results every time.





SAMSUNG dishwashers let you be green with energy efficiency. It uses less energy and water. Get super-cleaner dishes with SAMSUNG's triple A rated performance.




Enhance your cooking experience with SAMSUNG's stylish range hoods. The beautiful and functional range hoods will quickly and efficiently remove steam vapor and smoke. Keep your kitchen smelling fresh and clean with SAMSUNG range hoods.



Icons Guide

Samsung built-in appliances equipped with innovative and unique technologies. Enjoy smart cooking with the latest technologies and convenience features.



Oven

Electric Oven

Steam Twin



Steam Add Cook



Real Steam Cook

Twin Convection



Dual Cooking



Twin Oven



Upper Oven



Lower Oven



Single Oven

Airvection



Airvection



Two is Better than One



Even Cooking for Multiple Dishes

Large & Useful Space



3-in-1



The Largest 65 Liter

Energy & Time Saving



Energy Master A



Energy Master AAA



Active Preheat System

Steam Oven



Dual Steam System



Pop Out Dial



Digital LED Display



Steam Clean



Multi Rack

Cleaning System



Steam Clean



Catalytic Clean



Pyrolytic Clean

Other Unique Features



Auto Menu



Soft Door System



Child Lock



Cooling Fan



Telescopic Rack



Easyclean Door



Cool Door



Digital LED Display



Digital LCD Display



Cooking Mode



Fast Heat up Function



Twin LED Display



Accessories



Pop Out Dial



Stylish Buttons



Crystal Chef™



Steam Generator



Easy Water Injection



Descaling

Speed Oven



5 Multiple Heating



Speed Cook



Square Ceramic Tray



Steam Clean



Multi Rack



Rotisserie

Hob

Induction Hob



Any Dish



Safe Operation



Ceramic Surface



Digital LED Display



Automatic Safety



Smart Touch Control



Easier to Clean



Keep Warm



Auto Water boiling

Ceramic Hob



Multipurpose Zone



Double Purpose



Ceramic Glass Cooking



Digital LED Display



Sliding Control



Automatic Safety



Smart Touch Control



Control and Function Indicators



Easier to Clean

Gas Hob



Triple Crown



Electric Ignition



Safety Device

Hood

Hood



4 Speed Extraction



3 Speed Extraction



Aluminum Filter



Halogen Lamp



Clean Air



Filter Change



Timer



Touch Control

Dishwasher

Dishwasher



A+++ AA



EcoDry™



HiveDry™ Drying



ErgoFlex Rack



Double Condensing System



Swoop 3rd Rack



Washing Punch Zone



Biggest Dish Loading 360mm



Full Flex Time System



3 Steps Fold Down Time



Larger Capacity 14 Place Settings



Water Saving



Smart Auto Sensor Wash



Low Noise



Flex Half Wash



Sanitize Option



Plus Option (Rinse/Dry)



Dual Display



Inner LED Light



On&Off Light



Over Voltage Protection



Adjustable Upper Basket



Smart Touch Control



4 Folds Filter

Contents

Introduction

- 02 Brand Value
- 08 Interior
- 16 Icons Guide

Oven

- 32 Steam Twin™
- 34 Twin Convection™
- 38 XXL Single Oven
- 41 Full Touch Black Glass
- 42 Range Cooker
- 44 Steam Oven
- 50 Speed Oven
- 56 Built-in MWO

Hob

- 60 Induction Hob
- 68 Ceramic Hob
- 76 Gas Hob

Hood

- 84 Hood

Dishwasher

- 94 Dishwasher

Specifications

- 112 Specifications





Oven

Electric Oven with Twin Convection™ provides multiple functions. Dual cooking systems, dual temperature controls and dual timers for a multitude of dishes! Airvection system with twin fan also give you twice more pleasure. Any big or hard to cook dishes won't be a problem. Now your dishes are cooked evenly to deliver delicious and flavourful meal.

Electric Oven

World's First Dual Cooking by Twin Convection™

Twin Convection™ is the way to save time and energy. You can cook two dishes at once with different temperature and time settings. It allows you to cook small dishes in either upper or lower half mode of the oven. You can cook any size dishes at your choice. Using it whole or by sections.



Steam Twin™

World First Steam & Twin Cook

Samsung Steam Twin™ offers full steam function in dual cook mode. Preserve colour, texture, and natural flavour with full steam cook and enjoy various multifunction cooking options with Samsung Steam Twin™ series.



Steam Twin™Series


Cooking Functions

Steam Twin™

From steamed vegetables to roasted chicken, Samsung's Steam Twin™ delivers perfect meal cooking all at once.




Enjoy healthy steam cuisine with the premium flexible usage Crystal Chef™ glass tray. It gives you flexibility and versatility to cook. Heat resistant glass tray is also dishwasher safe.



Steam Add Cook

Single : Steam Add + Convection heat
Lower : Steam Add + Convection heat
Steam Add + Convection heat + Bottom heat
Suggested temperature : /170℃
The back wall heater is in operating, add in addition the heating fan is turned on.



Real Steam Cook

Lower : Real Steam Cook with Crystal Chef™ Glass Tray
Suggested temperature : /100℃(pre-heating)
Use the Crystal Chef™ glass to steam vegetables, potatoes and eggs.




Convenient Features

Efficient Steam System



Water Tank

Water tank with 1 liter capacity allows up to 1.5 hour of heal steam cook.



Steam Generator

Powerful steam generator gives constant flow of steam, ensuring that all nutrients and flavours are preserved within food.



Powerful Drain System


With Samsung's innovative drain system, any remaining water is pumped out for simple one-click removal.

Real Steam Tray



Crystal Chef™ Glass

- Deep-sided 12L multipurpose glass tray
- Taken upside-down, it works as Top Cover of "Full Steam Dish" to ensure perfect steam cook.
- Also suitable for use in Samsung oven series, perfect for meat roasting, Lasagnas, Casserole, and Bakery.
- Dishwasher Safe



Inner Rack

- Fits inside Full Steam Dish
- Ideal for steaming various vegetables, eggs, and fish for healthy & flavourful dishes.



Stainless Tray

- Fits inside lower cavity of Steam Twin™ ovens for easy steam cook.




Full Steam Dish




Twin Convection™ Series


Cooking Functions




Dual Oven
Suggested temperature :
210°C / 210°C the back wall heater is
in operation, and in addition the
heating fan is turned on.



Upper Oven
Suggested temperature :
210°C the back wall heater is in
operation, and in addition the heating
fan is turned on.




Lower Oven
Suggested temperature :
170°C the back wall heater is in
operation, and in addition the heating
fan is turned on.




Single Oven
Suggested temperature :
200°C for baking and roasting on
one level. The back wall heaters are
in operation.



Airvection



Two is Better than One
Dual fans are twice as efficient with
twice the satisfaction! Dual fans spread
heat evenly throughout the oven.




**Even Cooking
for Multiple Dishes**
With a Samsung Electric Oven all your
dishes are cooked evenly and carefully,
ensuring the best taste possible from
the first serving to the last.




Unique Features

Large & Useful Space




3 - in - 1
Cook twice as much in half the space.
The 3-in-1 allows you to cook multiple
dishes at different temperatures in
multiple zones. You don't have to heat
up the entire oven for smaller dishes.



The Largest - “65 Liter”
Only in a super capacity 65-liter
Samsung's Electric Oven can you
safely and successfully roast a large
24-pound turkey, ensured that not
only is it cooked thoroughly, but that
it's cooked flavorfully.



Energy & Time Saving



**World's First -
Energy Master AAA**
Each of the three individual spaces
(single, upper, and lower levels) passed
with flying colors, independently
receiving 'A' grade certification for
energy efficiency.




Preheating (EN50204)			
Model	Time (min)	Power Consumption (w)	Reduction Ratio (%)
SAMSUNG			
Single	5' 4"	250	19%
Twin Upper	3' 4"	160	48%
Twin Lower	5' 5"	200	35%
A***			
B8****	7' 3"	308	0%
M***			
H3****	5' 6"	341	-

**World's First -
Active Preheat System**
Boasting 48% energy savings versus other
electric ovens on the market, Samsung's
prompted precise heat control quickly
reaches the target temperature and main-
tains it, guaranteeing even heat distribution
throughout the interior of your oven.




Powerful Cleaning System



Steam Clean
Clean your oven without getting your
hands dirty. Just set the steam
clean feature and walk away. The job
will be done in 25 minutes.



Pyrolytic Clean
The process superheats the oven to
approximately 500°C, which burns off
any deposits from baking, roasting and
grilling. Even at these high temperatures,
the oven and door are safe. You're left
with a perfectly clean oven without
touching a thing.



Catalytic Clean
Imagine an oven that cleans itself
while the oven is working. The food
remnant tray collects grease and resi-
due, and chemically dissolves them,
ensuring a continually clean oven.



Convenient Features

The perfect combination of innovative functions and enhanced user convenience.



1 Stylish Buttons
Not only are these buttons attractive, but their eye-catching design better accommodates the shape of your finger to provide a unique tactile experience.



2 Twin LED Display
The dual digital display on our oven features two rows of LEDs that display oven settings and other important information.



3 40P Auto Menu
No time for a cookbook? Let the oven auto menu help! You can find out how long and what temperature to cook your favorite dish. Just a press of a button and it's underway.



4 Pop Out Dial
Cooking is as easy as the push of a button. Our pop out dial makes setting the oven as easy as possible!



5 Child Lock
Samsung ovens are childproof with special safety locks to keep little hands away from danger.



6 Easyclean Door
The all-glass inner door has no joints or screws which not only looks great but is extremely easy to clean. If required, the complete door can be quickly and easily removed to provide.



7 Cool Door
Samsung electric ovens have quadruple or triple glass doors with reflective inner glass to keep more of the heat in the oven and ensure the cool temperature of the door on the outside.



8 Soft Door System
Our lightweight oven door is designed for ultimate safety and reliability. It has a soft and smooth open/close feature.



9 Telescopic Rack
It just got safer to remove hot dishes from the oven. Our oven rack is on a rail that pulls out smoothly. It offers ultimate convenience for taking your food out of the oven.




10 Fast Heat Up Function
No more waiting for heat oven up as the conventional ones. Our new fast heat up function can make your oven start cooking quickly.



11 Cooling Fan
The integral cooling fan is designed to keep the control panel operating components cool and also helps reduce the temperatures on oven door and any adjacent furniture.



Accessories
Enjoy barbecue-style cooking at home with the barbecue spit/multi spit.




GEO

Steam Twin™ Series

Steam Twin™ gives you the flexibility to cook a wide variety of meals.

BQ1VQ6T



[Key Features]


- World's First Dual Steam Cook by 'Twin Convection™'
- Twin Cook & Steam Cook by 'Steam Twin™'
- Cooking Functions 24
- Easy Water Supply & Drain System
- Powerful Steam Generator
- Powerful Descaling System

[Basic Features]

- Auto Menu 65
- Control
 - Wid e Dual LED Display
 - Glass Touch & Pop Out Dial
- Cleaning
 - Pyrolytic Clean
 - Powerful & Easy "Steam Clean"
- 66L Large & Useful Capacity(Upper 30L + Lower 32L)
- Energy Master AAA
- Child Safety Lock
- Quadruple Glazed Door
- Twin Convection Divider
- Full Steam Dish(12L)
- Square Baking Tray
- Wire Rack

Color : Stainless

BQ1AQ4T



[Key Features]


- World's First Dual Steam Cook by 'Twin Convection™'
- Twin Cook & Steam Cook by 'Steam Twin™'
- Cooking Functions 22
- Easy Water Supply & Drain System
- Powerful Steam Generator
- Powerful Descaling System

[Basic Features]

- Auto Menu 40
- Control
 - Wide Dual LED Display
 - Button & Pop Out Dial
- Cleaning
 - Pyrolytic Clean
 - Powerful & Easy "Steam Clean"
- 66L Large & Useful Capacity(Upper 30L + Lower 32L)
- Energy Master AAA
- Child Safety Lock
- Quadruple Glazed Door
- Twin Convection Divider
- Square Baking Tray
- Wire Rack

Color : Stainless

BQ1VD6T



[Key Features]


- World's First Dual Steam Cook by 'Twin Convection™'
- Twin Cook & Steam Cook by 'Steam Twin™'
- Cooking Functions 24
- Easy Water Supply & Drain System
- Powerful Steam Generator
- Powerful Descaling System

[Basic Features]

- Auto Menu 50
- Control
 - Wide Dual LED Display
 - Glass Touch & Pop Out Dial
- Cleaning
 - Catalytic Clean
 - Powerful & Easy "Steam Clean"
- 66L Large & Useful Capacity(Upper 30L + Lower 32L)
- Energy Master AAA
- Child Safety Lock
- Twin Convection Divider
- Full Steam Dish(12L)
- Square Baking Tray
- Wire Rack
- Telescopic Rack

Color : Stainless

BQ1AD4T



[Key Features]

- World's First Dual Steam Cook by 'Twin Convection™'
- Twin Cook & Steam Cook by 'Steam Twin™'
- Cooking functions 22
- Easy Water Supply & Drain System
- Powerful Steam Generator
- Powerful Descaling System

[Basic Feature]

- Auto Menu 40
- Control
 - Wide Dual LED Display
 - Button & Pop Out Dial
- Cleaning
 - Catalytic Clean
 - Powerful & Easy "Steam Clean"
- 66L Large & Useful Capacity(Upper 30L + Lower 32L)
- Energy Master AAA
- Child Safety Lock
- Twin Convection Divider
- Square Baking Tray
- Wire Rack

Color : Stainless

GEO

Twin Convection™ Series

Cook two different dishes simultaneously
with different cooking temperatures.



BQ1Q6T



[White Background]

[Key Features]

- World's First Dual Cook by 'Twin Convection™'
- Cooking Functions 18
- Control
Text LCD Display
Touch & Pop Out Dial
- Cleaning
Pyrolytic Clean
Powerful & Easy "Steam Clean"

[Basic Features]

- Auto Menu 40
- Energy Master AAA
- Child Safety Lock
- Quadruple Glazed Door
- Twin Convection Divider
- Square Baking Tray
- Wire Rack
- 65L Large & Useful Capacity

Color : Stainless

BQ1Q4T



[Red]

[Key Features]

- World's First Dual Cook by 'Twin Convection™'
- Cooking Functions 18
- Control
Twin LED Display
Button & Pop Out Dial
- Cleaning
Pyrolytic Clean
Powerful & Easy "Steam Clean"

[Basic Features]

- Auto Menu 25
- Energy Master AAA
- Child Safety Lock
- Quadruple Glazed Door
- Twin Convection Divider
- Square Baking Tray
- Wire Rack
- 65L Large & Useful Capacity

Color : Stainless

BQ1D6T



[Red] [Blue]

[Key Features]

- World's First Dual Cook by 'Twin Convection™'
- Cooking Functions 18
- Control
Twin LED Display
Button & Pop Out Dial
- Cleaning
Catalytic Clean
Powerful & Easy "Steam Clean"

[Basic Features]

- Auto Menu 15
- Energy Master AAA
- Child Safety Lock
- Twin Convection Divider
- Square Baking Tray
- Wire Rack
- 65L Large & Useful Capacity

Color : Stainless

BQ1D4T



[Red] [Blue]

[Key Features]

- World's First Dual Cook by 'Twin Convection™'
- Cooking Functions 18
- Control
Twin LED Display
Button & Pop Out Dial
- Cleaning
Catalytic Clean
Powerful & Easy "Steam Clean"

[Basic Features]

- Auto Menu 15
- Energy Master AAA
- Child Safety Lock
- Twin Convection Divider
- Square Baking Tray
- Wire Rack
- 65L Large & Useful Capacity

Color : Stainless

BQ1D6G



[Red] [Blue]

[Key Features]

- World's First Dual Cook by 'Twin Convection™'
- Cooking Functions 18
- Control
Twin LED Display
Touch & Pop Out Dial
- Cleaning
Powerful & Easy "Steam Clean"

[Basic Features]

- Auto Menu 15
- Energy Master AAA
- Child Safety Lock
- Twin Convection Divider
- Square Baking Tray
- Wire Rack
- 65L Large & Useful Capacity

Color : Black Glass

BQ1D6I



[Red] [Blue]

[Key Features]


- World's First Dual Cook by 'Twin Convection™'
- Cooking Functions 18
- Control
Twin LED Display
Touch & Pop Out Dial
- Cleaning
Powerful & Easy "Steam Clean"

[Basic Features]


- Auto Menu 15
- Energy Master AAA
- Child Safety Lock
- Twin Convection Divider
- Square Baking Tray
- Wire Rack
- 65L Large & Useful Capacity

Color : White Glass


Install Guide




Install Guide




Install Guide




Install Guide



Install Guide



Install Guide



GEO

XXL Single Oven Series

Samsung twin fan airvection technology is more efficient at spreading heat evenly throughout the oven.

BF1C4T



[Red] [Blue]

[Key Features]

- Even Cook by 'Airvection'
- Cooking Functions 6
- Control LED Display Button & Pop Out Dial
- Cleaning Catalytic Self Clean

[Basic Features]

- Energy Master A
- Square Baking Tray
- Wire Rack
- XXLarge 65L Capacity

Color : Stainless

BF1C6G



[Red] [Blue]

[Key Features]

- Even Cook by 'Airvection'
- Cooking Functions 6
- Control LED Display Button & Pop Out Dial
- Cleaning Catalytic Self Clean

[Basic Features]

- Energy Master A
- Square Baking Tray
- Wire Rack
- XXLarge 65L Capacity

Color : Black Glass

BF1C3B



[Red] [Blue]

[Key Features]

- Even Cook by 'Airvection'
- Cooking Functions 6
- Control LED Display Button & Pop Out Dial
- Cleaning Catalytic Self Clean

[Basic Features]

- Energy Master A
- Square Baking Tray
- Wire Rack
- XXLarge 65L Capacity

Color : Black

Metro

XXL Single Oven Series

Samsung twin fan airvection technology is more efficient at spreading heat evenly throughout the oven.

BF3C4T



[Red] [Blue]

[Key Features]

- Even Cook by 'Airvection'
- Cooking Functions 6
- Control LED Display Button & Pop Out Dial
- Cleaning Catalytic Self Clean

[Basic Features]

- Energy Master A
- Auto Menu (15)
- Square Baking Tray
- Wire Rack
- XXLarge 65L Capacity

Color : Stainless

BF3C3T



[Red] [Blue]

[Key Features]

- Even Cook by 'Airvection'
- Cooking Functions 6
- Control LED Display Button & Pop Out Dial
- Cleaning Catalytic Self Clean

[Basic Features]

- Energy Master A
- Square Baking Tray
- Wire Rack
- XXLarge 65L Capacity

Color : Stainless

BF3C3B



[Red] [Blue]

[Key Features]


- Even Cook by 'Airvection'
- Cooking Functions 6
- Control LED Display Button & Dial
- Cleaning Catalytic Self Clean

[Basic Features]


- Energy Master A
- Square Baking Tray
- Wire Rack
- XXLarge 65L Capacity

Color : Black


Install Guide




Install Guide




Install Guide




Install Guide



Install Guide



Install Guide



Metro

XXL Single Oven Series

Samsung twin fan airvection technology is more efficient at spreading heat evenly throughout the oven.

Prezio

Full Touch Black Glass Series

BF3N3T



[Red] [Blue]

[Key Features]

- Even Cook by 'Airvection'
- XXLarge 65L Capacity
- Cooking Functions 6
- Control LED Display Easytronics

[Basic Features]

- Energy Master A
- Timer
- Fast Preheating
- Square Baking Tray
- Wire Rack

Color : Stainless

BF3N3B



[Red]

[Key Features]

- Even Cook by 'Airvection'
- XXLarge 65L Capacity
- Cooking Functions 6
- Control LED Display Easytronics

[Basic Features]

- Energy Master A
- Square Baking Tray
- Wire Rack

Color : Black

BF3N3W



[Red]

[Key Features]

- Even Cook by 'Airvection'
- XXLarge 65L Capacity
- Cooking Functions 6
- Control LED Display Easytronics

[Basic Features]

- Energy Master A
- Square Baking Tray
- Wire Rack

Color : White

BQ2Q7G



[Red] [Blue]

[Key Features]

- World's First Dual Cook by 'Twin Convection™'
- Cooking Functions 18
- Control Twin LED Display All Touch control
- Cleaning Pyrolytic Clean Powerful & Easy "Steam Clean"

[Basic Features]

- Auto Menu 40
- Energy Master AAA
- Child Safety Lock
- Quadruple Glazed Door
- Twin Convection Divider
- Square Baking Tray
- Wire Rack
- 65L Large & Useful Capacity

Color : Black Glass

BQ2D7G



[Red] [Blue]

[Key Features]

- World's First Dual Cook by 'Twin Convection™'
- Cooking Functions 18
- Control Twin LED Display All Touch control
- Cleaning Catalytic Clean Powerful & Easy "Steam Clean"

[Basic Features]

- Auto Menu 40
- Energy Master AAA
- Child Safety Lock
- Twin Convection Divider
- Square Baking Tray
- Wire Rack
- 65L Large & Useful Capacity

Color : Black Glass

BF2D7G



[Red] [Blue]

[Key Features]


- Even Cook by 'Airvection'
- Cooking Functions 7
- Control Twin LED Display All Touch control
- Cleaning Catalytic Clean Powerful & Easy "Steam Clean"

[Basic Features]


- Auto Menu 15
- Energy Master A
- Child Safety Lock
- Twin Convection Divider
- Square Baking Tray
- Wire Rack
- 65L Large & Useful Capacity

Color : Black Glass


Install Guide




Install Guide




Install Guide




Install Guide



Install Guide



Install Guide



Range cooker Series

FGP95XBT01 **new**



- [Key features]**
- 90cm Wide Range Gas Cooker
 - Stainless steel with Mirror Glass
 - Catalytic Cleaning
 - Flat Cavity with side rack
 - Easy Rotisserie (Spit on Support)

- [Performancies & Features]**
- 103L large capacity
 - Safety Device (Thermocouple, Flame failure device)
 - Electric Ignition(Auto ignition)
 - Height Adjustable Metal Leg
 - Storage Compartment
 - Glass Lid

- [Gas Hob]**
- 5 Gas Burners Including 1 WoK (Wok : 3,300W , Rapid : 3,000W, SemiRapid : 1,750W, Auxiliary : 1,000W)
 - Cast Iron Pan Support
 - LPG/LNG Convergence kit

FGP95XAT01 **new**



- [Key features]**
- 90cm Wide Range Gas Cooker
 - Stainless steel with Mirror Glass
 - Foaming Cavity
 - Rotisserie (Spit only)

- [Performancies & Features]**
- 103L large capacity
 - Safety Device (Thermocouple, Flame failure device)
 - Electric Ignition(Auto ignition)
 - Height Adjustable Metal Leg
 - Storage Compartment
 - Glass Lid

- [Gas Hob]**
- 5 Gas Burners Including 1 WoK (Wok : 3,300W , Rapid : 3,000W, SemiRapid : 1,750W, Auxiliary : 1,000W)
 - Cast Iron Pan Support
 - LPG/LNG Convergence kit

FGP95WBT01 **new**




- [Key features]**
- 90cm Wide Range Gas Cooker
 - White color with white glass
 - Catalytic Cleaning
 - Flat Cavity with side rack
 - Easy Rotisserie (Spit on Support)


- [Performancies & Features]**
- 103L large capacity
 - Safety Device (Thermocouple, Flame failure device)
 - Electric Ignition(Auto ignition)
 - Height Adjustable Metal Leg
 - Storage Compartment
 - Glass Lid

- [Gas Hob]**
- 5 Gas Burners Including 1 WoK (Wok : 3,300W , Rapid : 3,000W, SemiRapid : 1,750W, Auxiliary : 1,000W)
 - Cast Iron Pan Support
 - LPG/LNG Convergence kit


Install Guide



Install Guide



Install Guide



Steam Oven

It offers a better way to stay healthy in your meals. Steaming is an excellent way of healthy cooking, retaining nutrients, vitamins, flavor, as well as texture.



Samsung Steam Oven is a easy and convenient way of healthy cooking. Steam cooking with the Samsung Steam Oven is healthy, nutritious and unforgettably delicious.




Features

Steaming is an excellent way of healthy cooking.




Dual Steam System

Our latest steam combination oven offers excellent cooking performance with unique Dual Steam System. It gives you perfect cooking results, steam allows the moisture to stay in your food. This Dual Steam System reduces heat up time, gives better taste.




Dual Steaming Performance

Samsung claim that this steam oven provides more crispy, soft, and moisture than a conventional oven.




**Oven + Steam 200°C
50min.**

- Good browning
- Crispy
- Fully cooked and tender
- Good roasted flavor




SAMSUNG dual steam generating system



**Steam 100°C
65min.**

- No browning and pale color
- Fully cooked and more juicy
- Less roasted flavor



Conventional steam generating system



Stylish Pop Out Dial

Our stylish pop out dial is easy to use and easy to control.



LED Display

Our trendy easy to read digital display. The digital display on our oven LED features that display oven settings and other useful information.



Multi Rack

Samsung broadens your cooking options with the Multi Rack. The removable, slide-out Multi Rack allows you to vary your cooking style based on your needs with the Multi Rack, your cooking options are versatile!



Steam Clean

Hygienically clean your oven using Steam Clean. Steam Clean is a brilliant aid to cleaning, softening greasy residues. You can wipe out the oven with a sponge or cloth.





Steam Oven Series

FQV213G001



200 200 [Red] 200 200 [Blue]

[Key Features]

- Prezio Design
- Full Glass Touch Control
- LED Display
- Steam Only Cook (100℃)
- Super Steam with Hot Fan
- Super Steam with Bottom Heater
- Top Grill
- Convection Oven
- Warming
- Defrost

[Basic Features]

- Dual steam System for Even Cooking
- Auto Cook (40 Preset Mode)
- 30L Fully Usable Space
- Memory Function
- Preheating
- Powerful and Easy 'Steam Clean'
- Multi Side Rack

FQV113T001



200 200 [Red] 200 200 [Blue]

[Key Features]

- GEO Design
- Button & Pop Out Dial
- LED Display
- Steam Only Cook (100℃)
- Super Steam with Hot Fan
- Super Steam with Bottom Heater
- Top Grill
- Convection Oven
- Warming
- Defrost

[Basic Features]

- Dual steam System for Even Cooking
- Auto Cook (40 Preset Mode)
- 30L Fully Usable Space
- Memory Function
- Preheating
- Powerful and Easy 'Steam Clean'
- Multi Side Rack

FQV313T003



200 200 [Red] 200 200 [Blue]


[Key Features]

- Metro Design
- Button & Pop Out Dial
- LED Display
- Steam Only Cook (100℃)
- Super Steam with Hot Fan
- Super Steam with Bottom Heater
- Top Grill
- Convection Oven
- Warming
- Defrost


[Basic Features]

- Dual steam System for Even Cooking
- Auto Cook (40 Preset Mode)
- 30L Fully Usable Space
- Memory Function
- Preheating
- Powerful and Easy 'Steam Clean'
- Multi Side Rack


Install Guide



Install Guide



Install Guide





Speed Oven

Cooking in the fast lane.

Our ovens are great at multi-tasking and fit into any kitchen decor.

They're the ultimate convenience for quickly cooking up something deliciously unforgettable.




Unique Features

Samsung Speed Oven delivers ultimate convenience with our unique features.




5 Multiple Heating

You need an oven that is as versatile as you are! One that cooks different ways for different dishes. This convection oven features five heating systems. Two convection on the left and right double grills and microwave in the back.




Speed Cook

Busy households need quick solutions. You've got them with this convection oven. Five heating methods reduce your cooking time, giving you time for more important things.




Steam Clean

Hygienically clean your oven using Steam Clean. Steam Clean is a brilliant aid to cleaning, softening greasy residues. You can wipe out the oven with a sponge or cloth.




Square Ceramic Tray

A combination oven for the perfect combination! The microwave function cooks evenly without a turntable. It's the stirrer fan that does the job, so you can cook larger portions anytime you want.




Multi Rack

Samsung broadens your cooking options with the Multi Rack. The removable, slide-out Multi Rack allows you to vary your cooking style based on your needs. With the Multi rack, your cooking options are versatile!



Rotisserie

Enjoy barbeque-style cooking at home with the detachable rotisserie. With rotisserie cooking, meats become more tender, juicier, and self-basted. When you need it, put the rotisserie attachment in place.



Speed Oven Series



FQ215G001

new



200 200 [Red] 200 200 [Blue]

[Key Features]

- Prezio Design Speed oven
- Full Glass Touch
- LED Display
- Dual Convection
- Convection with Top Grill
- Convection with Bottom Heater
- Top Grill
- Top Grill with Bottom Heater
- Power Defrost (5 Preset Mode)
- Convection with Microwave
- Microwave Mode

[Basic Features]

- 5 Multiple Heating
- Auto Cook(12 Preset Mode)
- 42L Fully Usable Space
- Preheating
- Powerful and Easy 'Steam Clean'
- Rotisserie(Optional)

FQ115T001



100 200 [Red] 100 200 [Blue]

[Key Features]

- GEO Design Speed oven
- LED Display
- Button & Pop Out Dial
- Dual Convection
- Convection with Top Grill
- Convection with Bottom Heater
- Top Grill
- Top Grill with Bottom Heater
- Power Defrost (5 Preset Mode)
- Convection with Microwave
- Microwave Mode

[Basic Features]

- 5 Multiple Heating
- Auto Cook(12 Preset Mode)
- 42L Fully Usable Space
- Preheating
- Powerful and Easy 'Steam Clean'
- Rotisserie(Optional)

FQ315T003



100 200 [Red] 100 200 [Blue]


[Key Features]

- Metro Design Speed oven
- LED Display
- Button & Pop Out Dial
- Dual Convection
- Convection with Top Grill
- Convection with Bottom Heater
- Top Grill
- Top Grill with Bottom Heater
- Power Defrost (5 Preset Mode)
- Convection with Microwave
- Microwave Mode


[Basic Features]

- 5 Multiple Heating
- Auto Cook(12 Preset Mode)
- 42L Fully Usable Space
- Preheating
- Powerful and Easy 'Steam Clean'
- Rotisserie(Optional)


Install Guide



Install Guide



Install Guide



Built-in MWO Series



- [Key Features]

 - Prezio Design Built-In MWO
 - 36L Solo MWO
 - Full Glass Touch Control
 - Drop Down Door Opening
 - Ceramic Enamel Interior

[Basic Features]

 - 900 Watts Microwave Output Power
 - 99min. Cooking Timer
 - 6 Power Levels for Cooking Versatility
 - Power Defrost
 - Child Safety Lock

Color : Black Glass
- [Key Features]

 - GEO Design Built-In MWO
 - 36L Solo MWO
 - Tact+Dial Type
 - Drop Down Door Opening
 - Ceramic Enamel Interior

[Basic Features]

 - 900 Watts Microwave Output Power
 - 99min. Cooking Timer
 - 6 Power Levels for Cooking Versatility
 - Power Defrost
 - Child Safety Lock

Color : Stainless
- [Key Features]

 - Metro Design Built-In MWO
 - 36L Solo MWO
 - Tact+Dial Type
 - Drop Down Door Opening
 - Ceramic Enamel Interior

[Basic Features]

 - 900 Watts Microwave Output Power
 - 99min. Cooking Timer
 - 6 Power Levels for Cooking Versatility
 - Power Defrost
 - Child Safety Lock

Color : Stainless



- [Key Features]

 - Built-In Type MWO
 - 20L Solo / Grill MWO
 - Tact Button Type
 - Push Button Door Opening
 - Ceramic Enamel Interior

[Basic Features]

 - 850 Watts Microwave Output Power
 - 99min. Cooking Timer
 - 6 Power Levels for Cooking Versatility
 - Power Defrost
 - Auto Reheat / Custom Cook
 - 30 sec. Plus
 - Child Safety Lock

Color : Stainless, Black, White
- [Key Features]

 - Built-In Type MWO
 - 23L Solo / Grill MWO
 - Tact Button Type
 - Push Button Door Opening
 - Ceramic Enamel Interior

[Basic Features]

 - 850 Watts Microwave Output Power
 - 99min. Cooking Timer
 - 6 Power Levels for Cooking Versatility
 - Power Defrost
 - Auto Reheat / Custom Cook
 - 30 sec. Plus
 - Child Safety Lock

Color : Stainless, Black, White
- [Key Features]


 - Built-In Type MWO
 - 23L Solo / Grill MWO
 - Tact Button Type
 - Push Button Door Opening
 - Ceramic Enamel Interior

[Basic Features]


 - 850 Watts Microwave Output Power
 - 99min. Cooking Timer
 - 6 Power Levels for Cooking Versatility
 - Power Defrost
 - Auto Reheat / Custom Cook
 - 30 sec. Plus
 - Child Safety Lock

Color : Stainless, Black, White


Install Guide




Install Guide




Install Guide




Install Guide



Install Guide



Install Guide



Hob

The perfect addition to any kitchen. Sleek and efficient Samsung built-in hobs can add spice to your life. Hob offers almost limitless space to cook the way you want to, any time you want! Harmonious cooking for dishes of all shapes and size, cooking control by only fingertip, even multipurpose cooking can be possible with Samsung hobs.





Induction Hob

Enjoy the pleasures of cooking, free your imagination


Once you experience the magic of induction cooking,
you'll never cook on a conventional hob again.

Features

Our Induction hob provides rapid heating and offers greater heat consistency.

This multizone gives you the freedom to choose how you want to use your Induction. It's designed to use the wide space how you choose. You can cook many dishes at a time or cook in a large dish. Any size, any shape with induction Any Dish.

Technology



How does induction work? Induction hob technology produces heat from an electric current generated by an induction coil below the pot. All cookware (except glass, copper and aluminum) are heated on contact for a more convenient, safer and energy efficient way to cook your meals. Faster heating, more efficient cooking, and easier cleaning make you relieve from the hard housework.

Compatible Cookware

If non-conductive cookware is used, induction coils remain inactive also the surface of an induction hob stays cool to the touch for ensuring safety.

Induction Compatible Cookware



Non-Induction Compatible Cookware



Speed Heating



Rapid heating, cooking time is shorter and much faster than conventional hobs. Far quicker in reaching boiling point with better thermal efficiency.



Easier to Clean



No worries about spills and splatters after greasy cooking. Just wipe the surface clean with a soft cloth and it's done!

Ceramic Surface



Sleek and sophisticated design gives your kitchen an exclusive look. Cooking with true pleasure makes your dishes taste even better!

Safe Operation



Neutral surface generates heat only upon contact with stainless steel or other induction compatible cookware. No sudden burns or other hazards.

LED Display



Wide display panel allows you to view information clearly. It's not just stylish but makes handling your hob simple and easy. All features always at ready for your convenience.

Smart Touch Control



Easily control all functions on simple external display panel by the touch of a finger. Various touch keys such as Warming, Power Boost and flame icons let you make precise and accurate selections.

Sliding & Direct Select Control



When you operate the induction cooktop you would feel it is easy and simple in working. Easily control all functions on simple external display panel by sliding or selecting power level directly.

Auto Water Boiling



Don't worry to forget adding something to the boiling water. Samsung induction cooktop informs customers when it start to boil. Just seat back and wait for the alarm.

Keep Warm



Keep your dish always 60°C A unique feature of Samsung Induction cooktop, Keep Warm creates a convenient way to keep food warm.

Core

Induction Series

Bring water and liquids to a quick boil with surprising ease.

CTN463NC01




new



Optional features

	CTN463NC01
Frame	 Bevelled



[Controls]

- 3 Individual Zone Control
- Sliding & Direct Select
- 1-15 Power Levels with Booster
- Auto Water Boiling
- Keep Warm
- Built-in Timer

[Cooking Zones]

- 3 Induction Cooking Zones + Anydish :
 - One Large Zone with Booster (4.6kW)
 - Two Zones with Bridge Function
- Total Max Power : 7.2kW

[Full Safety Function]

- Residual Heat Indicator
- Child Safety Lock
- Automatic Safety Shut-Off
- Overflow Detection
- Small Utensil Detection

CTN464FB01




new



Optional features

	CTN464KB01	CTN464FB01
Frame	 2 Stainless & Front Bevelled	 Front Bevelled



[Controls]

- Sliding & Direct Select
- 1-15 Power Levels with Booster
- Auto Water Boiling
- Keep Warm
- Built-in Timer

[Cooking Zones]

- 4 Induction Cooking Zones :
 - One Large Zone with Booster (3.2kW)
 - Two Medium Zones with Booster
 - One Small Zone with Booster
- Total Max Power : 7.2kW

[Full Safety Function]

- Residual Heat Indicator
- Child Safety Lock
- Automatic Safety Shut-Off
- Overflow Detection
- Small Utensil Detection

CTN464KC01




new



Optional features

	CTN464KC01	CTN464NC01
Frame	 2 Stainless & Front Bevelled	 Bevelled



[Controls]

- Sliding & Direct Select
- 1-15 Power Levels with Booster
- Auto Water Boiling
- Keep Warm
- Built-in Timer

[Cooking Zones]

- 4 Induction Cooking Zones + Anydish :
 - One Large Zone with Booster
 - One Small Zone with Booster
 - Two Zones with Bridge Function (4.6kW)
- Total Max Power : 7.2kW


[Full Safety Function]

- Residual Heat Indicator
- Child Safety Lock
- Automatic Safety Shut-Off
- Overflow Detection
- Small Utensil Detection

Essential
Induction Series

Keep the faith with the basic principles,
simple & performance

CTN364ND01



[Controls]

- Smart Touch Control
- 1-15 Power Levels with Booster
- Built-in Timer


[Cooking Zones]

- 4 Induction Cooking Zones + 2 Anydish :
 - Four Zones with Bridge Fuction (5.2kW)
- Total Max Power : 7.2kW

[Full Safety Function]

- Residual Heat Indicator
- Child Safety Lock
- Automatic Safety Shut-Off
- Overflow Detection
- Small Utensil Detection

Optional features



CTN363KB01



[Controls]

- Smart Touch Control
- 1-15 Power Levels with Booster
- Built-in Timer

[Cooking Zones]

- 3 Induction Cooking Zones :
 - One Large Zone with Booster (4.6kW)
 - One Medium Zone with Booster
 - One Small Zone with Booster

[Full Safety Function]

- Residual Heat Indicator
- Child Safety Lock
- Automatic Safety Shut-Off
- Overflow Detection
- Small Utensil Detection

Optional features



CTN263EA01

new



[Controls]

- Touch Control
- 1-9 Power Levels with Booster


[Cooking Zones]

- 3 Induction Cooking Zones :
 - One Large Zone with Booster (3.6kW)
 - One Medium Zone with Booster
 - One Small Zone with Booster
- Total Max Power : 6.8kW

[Full Safety Function]

- Residual Heat Indicator
- Child Safety Lock
- Automatic Safety Shut-Off
- Overflow Detection
- Small Utensil Detection

Optional features



CTN264EA01

new



[Controls]

- Touch Control
- 1-9 Power Levels with Booster


[Cooking Zones]

- 4 Induction Cooking Zones :
 - One Large Zone with Booster (3.2kW)
 - Two Medium Zones with Booster
 - One Small Zone with Booster
- Total Max Power : 5.8kW


[Full Safety Function]

- Residual Heat Indicator
- Child Safety Lock
- Automatic Safety Shut-Off
- Overflow Detection
- Small Utensil Detection


Optional features




Install Guide




Install Guide




Install Guide



Install Guide





Ceramic Hob

Ceramic Innovation

Say goodbye to undercooked or unevenly cooked dishes. Samsung's ceramic hob cooks all of your dishes thoroughly with a spacious cooking area.



Features

The ultimate in heat-up speed and efficiency combined with added safety and easy cleaning.



Ceramic Glass Cooking

Responsive cooking! Our ceramic glass cooking surface features four high tech cooking zones with powerful radiant heater surfaces to heat your food.



Easier to Clean

Clean up is a snap with our unique designs! We offer smooth, ergonomic surfaces that can be easily wiped clean.



Automatic Safety

Let Samsung ease your mind with our safety shut-off to ensure our appliances go off when you want them to. We also offer a child-safety lock to make sure little hands don't get themselves into trouble.



Control and Function Indicators

Never worry about a hot cooking surface again. After the heat is off, our 'H' shape afterheat indicator shows you whether it's safe to touch the surface or not.



Double Purpose

How about a hob that does double duty with a dual purpose? Our cooking zones can be modified to accommodate all your cookware. It saves energy and makes cooking a breeze.



Smart Touch Control

Responsive cooking! Our ceramic glass cooking surface features four high tech cooking zones with powerful radiant heater surfaces to heat your food.



Sliding Control

Control the temperature with one motion. Simply touch the control and glide your finger.



Multipurpose Zone

We don't put a round peg in a square hole, so why do we put oval dishes on a round cooking surface? We've solved the problem with a multi-purpose / casserole cooking zone that adapts to the shape of your dish.



Ceramic Hob Series

Say goodbye to undercooked or unevenly cooked dishes.
Samsung's ceramic hob cooks all of your dishes thoroughly with a spacious cooking area.

CTR164NC01




- [Controls]
- Sliding Control
 - 1-9 Power Levels
 - Built-in Timer
- [Cooking Zones]
- 4 Highlight Cooking Zones :
 - Multipurpose Cooking Zone for Oval Dishes
 - Powerful Double Cooking Zone
 - 2 Single Cooking Zones
- [Full Safety Function]
- Residual Heat Indicator
 - Child Safety Lock
 - Automatic Safety Shut-Off

Optional features

	CTR164NC01
Frame	 Bevelled

Install Guide




CTR164NB01




- [Controls]
- Sliding Control
 - 1-9 Power Levels
 - Built-in Timer
- [Cooking Zones]
- 4 Highlight Cooking Zones :
 - 2 Fast Single Cooking Zones
 - 2 Single Cooking Zones
- [Full Safety Function]
- Residual Heat Indicator
 - Child Safety Lock
 - Automatic Safety Shut-Off


Optional features

	CTR164NB01
Frame	 Bevelled

Install Guide




CTR364NC01




- [Controls]
- 1-9 Power Levels
 - Built-in Timer
- [Cooking Zones]
- 4 Highlight Cooking Zones :
 - Multipurpose Cooking Zone for Oval Dishes
 - Powerful Double Cooking Zone
 - 2 Single Cooking Zones
- [Full Safety Function]
- Residual Heat Indicator
 - Child Safety Lock
 - Automatic Safety Shut-Off

Optional features

	CTR364TC01	CTR364NC01	CTR364DC01
Frame	 4 sides Stainless	 Bevelled	 2 Stainless

Install Guide



CTR364NB01




- [Controls]
- 1-9 Power Levels
 - Built-in Timer
- [Cooking Zones]
- 4 Highlight Cooking Zones :
 - 2 Fast Single Cooking Zones
 - 2 Single Cooking Zones
- [Full Safety Function]
- Residual Heat Indicator
 - Child Safety Lock
 - Automatic Safety Shut-Off

Optional features

	CTR364TB01	CTR364NB01	CTR364DB01	CTR364EB01
Frame	 4 sides Stainless	 Bevelled	 2 Stainless	 Cut edge

Install Guide



CTR464NC01




- [Controls]
- 1-9 Power Levels
 - Built-in Timer
- [Cooking Zones]
- 4 Highlight Cooking Zones :
 - Multipurpose Cooking Zone for Oval Dishes
 - Powerful Double Cooking Zone
 - 2 Single Cooking Zones
- [Full Safety Function]
- Residual Heat Indicator
 - Child Safety Lock
 - Automatic Safety Shut-Off

Optional features

	CTR464TC01	CTR464NC01	CTR464DC01
Frame	 4 sides Stainless	 Bevelled	 2 Stainless

Install Guide





CTR464NB01



[Controls]

- 1-9 Power Levels
- Built-in Timer

[Cooking Zones]

- 4 Highlight Cooking Zones :
 - 2 Fast Single Cooking Zones
 - 2 Single Cooking Zones


[Full Safety Function]

- Residual Heat Indicator
- Child Safety Lock
- Automatic Safety Shut-Off


Optional features

	CTR464TB01	CTR464NB01	CTR464DB01	CTR464EB01
Frame				
	4 sides Stainless	Bevelled	2 Stainless	Cut edge

Install Guide



CTR432NB02



[Controls]

- 1-9 Power Levels
- Built-in Timer

[Cooking Zones]

- 2 Highlight Cooking Zones :
 - 1 Fast Single Cooking Zone
 - 1 Single Cooking Zone


[Full Safety Function]

- Residual Heat Indicator
- Child Safety Lock
- Automatic Safety Shut-Off

Optional features

	CTR432NB02
Frame	
	Bevelled

Install Guide



Gas Hob

Delicious experience

Enjoy the real advantages include performance, safety and controllability.



Features

Stylish Gas Hob, ensuring optimal safety.



Triple Crown

Not satisfy with normal gas hobs? Our Triple crown gas burner produces maximum heat ensuring the perfect cooking result.



Safety device

Don't worry for the gas leak. All the Samsung gas hob has the automatic shut-down sensor for your safety.



Electric Ignition

The electric ignition lights the flame with a just a push of the knob. You don't need to struggle with your gas hob. This is the safe and perfect way to start your cooking.



Diamond Series

Provide more space & stick to the powerful performance.

GN642JDxD1



[Key Features]

- Easy to Clean all Stainless Steel Surface with 4 Burners
- Diamond Layout for more Space Usability
- High Power Triple Crown(3.8kW)
- Wok Support
- 3 Cast Iron Grate

[Performancies & Features]

- 1 Triple Crown, 2 Semi-Rapid and 1 Auxiliary Cooking Zone
- Mechanic Dial Type Knob
- Electronic Ignition (One Touch Ignition)
- Safety Device (Flame Failure Device)
- LNG/LPG Convergence Kit Incl.

GN641JDxD1

new



[Key Features]

- Easy to Clean all Stainless Steel Surface with 4 Burners
- Diamond Layout for more Space Usability
- High Power Triple Crown(3.8kW)
- Wok Support
- 3 Enamel Grate

[Performancies & Features]

- 1 Triple Crown, 2 Semi-Rapid and 1 Auxiliary Cooking Zone
- Mechanic Dial Type Knob
- Electronic Ignition (One Touch Ignition)
- Safety Device (Flame Failure Device)
- LNG/LPG Convergence Kit Incl.

GN642FDxD1

new



[Key Features]

- Easy to Clean all Stainless Steel Surface with 4 Burners
- Diamond Layout for more Space Usability
- 3 Cast Iron Grate

[Performancies & Features]

- 1 Rapid, 2 Semi-Rapid and 1 Auxiliary Cooking Zone
- Mechanic Dial Type Knob
- Electronic Ignition (One Touch Ignition)
- Safety Device (Flame Failure Device)
- LNG/LPG Convergence Kit Incl.

GN641FDxD1

new



[Key Features]

- Easy to Clean all Stainless Steel Surface with 4 Burners
- Diamond Layout for More Space Usability
- 3 Enamel Grate

[Performancies & Features]

- 1 Rapid, 2 Semi-Rapid and 1 Auxiliary Cooking Zone
- Mechanic Dial Type Knob
- Electronic Ignition (One Touch Ignition)
- Safety Device (Flame Failure Device)
- LNG/LPG Convergence Kit Incl.

GN792IFxD



[Key Features]

- 75cm Stainless Gas Hob with 5 Burners
- Left Side Triple Burner for more Space Usability
- High Power Triple Crown(3.8kW)
- Wok Support
- 3 Cast Iron Grate
- Cutout Size (490 x 680)

[Performancies & Features]

- 1 Triple Crown, 1 Rapid, 2 Semi-Rapid and 1 Auxiliary Cooking Zone
- Mechanic Dial Type Knob
- Electronic Ignition (One Touch Ignition)
- Safety Device (Flame Failure Device)
- LNG/LPG Convergence Kit Incl.

GN7A2IFxD

new




[Key Features]

- 75cm Stainless Gas Hob with 5 Burners
- Left Side Triple Burner for more Space Usability
- High Power Triple Crown(3.8kW)
- Wok Support
- 3 Cast Iron Grate
- Cutout Size (490 x 560)


[Performancies & Features]

- 1 Triple Crown, 1 Rapid, 2 Semi-Rapid and 1 Auxiliary Cooking Zone
- Mechanic Dial Type Knob
- Electronic Ignition (One Touch Ignition)
- Safety Device (Flame Failure Device)
- LNG/LPG Convergence Kit Incl.


Install Guide




Install Guide




Install Guide




Install Guide



Install Guide



Install Guide



Essential Series

Keep the faith with the basic principles, simple & performance.

GN642HFGD



[Key Features]

- Easy to Clean Black Tempered Glass Surface with 4 Burners
- Triple Crown Burner
- Wok Support
- Cast Iron Grate

[Performancies & Features]

- 1 Triple Crown, 2 Semi-Rapid and 1 Auxiliary Cooking Zone
- Mechanic Dial Type Knob
- Electronic Ignition (One Touch Ignition)
- Safety Device (Flame Failure Device)
- LNG/LPG Convergence Kit Incl.

GN642FFGD



[Key Features]

- Easy to Clean Black Tempered Glass Surface with 4 Burners
- Cast Iron Grate

[Performancies & Features]

- 1 Rapid, 2 Semi-Rapid and 1 Auxiliary Cooking Zone
- Mechanic Dial Type Knob
- Electronic Ignition (One Touch Ignition)
- Safety Device (Flame Failure Device)
- LNG/LPG Convergence Kit Incl.

GN642FFXD



[Key Features]

- Easy to Clean all Stainless Steel Surface with 4 Burners
- 2 Cast Iron Grate

[Performancies & Features]

- 1 Rapid, 2 Semi-Rapid and 1 Auxiliary Cooking Zone
- Mechanic Dial Type Knob
- Electronic Ignition (One Touch Ignition)
- Safety Device (Flame Failure Device)
- LNG/LPG Convergence Kit Incl.

GN641FFBD




[Key Features]

- Black Enamel Surface with 4 Burners
- 2 Enamel Grates


[Performancies & Features]

- 1 Rapid, 2 Semi-Rapid and 1 Auxiliary Cooking Zone
- Mechanic Dial Type Knob
- Electronic Ignition (One Touch Ignition)
- Safety Device (Flame Failure Device)
- LNG/LPG Convergence Kit Incl.


Install Guide




Install Guide



Install Guide



Install Guide



Hood

Samsung Hood brings state of the art convenience to your cooking. High suction power with speed options, a silent motor for noise reduced operations and halogen lighting ease of use...all the performances meet to stylish design which can perfectly go with your all built-in kitchen appliances.



Hood

Complete your kitchen with the excellent design details. Samsung electric hood would be fit in the space as the your dream. Hood brings state of the art convenience to your cooking.



High suction power with speed options, a silent motor for noise reduced operations and halogen lighting ease of use... all the performances meet to stylish design which can perfectly go with your all built-in kitchen appliances.



Features

Samsung electric hood would be fit in the space as the your dream.



4 / 3 Speed extraction

Even you cook several dishes at the same time, 4 speed / 3 speed levels and excellent suction power can remove the fumes and odors efficiently.



Halogen Lamp

The natural bright halogen lighting complete the design and sleek stainless steel styling. It illuminate the cooking area while you experience pleasure of cooking.



Aluminum filter

The easy to clean aluminum filters collect cooking related particles and keep your kitchen fresh.



Touch Control

Easily control all functions on simple external display panel by the touch of a finger. Easy touch control let you make precise and accurate selections.




Clean Air

Clean air is an intelligent operational mechanism where the hood activates at speed level one for 10 minutes every hour until the function is deactivated.



Saturation Indicator

To guarantee the maximum efficiency of hood operation, The hood will automatically advise you when the filters need cleaning.



Timer

Don't worry to forget to turn off the hood. Timer allows the hood to switch off automatically after 15 minutes



LUX Series

Samsung electric hood would be fit in the space as the your dream.

HDC9A90UX

new




- [Key features]
- 90cm/861m3h
 - Stylish Front Black Glass
 - Touch Control
 - Clean Air
 - Saturation Indicators
 - Timer

- [Performancies & Features]
- 4 Speed Extraction Modes
 - Aluminum Panel Metallic Filters
 - 2 Halogen Lighting Lamps

Optional features

	HDC6A90TX	HDC6A90UX	HDC9A90TX	HDC9A90UX
Display Color	Blue	Red	Blue	Red
Size (width)	60cm	60cm	90cm	90cm
Max extraction (m ³ /hr)	861	861	861	861
Mini decibe (dBA)	61	61	61	61
filters	2 Aluminum panels	2 Aluminum panels	3 Aluminum panels	3 Aluminum panels

Install Guide



HDC9D90UG

new




- [Key features]
- 90cm/861m3h
 - Touch Control
 - Clean Air
 - Saturation Indicators
 - Timer

- [Performancies & Features]
- 4 Speed Extraction Modes
 - Stainless Steel Glass Construction
 - Aluminum Panel Metallic Filters
 - 2 Halogen Lighting Lamps

Optional features

	HDC6D90TX	HDC6D90UX	HDC9D90TX	HDC9D90UX
Display Color	Blue	Red	Blue	Red
Size (width)	60cm	60cm	90cm	90cm
Max extraction (m ³ /hr)	861	861	861	861
Mini decibe (dBA)	61	61	61	61
filters	1 Aluminum panel	1 Aluminum panel	1 Aluminum panel	1 Aluminum panel

Install Guide



HDC9C55UX

new




- [Key features]
- 90cm/500m3h
 - Touch Control
 - Clean Air
 - Saturation Indicators
 - Timer

- [Performancies & Features]
- 4 Speed Extraction Modes
 - Stainless Steel Construction
 - Aluminum Panel Metallic Filters
 - 2 Halogen Lighting Lamps

Optional features

	HDC6C90TX	HDC6C90UX	HDC9C90TX	HDC9C90UX
Display Color	Blue	Red	Blue	Red
Size (width)	60cm	60cm	90cm	90cm
Max extraction (m ³ /hr)	500	500	500	500
Mini decibe (dBA)	57	57	57	57
filters	2 Aluminum panels	2 Aluminum panels	3 Aluminum panels	3 Aluminum panels

Install Guide



HDC6955BG




- [Key features]
- 60cm/500m3h
 - Stainless Steel and Glass Construction

- [Performancies & Features]
- 3 Speed Extraction Modes
 - Button Type Control
 - 2 Halogen Lighting Lamps
 - Aluminum Panel Metallic Filters

Optional features

	HDC6845BX
Display Color	•
Size (width)	60cm
Max extraction (m ³ /hr)	500
Mini decibe (dBA)	52
filters	1 Aluminum panels

Install Guide



HDC6845BX




- [Key features]
- 60cm/400m3h
 - Stainless Steel Construction

- [Performancies & Features]
- 3 Speed Extraction Modes
 - Button Type Control
 - 2 Bulb Lighting Lamps
 - Aluminum Panel Metallic Filters

Optional features

	HDC6955BG
Display Color	•
Size (width)	60cm
Max extraction (m ³ /hr)	400
Mini decibe (dBA)	50
filters	2 Aluminum panels

Install Guide



Italiana Series

Samsung electric hood would be fit in the space as the your dream.

HDC9475TG



[Key features]

- 90cm/703m3h
- Vertical Type (STSS + Black glass)
- Touch Control
- Perimeter Aspiration
- Clean Air
- Saturation Indicators
- Timer

[Performancies & Features]

- 4 Speed Extraction Modes
- Stainless Steel and Glass Construction
- Aluminum Panel Metallic Filters
- 3 Halogen Lighting Lamps

Optional features

	HDC6475TG	HDC9475TG
Display Color	Blue	Blue
Size (width)	60cm	90cm
Max extraction (m ³ /hr)	703	703
Mini decibe (dBA)	56	56
filters	1 Aluminum panel	1 Aluminum panel

HDC9675UG



[Key features]

- 90cm/703m3h
- Vertical Type
- Touch Control
- Perimeter Aspiration
- Clean Air
- Saturation Indicators
- Timer

[Performancies & Features]

- 4 Speed Extraction Modes
- Stainless Steel and Glass Construction
- Aluminum Panel Metallic Filters
- 2 Halogen Lighting Lamps

Optional features

	HDC6675UG	HDC9675UG
Display Color	Oragne	Oragne
Size (width)	60cm	90cm
Max extraction (m ³ /hr)	703	703
Mini decibe (dBA)	56	56
filters	1 Aluminum panel	1 Aluminum panel

HDC6747SW



[Key features]

- 60cm/470m3h
- Slider Switch


[Performancies & Features]

- 3 Speed Extraction Modes
- 2 Aluminum Panel Metallic Filters
- 2 Halogen Lighting Lamps


Optional features

	HDC6747SW
Display Color	•
Size (width)	60cm
Max extraction (m ³ /hr)	470
Mini decibe (dBA)	47
filters	2 Aluminum panels


Install Guide



Install Guide



Install Guide



Dishwasher

Samsung Hi-Style fully integrated Dishwasher. It provides powerful performance with energy efficient.






Dishwasher

Better Performance & Minimum Consumption

Samsung dishwashers are A+++ rated for energy efficiency, Best washing performance and drying efficiency so you can be sure of the powerful performance whilst saving energy and cost.




Eco Friendly Dishwasher



Energy Saving & Better Performance


Samsung's advanced dry technology can save up to 21% on energy with no loss in performance. That's EcoDry™ system for your Eco & Simple life at once.

EcoDry™ System




Step1 ErgoFlex Rack

Rack allows dishes to rest at an angle, so water runs off and drying time is reduced.



Step2 Double Condensing System

High speed double expansion condensing system with an air circulation fan cut down the drying time considerably.




Step3 HiveDry™ Drying

Using the humidity absorbing materials dramatically improve drying performance and energy saving for your eco-life, No / Less heating at final rinse.




A+++ Best Energy Efficiency

Triple A rated for Energy, Washing and Drying
Samsung dishwasher is 'A+++' rated for energy efficiency, washing performance and drying efficiency. Get super-cleaner dishes with Samsung's triple A rated performance.



HiveDry™ Drying

The Samsung's unique eco-friendly drying technology using humidity absorbing materials improves the drying performance with the energy saving.



14 P/S Larger Capacity 14 Place Settings

With Samsung's new 14 place sets load capacity dishwasher, you can save your time and energy.

Just because the dishwasher provides 14 place setting, it doesn't use more energy or water. And also you can load easily with larger capacity and more flexible space.



10L Water Saving 10L Water Consumption

Samsung Dishwasher is designed to optimize the use of water during washing cycle. It washes every corners of dishes with 10 liters of water which is 4 liters less than the conventional, but the 10 liters of water never compromises washing performance.

Unique Features

Smart Thinking For Easy of Use



Swoop 3rd Rack

Larger capacity with Swoop 3rd Rack to make unloading cutlery much easier. Detachable and movable with handle, thus providing more space in the bottom rack for more dishes.



Full Flex Tine

The full flex tine system creates the space for hollow dishes when you need it. Its adjustable fold down tines in 3steps provide more flexibility as various forms of dishes or bowls can be loaded in, and is suitable for various bowls – salad bowls, cereal bowls, soup bowls, finger bowls etc.




3steps Fold Down Tine

The flexible racking system consists a removable tine, a fold down tine in upper rack and a 3steps fold down tine in lower rack which are ideally designed for various size of dishes and pans.



Biggest Dish Loading 360mm

You can load 360mm the biggest dish only in Samsung new dishwasher. Wash large items such as oven trays, baking trays, pizza trays and cake pans more easily.



Flex Half Wash (Upper Only / Lower Only)

The half load option may be used to operate either the upper or the lower rack only when washing small amount, few dishes that fills half or less of the dishwasher capacity.




Smart Auto Sensor Wash

Samsung's Smart Auto Sensor Wash cycle make sure dishes get clean and minimizes water and energy usage. The turbidity sensor senses food particles in the water and knows to stop when the rinse water is clean.



Dual Display

Samsung Dishwasher offers Dual Display for your great convenience. The easy control display and the stylish front display are conveniently located for ease of use.



On & Off Light


In case of conventional fully integrated built-in dishwasher, It's difficult to know whether it is working or not because there are no indicator. Samsung new fully integrated type turn on the LED indicator while it's running. So you can easily see that working order or the end.



Inner LED Light

Samsung dishwasher has Moody LED light inside to enhance your interior spaces. When you clean inside or refill salt at the bottom, this lighting help you do easily. LED bulb : You have the added benefit of reducing your energy costs

Color : Blue



Over Voltage Protection

Samsung dishwasher' s Over Voltage Protection guarantees that your dishwasher keep safe and use conveniently from the problem of power surge.

Unique Features

High Performance with Quietness



Washing Punch Zone

Samsung dishwasher with the Washing Punch Zone provides perfect cleaning performance and energy efficiency. The Washing Punch Zone offers high pressure water to clean sticky casseroles and pans without the hassle of pre-washing by hand. You don't need to waste of energy & water.



Sanitize Option

High Temperature Sterilization Samsung dishwasher has 70°C high temperature sterilization system. It makes perfect effectiveness for you and your family's health.



Low Noise 40dBA

Do you need for peace and tranquility, especially in the kitchen? Every element inside Samsung dishwashers is carefully designed to provide the quietest, most advanced cleaning operation. Samsung's advanced motor technology and rack design that provides high levels of sound insulation.




Dishwasher
GALA Series

The new Eco dishwasher from Samsung will save you energy and time, while providing powerful cleaning performance.

DW-SG970T



new Semi Integrated Built-in Type



[Performancies & Features]

- 14 Place Settings
- Energy / Washing / Drying : A+++AA
- 0.83kWh Energy Consumption
- 10L Water Consumption
- 40dBA Noise Level
- Smart Auto Sensor Wash
- 7 Programs : Intensive 70°C, Auto 40°C-65°C, Express65°C, Eco45°C, Quick50°C, Delicate40°C, Pre wash

[Core Technologies]


- EcoDry (HiveDry™)
- Swoop 3rd Rack
- Washing Punch Zone
- Biggest Dish Loading 360mm
- Full Flex Tine System
- Dual Display
- Inner LED Light
- Flex Half Wash (Upper/Lower)
- Sanitize Option

Exterior Color : Stainless

DW-SG520W



new Semi Integrated Built-in Type



[Performancies & Features]

- 13 Place Settings
- Energy / Washing / Drying : A+AA
- 0.97kWh Energy Consumption
- 12L Water Consumption
- 45dBA Noise Level
- 7 Programs : Intensive 70°C, Normal 65°C, Express65°C, Eco45°C, Quick50°C, Delicate40°C, Pre Wash

[Core Technologies]


- Biggest Dish Loading 360mm
- Full Flex Tine System
- Flex Half Wash (Upper/Lower)
- Sanitize Option

Exterior Color : White

DW-SG720T



new Semi Integrated Built-in Type



[Performancies & Features]

- 14 Place Settings
- Energy / Washing / Drying : A++AA
- 0.9kWh Energy Consumption
- 10L Water Consumption
- 43dBA Noise Level
- Smart Auto Sensor Wash
- 7 Programs : Intensive 70°C, Auto 40°C-65°C, Express65°C, Eco45°C, Quick50°C, Delicate40°C, Pre wash

[Core Technologies]


- EcoDry
- Swoop 3rd Rack
- Washing Punch Zone
- Biggest Dish Loading 360mm
- Full Flex Tine System
- Flex Half Wash (Upper/Lower)
- Sanitize Option

Exterior Color : Stainless

DW-BG970B



new Fully Integrated Built-in Type



[Performancies & Features]

- 14 Place Settings
- Energy / Washing / Drying : A+++AA
- 0.83kWh Energy Consumption
- 10L Water Consumption
- 40dBA Noise Level
- Smart Auto Sensor Wash
- 7 Programs : Intensive 70°C, Auto 40°C-65°C, Express65°C, Eco45°C, Quick50°C, Delicate40°C, Pre wash

[Core Technologies]

- EcoDry (HiveDry™)
- Swoop 3rd Rack
- Washing Punch Zone
- Biggest Dish Loading 360mm
- Full Flex Tine System
- Dual Display
- On&Off Light
- Flex Half Wash (Upper/Lower)
- Sanitize Option

Dishwasher

GALA Series

The new Eco dishwasher from Samsung will save you energy and time, while providing powerful cleaning performance.

DW-BG770B



new Fully Integrated Built-in Type



[Performancies & Features]

- 14 Place Settings
- Energy / Washing / Drying : A++AA
- 0.9kWh Energy Consumption
- 10L Water Consumption
- 43dBA Noise Level
- Smart Auto Sensor Wash
- 7 Programs : Intensive 70°C, Auto 40°C-65°C, Express65°C, Eco45°C, Quick50°C, Delicate40°C, Pre Wash

[Core Technologies]

- EcoDry
- Swoop 3rd Rack
- Washing Punch Zone
- Biggest Dish Loading 360mm
- Full Flex Tine System
- On&Off Light
- Flex Half Wash (Upper/Lower)
- Sanitize Option

DW-FG720S



new Freestanding Type



[Performancies & Features]

- 14 Place Settings
- Energy / Washing / Drying : A+AA
- 0.96kWh Energy Consumption
- 10L Water Consumption
- 45dBA Noise Level
- 7 Programs : Intensive 70°C, Auto 40°C-65°C, Express65°C, Eco45°C, Quick50°C, Delicate40°C, Pre Wash

[Core Technologies]

- EcoDry
- Swoop 3rd Rack
- Washing Punch Zone
- Biggest Dish Loading 360mm
- Full Flex Tine System
- Flex Half Wash (Upper/Lower)
- Sanitize Option

Exterior Color : Silver

DW-BG570B



new Fully Integrated Built-in Type



[Performancies & Features]

- 13 Place Settings
- Energy / Washing / Drying : A+AA
- 0.97kWh Energy Consumption
- 12L Water Consumption
- 45dBA Noise Level
- 7 Programs : Intensive 70°C, Normal 65°C, Express65°C, Eco45°C, Quick50°C, Delicate40°C, Pre Wash

[Core Technologies]

- EcoDry (HiveDry™)
- Biggest Dish Loading 360mm
- Full Flex Tine System
- Flex Half Wash (Upper/Lower)
- On&Off Light
- Sanitize Option

DW-FG720W



new Freestanding Type



[Performancies & Features]

- 14 Place Settings
- Energy / Washing / Drying : A+AA
- 0.96kWh Energy Consumption
- 10L Water Consumption
- 45dBA Noise Level
- 7 Programs : Intensive 70°C, Auto 40°C-65°C, Express65°C, Eco45°C, Quick50°C, Delicate40°C, Pre Wash

[Core Technologies]

- EcoDry
- Swoop 3rd Rack
- Washing Punch Zone
- Biggest Dish Loading 360mm
- Full Flex Tine System
- Flex Half Wash (Upper/Lower)
- Sanitize Option

Exterior Color : White

Dishwasher

GALA Series

The new Eco dishwasher from Samsung will save you energy and time, while providing powerful cleaning performance.

DW-FG520S

new Freestanding Type



[Performancies & Features]

- 13 Place Settings
- Energy / Washing / Drying : A+AA
- 0.97kWh Energy Consumption
- 12L Water Consumption
- 48dBA Noise Level
- 7 Programs : Intensive 70°C, Normal65°C, Express65°C, Eco45°C, Quick50°C, Delicate40°C, Pre Wash

[Core Technologies]

- EcoDry
- Biggest Dish Loading 360mm
- Full Flex Tine System
- Flex Half Wash (Upper/Lower)
- Sanitize Option

Exterior Color : Silver

DW-FG520W

new Freestanding Type



[Performancies & Features]

- 13 Place Settings
- Energy / Washing / Drying : A+AA
- 0.97kWh Energy Consumption
- 12L Water Consumption
- 48dBA Noise Level
- 7 Programs : Intensive 70°C, Normal65°C, Express65°C, Eco45°C, Quick50°C, Delicate40°C, Pre Wash

[Core Technologies]

- EcoDry
- Biggest Dish Loading 360mm
- Full Flex Tine System
- Flex Half Wash (Upper/Lower)
- Sanitize Option

Exterior Color : White

Dishwasher

T Series

The uniquely designed 3-branch water spray arm distributes water effectively and evenly for perfect cleaning results.

DMS400TUB



[Control Panel]


[Performancies & Features]

- 12 Place Settings
- Energy / Washing / Drying : AAA
- 1.05kWh Energy Consumption
- 13L Water Consumption
- 46dBA Noise Level
- 6 Programs : Intensive 70°C, Normal65°C, Eco45°C, Quick40°C, Delicate40°C, Pre Wash
- Leakage Sensor
- Rinse Aid / Salt Indicator
- Touch Control Panel

[Core Technologies]

- Delay Start (24h)
- 4 in 1 Tablet Detergent Program
- Rinse & Dry Plus
- Half Load (Upper/Lower)
- One Touch Adjustable Rack
- Flexible Racking System

Install Guide



DMS400THX



[Control Panel]

[Performancies & Features]


- 12 Place Settings
- Energy / Washing / Drying : AAA
- 13L Water Consumption
- 47dBA Noise Level
- 6 Programs : Intensive 70°C, Normal65°C, Eco45°C, Quick40°C, Delicate40°C, Pre Wash
- Leakage Sensor
- Rinse Aid / Salt Indicator
- Touch Control Panel

[Core Technologies]

- Delay Start (24h)
- 4 in 1 Tablet Detergent Program
- Rinse & Dry Plus
- Half Load (Upper/Lower)
- One Touch Adjustable Rack
- Flexible Racking System

Exterior Color : Stainless

Install Guide



DMS600TIX



[Performancies & Features]


- 12 Place Settings
- Energy / Washing / Drying : AAA
- 13L Water Consumption
- 46dBA Noise Level
- 6 Programs : Intensive 70°C, Normal65°C, Eco45°C, Quick40°C, Delicate40°C, Pre Wash
- Leakage Sensor
- Rinse Aid / Salt Indicator
- Touch Control Panel

[Core Technologies]

- Delay Start (24h)
- 4 in 1 Tablet Detergent Program
- Rinse & Dry Plus
- Half Load (Upper/Lower)
- One Touch Adjustable Rack
- Flexible Racking System

Exterior Color : Stainless

Install Guide



Dishwasher
T Series

The uniquely designed 3-branch water spray arm distributes water effectively and evenly for perfect cleaning results.

DMS400TRS



[Performancies & Features]

- 12 Place Settings
- Energy / Washing / Drying : AAA
- 1.05kWh Energy Consumption
- 13L Water Consumption
- 48dBA Noise Level
- 7 Programs : Intensive 70°C, Normal 65°C, Eco45°C, Quick40°C, Delicate40°C, Rinse&Dry, Pre Wash

[Core Technologies]

- Flex Half Wash (Upper/Lower)
- Plus Options(Rinse/Dry)
- Sanitize Option
- 3steps Fold Down Tine

Exterior Color : Silver

DMS400TRW



[Performancies & Features]


- 12 Place Settings
- Energy / Washing / Drying : AAA
- 1.05kWh Energy Consumption
- 13L Water Consumption
- 48dBA Noise Level
- 7 Programs : Intensive 70°C, Normal 65°C, Eco45°C, Quick40°C, Delicate40°C, Rinse&Dry, Pre Wash

[Core Technologies]


- Flex Half Wash (Upper/Lower)
- Plus Options(Rinse/Dry)
- Sanitize Option
- 3steps Fold Down Tine

Exterior Color : Silver

Install Guide



Install Guide



Dishwasher
Slimline Series

The uniquely designed 3-branch water spray arm distributes water effectively and evenly for perfect cleaning results.

DMM770B



[Control Panel]


[Performancies & Features]

- 9 Place Settings
- Flex wash system (11L Water Consumption)
- Energy / Washing / Drying : AAA
- 48dBA Noise Level
- 6 Programs (Auto)

[Core Technologies]

- Leakage Sensor
- Over Voltage Protection
- Rinse Aid / Salt Indicator
- 24hr Delay Start
- 3 in 1 Tablet Detergent Program
- Child Safety Lock

Install Guide



NEW

DMM59AHC



[Control Panel]


[Performancies & Features]

- 9 Place Settings
- Energy / Washing / Drying : AAA
- 13L Water Consumption
- 49dBA Noise Level
- 7 Programs (Auto)

[Core Technologies]

- Leakage Sensor
- Rinse Aid / Salt Indicator
- Delay Start
- Auto Program
- 3 in 1 Tablet Detergent Program
- Half Load

Install Guide



DMM39AHC



[Control Panel]


[Performancies & Features]

- 9 Place Settings
- Energy / Washing / Drying : AAA
- 13L Water Consumption
- 52dBA Noise Level
- 5 Programs (Auto)

[Core Technologies]

- Leakage Sensor
- Rinse Aid / Salt Indicator

Install Guide



GEO
Steam
Twin™ Series

NEW



NEW



NEW



NEW



Model Name		BQ1VQ6T	BQ1VD6T	BQ1AQ4T	BQ1AD4T
Model type install		Single Built-in	Single Built-in	Single Built-in	Single Built-in
Mode		Dual Cooking	Dual Cooking	Dual Cooking	Dual Cooking
Oven Features					
Cavity Wall		Ceramic Enamel	Ceramic Enamel	Ceramic Enamel	Ceramic Enamel
Oven Colors (Con-panel / Door)		Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Oven Doors (D : Double, T : Triple, Q:Quadruple)		Q	T	Q	T
Door Opening		Drop down	Drop down	Drop down	Drop down
Handle Design		Round	Round	Round	Round
Interior Lamp	Watts	1x25, 1x40	1x25, 1x40	1x25	1x25
Interior Lights	Position	Back, Side	Back	Back	Back
Control Method (Oven)		Touch & Pop out Dial	Touch & Pop out Dial	Button & Pop out Dial	Button & Pop out Dial
	Display	Wide Twin LED	Wide Twin LED	Wide Twin LED	Wide Twin LED
Cleaning Method	Oven	Pyrolytic	Catalytic	Pyrolytic	Catalytic
	Steam			Steam	
	Heater	Fixed	Movable	Fixed	Fixed
Electric Features					
Oven Temp Ranges	Single	40~250℃ , Grill 40~270℃	40~250℃ , Grill 40~270℃	40~250℃ , Grill 40~270℃	40~250℃ , Grill 40~270℃
	Upper / Lower	40~250℃	40~250℃	40~250℃	40~250℃
	Twin	170~250℃	170~250℃	170~250℃	170~250℃
Upper Grill (In / Out)		1600W / 1100W	1600W / 1100W	1600W / 1100W	1600W / 1100W
Lower Grill		1100W	1100W	1100W	1100W
Convection (Upper / Lower)		1200W / 1200W	1200W / 1200W	1200W / 1200W	1200W / 1200W
Energy Class		A,A,A	A,A,A	A,A,A	A,A,A
Oven Function					
Cooking Mode		24	24	22	22
Auto Menu		Yes (40) + Steam (25)	Yes (25) + Steam (25)	Yes (25) + Steam (15)	Yes (25) + Steam (15)
Single Mode	1. Convection	Yes	Yes	Yes	Yes
	2. Top Heat + Convection	Yes	Yes	Yes	Yes
	3. Conventional	Yes	Yes	Yes	Yes
	4. Large Grill	Yes	Yes	Yes	Yes
	5. Small Grill	Yes	Yes	Yes	Yes
	6. Bottom + Convection	Yes	Yes	Yes	Yes
	7. Fast Preheating	No	No	No	No
	8. Bottom Heat	No	No	No	No
	9. Steam Cook	Yes	Yes	No	No
	10. Steam Add Manual	Yes (3)	Yes (3)	Yes (3)	Yes (3)
	11. Auto Cook	Yes (24)	Yes (24)	Yes (24)	Yes (24)
	12. Steam Add Auto	Yes (15)	Yes (15)	Yes (15)	Yes (15)
UPPER Mode	1. Convection	Yes	Yes	Yes	Yes
	2. Top Heat + Convection	Yes	Yes	Yes	Yes
	3. Large Grill	Yes	Yes	Yes	Yes
	4. Small Grill	No	No	No	No
	5. Auto Cook	Yes (5)	No	No	No
LOWER Mode	1. Convection	Yes	Yes	Yes	Yes
	2. Bottom Heat + Convec.	Yes	Yes	Yes	Yes
	3. Bottom Heat	No	No	No	No
	4. Auto Cook	Yes (5)	No	No	No
	5. Steam Cook	Yes	No	No	No
	6. Steam Add Manual	Yes (3)	Yes (3)	Yes (3)	Yes (3)
	7. Steam Add Auto Cook	Yes (5)	Yes (5)	No	No
Dual Mode					
1. U-Convection L-Convection		Yes	Yes	Yes	Yes
2. U-Convection L-Bottom + Convec.		Yes	Yes	Yes	Yes
3. U-Convection L-Bottom Heat		No	No	No	No
4. U-Convection L-Steam Only Cook		Yes	Yes	No	No
5. U-Convection L-Steam Add Manual		Yes (3)	Yes (3)	Yes (3)	Yes (3)
6. U-Top Heat + Convec. L-Convection		Yes	Yes	Yes	Yes
7. U-Top Heat + Convec. L-Bottrn + Convec.		Yes	Yes	Yes	Yes
8. U-Top Heat + Convec. L-Bottrn Heat		No	No	No	No
9. U-Top Heat + Convec. L-Steam Only Cook		Yes	Yes	No	No
10. U-Top Heat + Convec. L-Steam Add Manual		Yes (3)	Yes (3)	Yes (3)	Yes (3)
11. U-Large Grill. L-Convection		Yes	Yes	Yes	Yes
12. U-Large Grill. L-Bottom + Convec.		Yes	Yes	Yes	Yes
13. U-Large Grill. L-Bottom Heat		No	No	No	No
14. U-Large Grill. L-Steam Only Cook		Yes	Yes	No	No
15. U-Large Grill. L-Steam Add Manual		Yes (3)	Yes (3)	Yes (3)	Yes (3)
16. U-Small Grill. L-Convection		No	No	No	No
17. U-Small Grill. L-Bottom + Convec.		No	No	No	No
18. U-Small Grill. L-Bottom Heat		No	No	No	No
19. U-Small Grill. L-Steam Only Cook		No	No	No	No
20. U-Small Grill. L-Steam Add Manual		No	No	No	No
21. Auto Cook		Yes	No	No	No
22. Steam Add Auto Cook		Yes	Yes	No	No
TOTAL AUTO MENU		Yes (40)	Yes (25)	Yes (25)	Yes (25)
TOTAL STEAM AUTO ADD COOK		Yes (25)	Yes (25)	Yes (15)	Yes (15)

Model Name		BQ1VQ6T	BQ1VD6T	BQ1AQ4T	BQ1AD4T
Control Features					
Clock		Yes	Yes	Yes	Yes
Child Safety Lock		Yes	Yes	Yes	Yes
Count Timer		Yes	Yes	Yes	Yes
Cook Time		Yes	Yes	Yes	Yes
End Time		Yes	Yes	Yes	Yes
Language Option		No	No	No	No
Oven Temp		Yes	Yes	Yes	Yes
Light (LAMP) On / Off		Yes	Yes	Yes	Yes
Sound		Buzzer	Buzzer	Buzzer	Buzzer
Sound On / Off		Yes (Hidden)	Yes (Hidden)	Yes (Hidden)	Yes (Hidden)
Demo Mode		Yes (Hidden)	Yes (Hidden)	Yes (Hidden)	Yes (Hidden)
Equipment Supplied					
Multi spit (Shaslik)		No	No	No	No
Barbecue Spit		No	No	No	No
Square Baking Tray		2	2	2	2
Square Wire Rack		2	1	1	1
Telescopic Rack		No	Yes	No	Yes
Instruction Book		Yes	Yes	Yes	Yes
Application Dimensions					
Dimension (WxHxD)	Cavity (Single)	464x370x410	464x370x410	464x370x410	464x370x410
	Cavity (Upper / Lower)	435x(U160, L170)x400	435x(U160, L170)x400	435x(U160, L170)x400	435x(U160, L170)x400
	Outside	595x595x572	595x595x572	595x595x572	595x595x572
	Cutout	560x570x550	560x570x550	560x570x550	560x570x550
	Shipping	700x750x700	700x750x700	700x750x700	700x750x700
Total Usable Capacity (WxHxD)		66 Liter	66 Liter	66 Liter	66 Liter
Economic Cavity (Upper or Lower)		430x360x400	430x360x400	430x360x400	430x360x400
Steamer		U:30 liter L:32 liter	U:30 liter L:32 liter	U:30 liter L:32 liter	U:30 liter L:32 liter
Steamer		Steamer : 12L (Glass 7L, STSS Tray 5L)	Steamer : 12L (Glass 7L, STSS Tray 5L)	No	No
Water Tank Amount		1L	1L	1L	1L

GEO
Twin
Convection™ Series



Model Name		BQ1Q6T	BQ1Q4T	BQ1D6T
Old Version Model Name		-	-	-
Model Type Install		Single Built-in	Single Built-in	Single Built-in
Mode		Dual Cooking	Dual Cooking	Dual Cooking
Oven Features				
Cavity Interior		Ceramic Enamel	Ceramic Enamel	Ceramic Enamel
Oven Colors		Stainless Steel	Stainless Steel	Stainless Steel
Oven Doors (D : Double, T : Triple, Q : Quadruple)		Q	Q	T
Door Opening		Drop down	Drop down	Drop down
Interior Lamp	Watts	1x40, 1x25	1x25	1x25
	Position	Back & Right side	Back	Back
Control Method (Oven)		Touch & Pop out Dial	Button & Pop out Dial	Touch & Pop out Dial
	Display	Wide LCD	Twin LED	Twin LED
Cleaning Method	Oven	Pyrolytic	Pyrolytic	Catalytic
	Steam	Steam	Steam	Steam
	Heater	Fixed	Fixed	Fixed
Electric Features				
Oven Temp Ranges	Single	40~250℃, Grill 40~270℃	40~250℃, Grill 40~270℃	40~250℃, Grill 40~270℃
	Upper / Lower	40~250℃	40~250℃	40~250℃
	Twin	170~250℃	170~250℃	170~250℃
Upper Grill (In / Out)		1600W / 1100W	1600W / 1100W	1600W / 1100W
Lower Grill		1100W	1100W	1100W
Convection (Upper / Lower)		1200W / 1200W	1200W / 1200W	1200W / 1200W
Energy Class (Convection)		AAA	AAA	AAA
Energy Class (Conventional)		A	A	A
Oven Function				
Cooking Mode		18	18	18
Auto Menu		40	25	15
Single Mode	1. Convection	Yes	Yes	Yes
	2. Top Heat + Convection	Yes	Yes	Yes
	3. Conventional	Yes	Yes	Yes
	4. Large Grill	Yes	Yes	Yes
	5. Small Grill	Yes	Yes	Yes
	6. Bottom + Convection	Yes	Yes	Yes
	7. Auto Menu	Yes (25)	Yes (25)	Yes (15)
	8. Bottom Heat	No	No	No
	9. Fast Preheating	No	No	No
	10. Defrost	No	No	No
Upper Mode	1. Convection	Yes	Yes	Yes
	2. Top Heat + Convection	Yes	Yes	Yes
	3. Large Grill	Yes	Yes	Yes
	4. Small Grill	No	No	No
	5. Auto Menu	Yes (5)	No	No
Lower Mode	1. Convection	Yes	Yes	Yes
	2. Bottom Heat + Convec.	Yes	Yes	Yes
	3. Auto Menu	Yes (5)	No	No
	4. Bottom Heat	No	No	No
Dual Mode	1. U-Convection L-Convection	Yes	Yes	Yes
	2. U-Convection L-Bottom + Convec.	Yes	Yes	Yes
	3. U-Top Heat + Convec. L-Convection	Yes	Yes	Yes
	4. U-Top Heat + Conv. L-Bottom + Conv.	Yes	Yes	Yes
	5. U-Large Grill. L-Convection	Yes	Yes	Yes
	6. U-Large Grill. L-Bottom + Convec.	Yes	Yes	Yes
	7. Auto Menu	No	No	No
Control Features				
Clock		Yes	Yes	Yes
Child Safety Lock		Yes	Yes	Yes
Count Timer		Yes	Yes	Yes
Cook Time		Yes	Yes	Yes
End Time		Yes	Yes	Yes
Oven Temp		Yes	Yes	Yes
Steam Cleaning		Yes	Yes	Yes
Language Option		Yes	No	No
Light (Lamp) On / Off		Buzzer	Buzzer	Yes
Sound		Yes	Yes	Yes
Application Dimensions				
Dimension (W x H x D mm)	Cavity (Single)	464x370x410	464x370x410	464x370x410
	Cavity (Upper / Lower)	435x(U160, L170)x400	435x(U160, L170)x400	435x(U160, L170)x400
	Outside	595x595x572	595x595x572	595x595x572
	Cutout	560x570x550	560x570x550	560x570x550
	Shipping	700x750x700	700x750x700	700x750x700
Usable Capacity (WxHxD)		65 Liter	65 Liter	65 Liter
Economic Cavity (Upper or Lower)		430x360x400	430x360x400	430x360x400
		U:30 liter L:32 liter	U:30 liter L:32 liter	U:30 liter L:32 liter
Equipment Supplied				
Multi Spit (Shaslik)		No	No	Yes (Option)
Barbecue Spit		Yes	Yes	Yes (Option)
Square Baking Tray		2	2	2
Square Wire Rack		2	1	2
Telescopic Rack		No	No	Yes (Option)

GEO
Twin
Convection™ Series



NEW



Model Name		BQ1D4T	BQ1D6G	BQ1D6I
Old Version Model Name		-	-	-
Model Type Install		Single Built-in	Single Built-in	Single Built-in
Mode		Dual Cooking	Dual Cooking	Dual Cooking
Oven Features				
Cavity Interior		Ceramic Enamel	Ceramic Enamel	Ceramic Enamel
Oven Colors		Stainless Steel	Black Glass	White Glass
Oven Doors (D : Double, T : Triple, Q : Quadruple)		T	T	T
Door Opening		Drop down	Drop down	Drop down
Interior Lamp	Watts	1x25	1x25	1x25
	Position	Back	Back	Back
Control Method (Oven)		Button & Pop out Dial	Touch & Pop out Dial	Touch & Pop out Dial
	Display	Twin LED	Twin LED	Twin LED
Cleaning Method	Oven	Catalytic	Catalytic	Catalytic
	Steam	Steam	Steam	Steam
	Heater	Fixed	Fixed	Fixed
Electric Features				
Oven Temp Ranges	Single	40~250℃, Grill 40~270℃	40~250℃, Grill 40~270℃	40~250℃, Grill 40~270℃
	Upper / Lower	40~250℃	40~250℃	40~250℃
	Twin	170~250℃	170~250℃	170~250℃
Upper Grill (In / Out)		1600W / 1100W	1600W / 1100W	1600W / 1100W
Lower Grill		1100W	1100W	1100W
Convection (Upper / Lower)		1200W / 1200W	1200W / 1200W	1200W / 1200W
Energy Class (Convection)		AAA	AAA	AAA
Energy Class (Conventional)		A	A	A
Oven Function				
Cooking Mode		18	18	18
Auto Menu		15	15	15
Single Mode	1. Convection	Yes	Yes	Yes
	2. Top Heat + Convection	Yes	Yes	Yes
	3. Conventional	Yes	Yes	Yes
	4. Large Grill	Yes	Yes	Yes
	5. Small Grill	Yes	Yes	Yes
	6. Bottom + Convection	Yes	Yes	Yes
	7. Auto Menu	Yes (15)	Yes (15)	Yes (15)
	8. Bottom Heat	No	No	No
	9. Fast Preheating	No	No	No
	10. Defrost	No	No	No
Upper Mode	1. Convection	Yes	Yes	Yes
	2. Top Heat + Convection	Yes	Yes	Yes
	3. Large Grill	Yes	Yes	Yes
	4. Small Grill	No	No	No
	5. Auto Menu	No	No	No
Lower Mode	1. Convection	Yes	Yes	Yes
	2. Bottom Heat + Convec.	Yes	Yes	Yes
	3. Auto Menu	No	No	No
	4. Bottom Heat	No	No	No
Dual Mode	1. U-Convection L-Convection	Yes	Yes	Yes
	2. U-Convection L-Bottom + Convec.	Yes	Yes	Yes
	3. U-Top Heat + Convec. L-Convection	Yes	Yes	Yes
	4. U-Top Heat + Conv. L-Bottom + Conv.	Yes	Yes	Yes
	5. U-Large Grill. L-Convection	Yes	Yes	Yes
	6. U-Large Grill. L-Bottom + Convec.	Yes	Yes	Yes
	7. Auto Menu	No	No	No
Control Features				
Clock		Yes	Yes	Yes
Child Safety Lock		Yes	Yes	Yes
Count Timer		Yes	Yes	Yes
Cook Time		Yes	Yes	Yes
End Time		Yes	Yes	Yes
Oven Temp		Yes	Yes	Yes
Steam Cleaning		Yes	Yes	Yes
Language Option		No	No	No
Light (Lamp) On / Off		Yes	Yes	Yes
Sound		Buzzer	Buzzer	Buzzer
Application Dimensions				
Dimension (W x H x D mm)	Cavity (Single)	464x370x410	464x370x410	464x370x410
	Cavity (Upper / Lower)	435x(U160, L170)x400	435x(U160, L170)x400	435x(U160, L170)x400
	Outside	595x595x572	595x595x572	595x595x572
	Cutout	560x570x550	560x570x550	560x570x550
	Shipping	700x750x700	696x643x678	696x643x678
Usable Capacity (WxHxD)		65 Liter	65 Liter	65 Liter
Economic Cavity (Upper or Lower)		430x360x400	430x360x400	430x360x400
		U:30 liter L:32 liter	U:30 liter L:32 liter	U:30 liter L:32 liter
Equipment Supplied				
Multi Spit (Shaslik)		Yes (Option)	Yes (Option)	Yes (Option)
Barbecue Spit		Yes (Option)	Yes (Option)	Yes (Option)
Square Baking Tray		2	2	2
Square Wire Rack		2	2	2
Telescopic Rack		Yes (Option)	Yes (Option)	Yes (Option)

GEO
Twin
Convection™ Series



NEW



Model Name		BQ1S4B	BQ1D6W	BQ1S4T
Old Version Model Name		-	-	-
Model Type Install		Single Built-in	Single Built-in	Single Built-in
Mode		Dual Cooking	Dual Cooking	Dual Cooking
Oven Features				
Cavity Interior		Ceramic Enamel	Ceramic Enamel	Ceramic Enamel
Oven Colors		Black	White	Stainless Steel
Oven Doors (D : Double, T : Triple, Q : Quadruple)		T	T	T
Door Opening		Drop down	Drop down	Drop down
Interior Lamp	Watts	1×25	1×25	1×25
	Position	Back	Back	Back
Control Method (Oven)		Button & Pop out Dial	Button & Pop out Dial	Button & Pop out Dial
	Display	Twin LED	Twin LED	Twin LED
Cleaning Method	Oven	No	Catalytic	No
	Steam	Steam	Steam	Steam
	Heater	Fixed	Fixed	Fixed
Electric Features				
Oven Temp Ranges	Single	40~250℃, Grill 40~270℃	40~250℃, Grill 40~270℃	40~250℃, Grill 40~270℃
	Upper / Lower	40~250℃	40~250℃	40~250℃
	Twin	170~250℃	170~250℃	170~250℃
Upper Grill (In / Out)		1600W / 1100W	1600W / 1100W	1600W / 1100W
Lower Grill		1100W	1100W	1100W
Convection (Upper / Lower)		1200W / 1200W	1200W / 1200W	1200W / 1200W
Energy Class (Convection)		AAA	AAA	AAA
Energy Class (Conventional)		A	A	A
Oven Function				
Cooking Mode		18	18	18
Auto Menu		15	15	15
Single Mode	1. Convection	Yes	Yes	Yes
	2. Top Heat + Convection	Yes	Yes	Yes
	3. Conventional	Yes	Yes	Yes
	4. Large Grill	Yes	Yes	Yes
	5. Small Grill	Yes	Yes	Yes
	6. Bottom + Convection	Yes	Yes	Yes
	7. Auto Menu	Yes (15)	Yes (15)	Yes (15)
	8. Bottom Heat	No	No	No
	9. Fast Preheating	No	No	No
	10. Defrost	No	No	No
Upper Mode	1. Convection	Yes	Yes	Yes
	2. Top Heat + Convection	Yes	Yes	Yes
	3. Large Grill	Yes	Yes	Yes
	4. Small Grill	No	No	No
	5. Auto Menu	No	No	No
Lower Mode	1. Convection	Yes	Yes	Yes
	2. Bottom Heat + Convec.	Yes	Yes	Yes
	3. Auto Menu	No	No	No
	4. Bottom Heat	No	No	No
Dual Mode	1. U-Convection L-Convection	Yes	Yes	Yes
	2. U-Convection L-Bottom + Convec.	Yes	Yes	Yes
	3. U-Top Heat + Convec. L-Convection	Yes	Yes	Yes
	4. U-Top Heat + Conv. L-Bottom + Conv.	Yes	Yes	Yes
	5. U-Large Grill. L-Convection	Yes	Yes	Yes
	6. U-Large Grill. L-Bottom + Convec.	Yes	Yes	Yes
	7. Auto Menu	No	No	No
Control Features				
Clock		Yes	Yes	Yes
Child Safety Lock		Yes	Yes	Yes
Count Timer		Yes	Yes	Yes
Cook Time		Yes	Yes	Yes
End Time		Yes	Yes	Yes
Oven Temp		Yes	Yes	Yes
Steam Cleaning		Yes	Yes	Yes
Language Option		No	No	No
Light (Lamp) On / Off		Yes	Yes	Yes
Sound		Buzzer	Buzzer	Buzzer
Application Dimensions				
Dimension (W x H x D mm)	Cavity (Single)	464x370x410	464x370x410	464x370x410
	Cavity (Upper / Lower)	435x(U160, L170)x400	435x(U160, L170)x400	435x(U160, L170)x400
	Outside	595x595x572	595x595x572	595x595x566
	Cutout	560x570x550	560x570x550	560x570x550
	Shipping	696X643X678	700x750x700	696X643X678
Usable Capacity (WxHxD)		65 Liter	65 Liter	65 Liter
Economic Cavity (Upper or Lower)		430x360x400	430x360x400	440x365x405
		U:30 liter L:32 liter	U:30 liter L:32 liter	U:30 liter L:32 liter
Equipment Supplied				
Multi Spit (Shaslik)		Yes (Option)	Yes (Option)	Yes (Option)
Barbecue Spit		Yes (Option)	Yes (Option)	Yes (Option)
Square Baking Tray		2	2	2
Square Wire Rack		2	2	2
Telescopic Rack		Yes (Option)	Yes (Option)	Yes (Option)

Metro
Twin
Convection™ Series



NEW



Model Name		BQ3D4T	BQ3S3T	BQ3N3T
Old Version Model Name		-	-	-
Model Type Install		Single Built-in	Single Built-in	Single Built-in
Mode		Dual Cooking	Dual Cooking	Dual Cooking
Oven Features				
Cavity Interior		Ceramic Enamel	Ceramic Enamel	Ceramic Enamel
Oven Colors		Stainless Steel	Stainless Steel	Stainless Steel
Oven Doors (D : Double, T : Triple, Q : Quadruple)		T	T	T
Door Opening		Drop down	Drop down	Drop down
Interior Lamp	Watts	1×25, 1X40	1×25	1×25
	Position	Back & Right side	Back	Back
Control Method (Oven)		Button & Pop out Dial	Button & Dial	Button & Dial
	Display	Twin LED	Twin LED	Twin LED
Cleaning Method	Oven	Catalytic	No	No
	Steam	Steam	Steam	No
	Heater	Fixed	Fixed	Fixed
Electric Features				
Oven Temp Ranges	Single	40~250℃, Grill 40~300℃	40~250℃, Grill 40~270℃	40~250℃, Grill 40~270℃
	Upper / Lower	40~250℃	40~250℃	40~250℃
	Twin	170~250℃	170~250℃	170~250℃
Upper Grill (In / Out)		1600W / 1100W	1600W / 1100W	1600W / 1100W
Lower Grill		1100W	1100W	1100W
Convection (Upper / Lower)		1200W / 1200W	1200W / 1200W	1200W / 1200W
Energy Class (Convection)		AAA	AAA	AAA
Energy Class (Conventional)		A	A	A
Oven Function				
Cooking Mode		17	18	18
Auto Menu		No	15	15
Single Mode	1. Convection	Yes	Yes	Yes
	2. Top Heat + Convection	Yes	Yes	Yes
	3. Conventional	Yes	Yes	Yes
	4. Large Grill	Yes	Yes	Yes
	5. Small Grill	Yes	Yes	Yes
	6. Bottom + Convection	Yes	Yes	Yes
	7. Auto Menu	No	Yes (15)	Yes (15)
	8. Bottom Heat	No	No	No
	9. Fast Preheating	No	No	No
	10. Defrost	No	No	No
Upper Mode	1. Convection	Yes	Yes	Yes
	2. Top Heat + Convection	Yes	Yes	Yes
	3. Large Grill	Yes	Yes	Yes
	4. Small Grill	No	No	No
	5. Auto Menu	No	No	No
Lower Mode	1. Convection	Yes	Yes	Yes
	2. Bottom Heat + Convec.	Yes	Yes	Yes
	3. Auto Menu	No	No	No
	4. Bottom Heat	No	No	No
Dual Mode	1. U-Convection L-Convection	Yes	Yes	Yes
	2. U-Convection L-Bottom + Convec.	Yes	Yes	Yes
	3. U-Top Heat + Convec. L-Convection	Yes	Yes	Yes
	4. U-Top Heat + Conv. L-Bottom + Conv.	Yes	Yes	Yes
	5. U-Large Grill. L-Convection	Yes	Yes	Yes
	6. U-Large Grill. L-Bottom + Convec.	Yes	Yes	Yes
	7. Auto Menu	No	No	No
Control Features				
Clock		Yes	Yes	Yes
Child Safety Lock		Yes (Hidden)	Yes (Hidden)	Yes (Hidden)
Count Timer		Yes	Yes	Yes
Cook Time		Yes	Yes	Yes
End Time		Yes	Yes	Yes
Oven Temp		Yes	Yes	Yes
Steam Cleaning		Yes	Yes	Yes
Language Option		No	No	No
Light (Lamp) On / Off		Yes	Yes	Yes
Sound		Buzzer	Buzzer	Buzzer
Application Dimensions				
Dimension (W x H x D mm)	Cavity (Single)	464x370x410	464x370x410	464x370x410
	Cavity (Upper / Lower)	435x(U160, L170)x400	435x(U160, L170)x400	435x(U160, L170)x400
	Outside	595x595x566	595x595x566	595x595x566
	Cutout	560x570x550	560x570x550	560x570x550
	Shipping	700x750x700	700x750x700	700x750x700
Usable Capacity (WxHxD)		65 Liter	65 Liter	65 Liter
Economic Cavity (Upper or Lower)		440x365x405	440x365x405	440x365x405
		U:30 liter L:32 liter	U:30 liter L:32 liter	U:30 liter L:32 liter
Equipment Supplied				
Multi Spit (Shaslik)		Yes (Option)	Yes (Option)	Yes (Option)
Barbecue Spit		Yes (Option)	Yes (Option)	Yes (Option)
Square Baking Tray		2	2	2
Square Wire Rack		2	2	2
Telescopic Rack		Yes (Option)	Yes (Option)	Yes (Option)

GEO
XXL
Single Oven Series



Model Name		BF1C4T	BF1C6G	BF1C3T
Old Version Model Name		-	-	-
Model Type Install		Single Built-in	Single Built-in	Single Built-in
Mode		2 Convection Fan	2 Convection Fan	2 Convection Fan
Oven Features				
Cavity Interior		Ceramic Enamel	Ceramic Enamel	Ceramic Enamel
Oven Colors		Stainless Steel	Black Glass	Black
Oven Doors (D : Double, T : Triple, Q : Quadruple)		T	T	T
Door Opening		Drop down	Drop down	Drop down
Interior Lamp	Watts	1×25	1×25	1×25
	Position	Back	Back	Back
Control Method (Oven)		Button & Pop out Dial	Button & Pop out Dial	Button & Dial
	Display	LED	LED	LED
Cleaning Method	Oven	Catalytic	Catalytic	Catalytic
	No	No	No	No
	Heater	Fixed	Fixed	Fixed
Electric Features				
Oven Temp Ranges	Single	50~250℃, Grill 3 Levels	50~250℃, Grill 3 Levels	50~250℃, Grill 3 Levels
	Upper / Lower	No	No	No
	Twin	No	No	No
Upper Grill (In / Out)		1600W / 700W	1600W / 700W	1600W / 700W
Lower Grill		600W	600W	600W
Convection (Upper / Lower)		1700W	1700W	1700W
Energy Class (Convection)		A	A	A
Energy Class (Conventional)		A	A	A
Oven Function				
Cooking Mode		6	6	6
Auto Menu		No	No	No
Single Mode	1. Convection	Yes	Yes	Yes
	2. Top Heat + Convection	Yes	Yes	Yes
	3. Conventional	Yes	Yes	Yes
	4. Large Grill	Yes	Yes	Yes
	5. Small Grill	No	No	No
	6. Bottom + Convection	Yes	Yes	Yes
	7. Auto Menu	No	No	No
	8. Bottom Heat	No	No	No
	9. Fast Preheating	Yes	Yes	Yes
	10. Defrost	No	No	No
Upper Mode	1. Convection	No	No	No
	2. Top Heat + Convection	No	No	No
	3. Large Grill	No	No	No
	4. Small Grill	No	No	No
	5. Auto Menu	No	No	No
Lower Mode	1. Convection	No	No	No
	2. Bottom Heat + Convec.	No	No	No
	3. Auto Menu	No	No	No
	4. Bottom Heat	No	No	No
Dual Mode	1. U-Convection L-Convection	No	No	No
	2. U-Convection L-Bottom + Convec.	No	No	No
	3. U-Top Heat + Convec. L-Convection	No	No	No
	4. U-Top Heat + Conv. L-Bottom + Conv.	No	No	No
	5. U-Large Grill. L-Convection	No	No	No
	6. U-Large Grill. L-Bottom + Convec.	No	No	No
	7. Auto Menu	No	No	No
Control Features				
Clock		Yes	Yes	Yes
Child Safety Lock		No	No	No
Count Timer		Yes	Yes	Yes
Cook Time		No	No	No
End Time		No	No	No
Oven Temp		Yes	Yes	Yes
Steam Cleaning		No	No	No
Language Option		No	No	No
Light (Lamp) On / Off		No	No	No
Sound		Buzzer	Buzzer	Buzzer
Application Dimensions				
Dimension (W x H x D mm)	Cavity (Single)	464x370x410	464x370x410	464x370x410
	Cavity (Upper / Lower)	No	No	No
	Outside	595x595x572	595x595x572	595x595x572
	Cutout	560x570x550	560x570x550	560x570x550
	Shipping	700x750x700	700x750x700	700x750x700
Usable Capacity (WxHxD)		65 Liter	65 Liter	65 Liter
Economic Cavity (Upper or Lower)		No	No	No
Equipment Supplied				
Multi Spit (Shaslik)		No	No	No
Barbecue Spit		No	No	No
Square Baking Tray		1	1	1
Square Wire Rack		1	1	1
Telescopic Rack		Yes (Option)	Yes (Option)	Yes (Option)

Metro
XXL
Single Oven Series



Model Name		BF3C4T	BF3C3T	BF3C3B
Old Version Model Name		-	-	-
Model Type Install		Single Built-in	Single Built-in	Single Built-in
Mode		2 Convection Fan	2 Convection Fan	2 Convection Fan
Oven Features				
Cavity Interior		Ceramic Enamel	Ceramic Enamel	Ceramic Enamel
Oven Colors		Stainless Steel	Stainless Steel	Black
Oven Doors (D : Double, T : Triple, Q : Quadruple)		T	T	T
Door Opening		Drop down	Drop down	Drop down
Interior Lamp	Watts	1×25	1×25	1×25
	Position	Back	Back	Back
Control Method (Oven)		Button & Pop out Dial	Button & Dial	Button & Dial
	Display	LED	LED	LED
Cleaning Method	Oven	Catalytic	Catalytic	Catalytic
	No	No	No	No
	Heater	Movable	Movable	Movable
Electric Features				
Oven Temp Ranges	Single	40~250℃, Grill 40~300℃	40~250℃, Grill 40~300℃	40~250℃, Grill 40~300℃
	Upper / Lower	No	No	No
	Twin	No	No	No
Upper Grill (In / Out)		1600W / 1100W	1600W / 1100W	1600W / 1100W
Lower Grill		1100W	1100W	1100W
Convection (Upper / Lower)		1700W	1700W	1700W
Energy Class (Convection)		A	A	A
Energy Class (Conventional)		A	A	A
Oven Function				
Cooking Mode		6	6	6
Auto Menu		15	No	No
Single Mode	1. Convection	Yes	Yes	Yes
	2. Top Heat + Convection	Yes	Yes	Yes
	3. Conventional	Yes	Yes	Yes
	4. Large Grill	Yes	Yes	Yes
	5. Small Grill	Yes	Yes	No
	6. Bottom + Convection	Yes	Yes	Yes
	7. Auto Menu	Yes (15)	No	No
	8. Bottom Heat	No	No	No
	9. Fast Preheating	No	No	No
	10. Defrost	No	No	No
Upper Mode	1. Convection	No	No	No
	2. Top Heat + Convection	No	No	No
	3. Large Grill	No	No	No
	4. Small Grill	No	No	No
	5. Auto Menu	No	No	No
Lower Mode	1. Convection	No	No	No
	2. Bottom Heat + Convec.	No	No	No
	3. Auto Menu	No	No	No
	4. Bottom Heat	No	No	No
Dual Mode	1. U-Convection L-Convection	No	No	No
	2. U-Convection L-Bottom + Convec.	No	No	No
	3. U-Top Heat + Convec. L-Convection	No	No	No
	4. U-Top Heat + Conv. L-Bottom + Conv.	No	No	No
	5. U-Large Grill. L-Convection	No	No	No
	6. U-Large Grill. L-Bottom + Convec.	No	No	No
	7. Auto Menu	No	No	No
Control Features				
Clock		Yes	Yes	Yes
Child Safety Lock		Yes	Yes	Yes
Count Timer		Yes	Yes	Yes
Cook Time		Yes	Yes	Yes
End Time		Yes	Yes	Yes
Oven Temp		Yes	Yes	Yes
Steam Cleaning		No	No	No
Language Option		No	No	No
Light (Lamp) On / Off		Yes	Yes	Yes
Sound		Buzzer	Buzzer	Buzzer
Application Dimensions				
Dimension (W x H x D mm)	Cavity (Single)	464x370x410	464x370x410	464x370x410
	Cavity (Upper / Lower)	No	No	No
	Outside	595x595x566	595x595x566	595x595x566
	Cutout	560x570x550	560x570x550	560x570x550
	Shipping	700x750x700	700x750x700	700x750x700
Usable Capacity (WxHxD)		65 Liter	65 Liter	65 Liter
Economic Cavity (Upper or Lower)		No	No	No
Equipment Supplied				
Multi Spit (Shaslik)		Yes (Option)	Yes (Option)	Yes (Option)
Barbecue Spit		Yes (Option)	Yes (Option)	Yes (Option)
Square Baking Tray		2	2	2
Square Wire Rack		1	1	1
Telescopic Rack		Yes (Option)	Yes (Option)	Yes (Option)

Metro
XXL
Single Oven Series



Model Name		BF3N3T	BF3N3B	BF3N3W
Old Version Model Name		-	-	-
Model Type Install		Single Built-in	Single Built-in	Single Built-in
Mode		2 Convection Fan	2 Convection Fan	2 Convection Fan
Oven Features				
Cavity Interior		Ceramic Enamel	Ceramic Enamel	Ceramic Enamel
Oven Colors		Stainless Steel	Black	White
Oven Doors (D : Double, T : Triple, Q : Quadruple)		T	T	T
Door Opening		Drop down	Drop down	Drop down
Interior Lamp	Watts	1×25	1×25	1×25
	Position	Back	Back	Back
Control Method (Oven)	Dial		Dial	Dial
	Display	LED	LED	LED
Cleaning Method	Oven	No	No	No
		No	No	No
	Heater	Fixed	Fixed	Fixed
Electric Features				
Oven Temp Ranges	Single	50~250℃, Grill 3 Levels	50~250℃, Grill 3 Levels	50~250℃, Grill 3 Levels
	Upper / Lower	No	No	No
	Twin	No	No	No
Upper Grill (In / Out)		1600W / 700W	1600W / 700W	1600W / 700W
Lower Grill		600W	600W	600W
Convection (Upper / Lower)		1700W	1700W	1700W
Energy Class (Convection)		A	A	A
Energy Class (Conventional)		A	A	A
Oven Function				
Cooking Mode		6	6	6
Auto Menu		No	No	No
Single Mode	1. Convection	Yes	Yes	Yes
	2. Top Heat + Convection	Yes	Yes	Yes
	3. Conventional	Yes	Yes	Yes
	4. Large Grill	Yes	Yes	Yes
	5. Small Grill	No	No	No
	6. Bottom + Convection	Yes	Yes	Yes
	7. Auto Menu	No	No	No
	8. Bottom Heat	No	No	No
	9. Fast Preheating	Yes	Yes	Yes
	10. Defrost	No	No	No
Upper Mode	1. Convection	No	No	No
	2. Top Heat + Convection	No	No	No
	3. Large Grill	No	No	No
	4. Small Grill	No	No	No
	5. Auto Menu	No	No	No
Lower Mode	1. Convection	No	No	No
	2. Bottom Heat + Convec.	No	No	No
	3. Auto Menu	No	No	No
	4. Bottom Heat	No	No	No
Dual Mode	1. U-Convection L-Convection	No	No	No
	2. U-Convection L-Bottom + Convec.	No	No	No
	3. U-Top Heat + Convec. L-Convection	No	No	No
	4. U-Top Heat + Conv. L-Bottom + Conv.	No	No	No
	5. U-Large Grill. L-Convection	No	No	No
	6. U-Large Grill. L-Bottom + Convec.	No	No	No
	7. Auto Menu	No	No	No
Control Features				
Clock		Yes	Yes	Yes
Child Safety Lock		No	No	No
Count Timer		Yes	Yes	Yes
Cook Time		No	No	No
End Time		No	No	No
Oven Temp		No	No	No
Steam Cleaning		No	No	No
Language Option		No	No	No
Light (Lamp) On / Off		No	No	No
Sound		Buzzer	Buzzer	Buzzer
Application Dimensions				
Dimension (W x H x D mm)	Cavity (Single)	464x370x410	464x370x410	464x370x410
	Cavity (Upper / Lower)	No	No	No
	Outside	595x595x572	595x595x572	595x595x572
	Cutout	560x570x550	560x570x550	560x570x550
	Shipping	696X643X678	696X643X678	696X643X678
Usable Capacity (WxHxD)		65 Liter	65 Liter	65 Liter
Economic Cavity (Upper or Lower)		430x360x400	430x360x400	430x360x400
Equipment Supplied		No	No	No
Multi Spit (Shaslik)		No	No	No
Barbecue Spit		No	No	No
Square Baking Tray		1	1	1
Square Wire Rack		1	1	1
Telescopic Rack		No	No	No

Prezio
Full Touch
Black Glass Series



Model Name		BQ2Q7G	BQ2D7G	BF2D7G
Old Version Model Name		-	-	-
Model Type Install		Single Built-in	Single Built-in	Single Built-in
Mode		Dual Cooking	Dual Cooking	2 Convection Fan
Oven Features				
Cavity Interior		Ceramic Enamel	Ceramic Enamel	Ceramic Enamel
Oven Colors		Black Glass	Black Glass	Black Glass
Oven Doors (D : Double, T : Triple, Q : Quadruple)		Q	T	T
Door Opening		Drop down	Drop down	Drop down
Interior Lamp	Watts	1×25, 1×40	1×25, 1×40	1×25
	Position	Back, Side	Back, Side	Back
Control Method (Oven)	All Glass Touch Pad		All Glass Touch Pad	All Glass Touch Pad
	Display	Twin LED	Twin LED	LED
Cleaning Method	Oven	Pyrolytic	Catalytic	Catalytic
		Steam	Steam	Steam
	Heater	Fixed	Fixed	Movable
Electric Features				
Oven Temp Ranges	Single	40~250℃, Grill 40~300℃	40~250℃, Grill 40~300℃	40~250℃, Grill 40~300℃
	Upper / Lower	40~250℃	40~250℃	No
	Twin	170~250℃	170~250℃	No
Upper Grill (In / Out)		1600W / 1100W	1600W / 1100W	1600W / 1100W
Lower Grill		1100W	1100W	1100W
Convection (Upper / Lower)		1200W / 1200W	1200W / 1200W	1700W
Energy Class (Convection)		AAA	AAA	A
Energy Class (Conventional)		A	A	A
Oven Function				
Cooking Mode		18	18	7
Auto Menu		40	40	15
Single Mode	1. Convection	Yes	Yes	Yes
	2. Top Heat + Convection	Yes	Yes	Yes
	3. Conventional	Yes	Yes	Yes
	4. Large Grill	Yes	Yes	Yes
	5. Small Grill	Yes	Yes	Yes
	6. Bottom + Convection	Yes	Yes	Yes
	7. Auto Menu	Yes (25)	Yes (25)	Yes (15)
	8. Bottom Heat	No	No	No
	9. Fast Preheating	No	No	No
	10. Defrost	No	No	No
Upper Mode	1. Convection	Yes	Yes	No
	2. Top Heat + Convection	Yes	Yes	No
	3. Large Grill	Yes	Yes	No
	4. Small Grill	No	No	No
	5. Auto Menu	Yes (5)	Yes (5)	No
Lower Mode	1. Convection	Yes	Yes	No
	2. Bottom Heat + Convec.	Yes	Yes	No
	3. Auto Menu	Yes (5)	Yes (5)	No
	4. Bottom Heat	No	No	No
Dual Mode	1. U-Convection L-Convection	Yes	Yes	No
	2. U-Convection L-Bottom + Convec.	Yes	Yes	No
	3. U-Top Heat + Convec. L-Convection	Yes	Yes	No
	4. U-Top Heat + Conv. L-Bottom + Conv.	Yes	Yes	No
	5. U-Large Grill. L-Convection	Yes	Yes	No
	6. U-Large Grill. L-Bottom + Convec.	Yes	Yes	No
	7. Auto Menu	No	No	No
Control Features				
Clock		Yes	Yes	Yes
Child Safety Lock		Yes (Hidden)	Yes (Hidden)	Yes (Hidden)
Count Timer		Yes	Yes	Yes
Cook Time		Yes	Yes	Yes
End Time		Yes	Yes	Yes
Oven Temp		Yes	Yes	Yes
Steam Cleaning		Yes	Yes	Yes
Language Option		No	No	No
Light (Lamp) On / Off		Yes	Yes	Yes
Sound		Buzzer	Buzzer	Buzzer
Application Dimensions				
Dimension (W x H x D mm)	Cavity (Single)	464x370x410	464x370x410	464x370x410
	Cavity (Upper / Lower)	435x(U160, L170)x400	435x(U160, L170)x400	No
	Outside	595x595x572	595x595x572	595x595x566
	Cutout	560x570x550	560x570x550	560x570x550
	Shipping	700x750x700	700x750x700	440x365x405
Usable Capacity (WxHxD)		65 Liter	65 Liter	65 Liter
Economic Cavity (Upper or Lower)		430x360x400	430x360x400	440x365x405
Equipment Supplied		U:30 liter L:32 liter	U:30 liter L:32 liter	No
Equipment Supplied				
Multi Spit (Shaslik)		Yes (Option)	Yes (Option)	Yes (Option)
Barbecue Spit		Yes (Option)	Yes (Option)	Yes (Option)
Square Baking Tray		2	2	2
Square Wire Rack		1	1	1
Telescopic Rack		Yes (Option)	Yes (Option)	Yes (Option)

Oven
Range
Cooker Series

NEW



NEW



NEW



Model Name	FGP95WBT01	FGP95XAT01	FGP95XBT01
HACO Modle Name	GS15	GS20	GS25
Cleaning	Catalytic	No	Catalytic
Rail	Side Rack	Embossed	Side Rack
Handle	OMG / WH	GM / STSS SHINING (NO BRUSHED)	OMG / STSS
Knob	MAT/WH	YA/BL	MAT/SILVER
Grate Design	RATIO	DIS	RATIO
Timer	On Knob	On Knob	On Knob
LEG	Metal (SILVER) 86 ~ 92cm	Metal (SILVER) 86 ~ 92cm	Metal (SILVER) 86 ~ 92cm
LID Profile	WHITE	STSS	STSS
Cooktop Plate	2.5cm Round (White)	2.5cm Round (STSS)	2.5cm Round (STSS)
Ignition (Oven & Hob)	One Touch	One Touch	One Touch
Fan Assist	No	No	No
Oven Volume [L]	103	103	103
Oven Light	Yes	Yes	Yes
Rotisserie (1 spit)	Luxury (Spit on Support)	Standard (Spit Only)	Luxury (Spit on Support)
Oven : Thermostat (1) / Tap (2)	1	1	1
Oven Safety Device	Yes	Yes	Yes
Black Enamel Moulded Cavity	Yes	Yes	Yes
Flat Walls with Removable Side Racks	Yes	Embossed	Yes
Energy Consumption Class	No	No	No
HOB			
Hob Configuration	5 Gas Burners	5 Gas Burners	5 Gas Burners
FRONT LEFT : Type / Kw	Rapid - 3,00	Rapid - 3,00	Rapid - 3,00
REAR LEFT : Type / Kw	SemiRapid - 1,75	SemiRapid - 1,75	SemiRapid - 1,75
FRONT CENTRE : Type / Kw	Wok - 3,30	Wok - 3,30	Wok - 3,30
REAR CENTRE : Type / Kw	No	No	No
FRONT RIGHT : Type / Kw	Auxiliary - 1,00	Auxiliary - 1,00	Auxiliary - 1,00
REAR RIGHT : Type / Kw	SemiRapid - 1,75	SemiRapid - 1,75	SemiRapid - 1,75
Burner Caps Colour	Matt Finish	Matt Finish	Matt Finish
Pan Support Type / Number	Cast iron - 3 pcs.	Cast iron - 3 pcs.	Cast iron - 3 pcs.
Pan Support Colour	Matt Finish	Matt Finish	Matt Finish
Safety Device	Yes	Yes	Yes
AESTHETICS			
Lid : Type / Front finising	Glass	Glass	Glass
Control Panel	Flat - Metal	Flat - Stainless Steel	Flat - Stainless Steel
Type of Knobs	*Mat*	No	*Paint*
Oven Door : Type / Colour	White Glass	Mirror Glass	Mirror Glass
Oven Door Glasses No.	2	2	2
Handle: Type / Colour	Samsung Design	Samsung Design	Samsung Design
Storage Comp. (Fixed / Flap / Drawer)	Flap	Flap	Flap
Height Adjustable Legs	Metal	Metal	Metal
OTHER FEATURES			
Minute Minder	On Knob	On Knob	On Knob
Enamelled Drip Tray	1	1	1
Wire Shelf	1	1	1
Gas Setting & Category	LPG (with LPG convergen kit)	LPG (with LPG convergen kit)	LPG (with LPG convergen kit)
Regulator	Yes	Yes	Yes
Voltage / Supply Cable without Plug	220-240 V, 50 Hz. / Yes	220-240 V, 50 Hz. / Yes	220-240 V, 50 Hz. / Yes

Oven
Steam
Oven Series

NEW



Model Name	FQV213G001	FQV113T001	FQV313T003
General			
Capacity	1,3 cu.ft. / 30 Liter	1,3 cu.ft. / 30 Liter	1,3 cu.ft. / 30 Liter
Type	Installation Built-In	Built-In	Built-In
Power	Heat Source Grill + Bottom + Dual Steam sheath heater Power Source 230V / 50Hz Output Power (Dual Steam) 850W x 2 = 1700 Output Power (Grill) 1530W Output Power (Convection) 2050W Power Consumption : Only Steam (Dual Steam Heater + Bottom Heater) 2200W Power Consumption : Steam + Con.(Single Steam Heater + T/G + B/H + C/F) 2800W Max Output Power 3200W	Grill + Bottom + Dual Steam sheath heater 230V / 50Hz 850W x 2 = 1700 1530W 2050W 2200W 2800W 3200W	Grill + Bottom + Dual Steam sheath heater 230V / 50Hz 850W x 2 = 1700 1530W 2050W 2200W 2800W 3200W
Display	Type Language Option	LED (Graphic) NA Yes	LED (Graphic) NA Yes
Sensor (Temp.)	NA	NA	NA
Control Method	Glass Touch	Tact + Dial	Tact + Dial
Door Open Mechanism	Drop down	Drop down	Drop down
Steam generator System	Separate Steam Generating System	Separate Steam Generating System	Separate Steam Generating System
Features			
Cooking Modes	Only Steam Brown / Grill Convection/Oven Super Steam (Steam + Convection) Bake Toaster Combi 1 Combi 2 Combi 3 Combi 4 Combi 5	Yes Yes Yes Yes Yes Yes Convection + Steam Bottom Heater + Steam No No No No	Yes Yes Yes Yes Yes Yes Convection + Steam Bottom Heater + Steam No No No No
Convection Temperature	40~230 ℃	40~230 ℃	40~230 ℃
Steam Temperature	100 ℃	100 ℃	100 ℃
Clock	Yes	Yes	Yes
Warm	Yes	Yes	Yes
Max Cooking Time	Oven : 10Hr	Oven : 10Hr	Oven : 10Hr
Kitchen Timer / Hold Timer	Yes	Yes	Yes
Time control	Dial	Dial	Dial
Weight/Serving control	Dial	Dial	Dial
One Minute / 30 secs Plus	30 secs Plus	30 secs Plus	30 secs Plus
Help	No	No	No
Memory	3 TimesYes	3 TimesYes	3 TimesYes
Preheat	Yes	Yes	Yes
Defrost(Auto / Power / Sensor)	Power(5)-Meat-Poultry-Fish-Bread/Cake-Fruit	Power(5)-Meat-Poultry-Fish-Bread/Cake-Fruit	Power(5)-Meat-Poultry-Fish-Bread/Cake-Fruit
Reheat	Yes	Yes	Yes
Auto Cook	Auto (20)	Auto (20)	Auto (20)
Auto Steam Cook	Auto (20)	Auto (20)	Auto (20)
Steam Clean function	Yes	Yes	Yes
Setting (My choice)	Weight Option Sound Option Reminder End Signal Clock System Option (12H / 24H) Child Lock Word scrolling speed	No Yes Yes No (24H only) Yes No	No Yes Yes No (24H only) Yes No
Materials & Finishes			
Control Panel Color	Stainless Wrap	Stainless Wrap	Stainless Wrap
Door Color	Black Glass	Black Glass	Black Glass
Cavity Interior	Ceramic Enamel	Ceramic Enamel	Ceramic Enamel
Turntable	Material Size	NA NA	NA NA
Grill Heater	Sheath	Sheath	Sheath
Bottom Heater	Yes	Yes	Yes
Carton Box	Yellow	Yellow	Yellow
Accessory			
Rack	Round Steam Rack (Rectangle) Oven Rack (Rectangle) Steam Container	No Yes Yes Yes	No Yes Yes Yes
Steam Clean function	Yes	Yes	Yes
Multi Pan	Yes	Yes	Yes
Cooking Guide Label	Yes	Yes	Yes
Others	No	No	No
Physical Specification			
Dimension (WxHxD)	Cavity (mm) Outside (mm) Shipping (mm)	400(W)x215(H)x385(D) 596(W)x460(H)x472(D) 659(W)x543(H)x573(D)	400(W)x215(H)x385(D) 596(W)x460(H)x472(D) 659(W)x543(H)x573(D)
Weight	Net Shipping	25kg 31kg	25kg 31kg
Loading Quantity	20ft/40ft	228 sets / 40ft	271 sets / 40ft

Oven
Speed
Oven Series

NEW



Model Name		FQ215G001	FQ115T001	FQ315T003
General				
Capacity		1.5 cu.ft. / 42 Liter	1.5 cu.ft. / 42 Liter	1.5 cu.ft. / 42 Liter
Model Type		Speed Cook Convection	Speed Cook Convection	Speed Cook Convection
Output power	Microwave	900W	900W	900W
	Grill	Upper 2800W, Bottom 1000W	Upper 2800W, Bottom 1000W	Upper 2800W, Bottom 1000W
Convection		Yes	Yes	Yes
Power Consumption		1650W	1650W	1650W
Power Source		230/50HZ	230/50HZ	230/50HZ
Operation Frequency		2,450 MHz	2,450 MHz	2,450 MHz
Microwave Distribution		Stirrer	Stirrer	Stirrer
Door Opening Type		Drop down	Drop down	Drop down
Control Method		Glass Touch	Tact+ Dial Control	Tact+ Dial Control
Cooking Timer		99Min.	99Min.	99Min.
Power Level		6 P/L	6 P/L	6 P/L
Steam Clean		Yes	Yes	Yes
Steam Cook		No	No	No
Power Defrost		Yes (5)	Yes (5)	Yes (5)
Auto Cook		Speed Cook (12)	Speed Cook (12)	Speed Cook (12)
Auto Reheat		No	No	No
Fast Preheat		No	No	No
More / less		No	No	No
Various Cooking Mode		8 Ways	8 Ways	8 Ways
Convection temperature		40~250℃	40~250℃	40~250℃
Cooking Stage		1 Stage	1 Stage	1 Stage
30 sec.Plus		No	No	No
Help		No	No	No
Clock		Yes	Yes	Yes
Hold Timer		No	No	No
Deodorsing		No	No	No
Language Guide System		No	No	No
Child Safety Lock On / Off		Yes	Yes	Yes
Sound Changes		Yes (2); On / Off	Yes (2); On / Off	Yes (2); On / Off
End Signal Sound		Yes	Yes	Yes
Word Scrolling Speed		No	No	No
Demonstration Mode		No	No	No
Launguage Selection		No	No	No
Sensor		Temperature	Temperature	Temperature
Door Opening Type		Handle	Handle	Handle
Display		Graphic LED (Blue / Red)	Graphic LED (Blue / Red)	Graphic LED (Blue / Red)
Cavity Interior		Ceramic Enamel	Ceramic Enamel	Ceramic Enamel
Tray Size (mm)		414x330	414x330	414x330
Crisp Dish		No	No	No
Multi spit		Option (Rotisserie)	Option (Rotisserie)	Option (Rotisserie)
Creamic Tray		Yes	Yes	Yes
Baking Tray		2	2	2
Grill Insert for Ceramic Tray		Yes	Yes	Yes
Oven Rack		Yes	Yes	Yes
Heater Material	Grill	Sheath (3,Lower + Dual Upper)	Sheath (3,Lower + Dual Upper)	Sheath (3,Lower + Dual Upper)
	Convection	Sheath (2)	Sheath (2)	Sheath (2)
Available Color		Black Glass	STSS	STSS
Dimension (WxHxD) mm		596x460x532	596x460x532	596x460x532
Weight (Net/Gross)		37.0kg/46kg	37.0kg/46kg	37.0kg/46kg
L/Q*TY (40ft)		228	228	228

Oven
Built-in
MWO Series

NEW



NEW



NEW



Model Name		FW213G	FW113T	FW313T
Design		Prezio	GEO	Metro
Capacity		1.3 cu.ft. / 36 Liter	1.3 cu.ft. / 36 Liter	1.3 cu.ft. / 36 Liter
Heat Source		BI MWO	BI MWO	BI MWO
Output Power (Microwave)		900W	900W	900W
Power Consumption (Microwave)		1650W	1650W	1650W
Power Source		230/50HZ	230/50HZ	230/50HZ
MW Distribution Mechanism		Stirrer	Stirrer	Stirrer
Control Method		Glass Touch	Tact + Dial	Tact + Dial
Door Opening Type		Drop down	Drop down	Drop down
Max Cooking Time		99Min.	99Min.	99Min.
Power Level		6 P/L	6 P/L	6 P/L
Steam Clean		Yes	Yes	Yes
Power Defrost		Yes (5)	Yes (5)	Yes (5)
Various Cooking Mode		8 Ways	8 Ways	8 Ways
Cooking Stage		1 Stage	1 Stage	1 Stage
Clock		Yes	Yes	Yes
Child Safety Lock On / Off		Yes	Yes	Yes
Sound Changes		Yes (2); On / Off	Yes (2); On / Off	Yes (2); On / Off
End Signal Sound		Yes	Yes	Yes
Sensor		Temperature	Temperature	Temperature
Door Opening Type		Handle	Handle	Handle
Display		Graphic LED (Blue / Red)	Graphic LED (Blue / Red)	Graphic LED (Blue / Red)
Cavity Interior		Ceramic Enamel	Ceramic Enamel	Ceramic Enamel
Tray Size (mm)		414 *330	414 *330	414 *330
Crisp Dish		No	No	No
Multi spit		Option (Rotisserie)	Option (Rotisserie)	Option (Rotisserie)
Creamic Tray		Yes	Yes	Yes
Baking Tray		2	2	2
Grill Insert for Ceramic Tray		Yes	Yes	Yes
Oven Rack		Yes	Yes	Yes
Available Color		Black Glass	STSS	STSS
Dimension (WxHxD) mm		596x460x472	596x460x472	596x460x472
Weight (Net/Gross)		37.0kg/46kg	37.0kg/46kg	37.0kg/46kg
L/Q*TY (40ft)		228	228	228

Oven
Built-in
MWO Series



Model Name		MTBI FW77K	MTBI FG77K
Capacity		20L (0.7 cu.ft)	20L (0.7 cu.ft)
Heat Source		Solo	Grill
Output Power(Microwave)		850W	850W
Power Consumption(Microwave)		1250W	1250W
Power Source		230V / 50Hz	230V / 50Hz
MW Distribution Mechanism		Turntable	Turntable
Control Method		Tact	Tact
Max Cooking Time		99 min	99 min
Power Level		6	6
Auto Steam		Yes (4)	No
Auto Crusty		No	Yes (4)
Power Defrost		Yes (3)	Yes (4)
Auto Reheat		Yes (3)	Yes (3)
Custom Cook		Yes	Yes
One Minute / 30 secs Plus		30 secs Plus	30 secs Plus
Clock		Yes	Yes
Kitchen Timer / Hold Timer		Yes	Yes
Deodorization		Yes	No
Child Safety Lock		Yes	Yes
Turntable On / Off		No	No
Door Opening Type		Push Button	Push Button
Cavity Interior		Ceramic Enamel	Ceramic Enamel
Turntable Material / Size (mm)		Glass, 288	Glass, 288
Power Steam Bowl		Yes	No
Crusty plate		No	Yes
Round Rack		No	Yes
Steam Clean		No	Yes
Available Color		White, Silver, Black	White, Silver, Black
Dimension (WxHxD mm)	Cavity	330x211x329	330x211x329
	Outside	489x312x360	489x312x360
	Shipping	662x456x463	662x456x463
Weight (Net / Gross)		14kg / 19kg	14kg / 19kg
Loading Quantity (40ft Container)		448 sets	448 sets

Oven
Built-in
MWO Series



Model Name	FG88S	FW88S	FG87S	FW87S
Capacity	0.8 cu.ft. / 23 Liter	0.8 cu.ft. / 23 Liter	0.8 cu.ft. / 23 Liter	0.8 cu.ft. / 23 Liter
Heat Source	Grill Combi	Solo	Grill Combi	Solo
Output Power (Microwave)	800W	800W	800W	800W
Output Power (Grill)	1100W	NA	1100W	NA
Power Consumption (Microwave)	1300W	1250W	1300W	1250W
MW Distribution Mechanism	230V / 50Hz	230V / 50Hz	230V / 50Hz	230V / 50Hz
MW Distribution Mechanism	Turntable	Turntable	Turntable	Turntable
Display Type	Blue / New Amber	Blue / New Amber	Blue / New Amber	Blue / New Amber
Control Method	Tact	Tact	Tact	Tact
Door Open Mechanism	Button	Button	Button	Button
Max Cooking Time	99 min	99 min	99 min	99 min
Power Level	6	6	6	6
Clock	Yes	Yes	Yes	Yes
Kitchen Timer / Hold Timer	No	Yes	No	Yes
Custom Cook	No	Yes	No	Yes
Time control	Button (+ , -)	Button (+ , -)	Button (+ , -)	Button (+ , -)
One Minute / 30 secs Plus	30 secs Plus	30 secs Plus	30 secs Plus	30 secs Plus
Defrost (Auto / Power / Sensor)	Power Defrost (4)	Power Defrost (3)	Power Defrost (4)	Power Defrost (3)
Auto Reheat/cook	Yes (4)	Yes (3)	Yes (4)	Yes (3)
Auto Cook	Crusty Cook (4)	New Powersteam (4)	Crusty Cook (4)	New Powersteam (4)
Deodorization	No	Yes	No	Yes
Reminder End Signal	Yes	Yes	Yes	Yes
Clock System Option (12H / 24H)	Yes	Yes	Yes	Yes
Child Lock	Yes (Hidden)	Yes (Hidden)	Yes (Hidden)	Yes (Hidden)
Cabinet Color	STSS	STSS	STSS	STSS
Door Color Available	STSS(3side), Black, White	STSS(3side), Black, White	STSS(1side), Black, White	STSS(1side), Black, White
Cavity Interior	Ceramic Enamel	Ceramic Enamel	Ceramic Enamel	Ceramic Enamel
Turntable Size	diameter 288mm	diameter 288mm	diameter 288mm	diameter 288mm
Grill Heater	Sheath (Movable)	N/A	Sheath (Movable)	N/A
Round	Yes	No	Yes	No
Built-In Kit	Yes	Yes	Yes	Yes
Steam Clean	Yes	No	Yes	No
Power Steam bowl	No	Yes	No	Yes
Crispy Dish	Yes	No	Yes	No
Dimension (Cavity) mm	330x211x329	330x211x329	330x211x329	330x211x329
Dimension (Outside) mm	489x312x360	489x312x360	489x312x360	489x312x360
Dimension (Shipping) mm	662x456x463	662x456x463	662x456x463	662x456x463
Loading Quantity	209 / 448 sets	209 / 448 sets	209 / 448 sets	209 / 448 sets

Core
Incution
Hob Series

NEW



NEW



NEW



Model Name		CTN463NC01	CTN464KC01	CTN464FB01
Model Type / Install		Built-in	Built-in	Built-in
Appearance	Frame	4Bevelled	2STSS & Front bevelled	Front bevelled
	Frame option	No	4 Bevelled	2STSS & Front bevelled
Application Dimensions		24 inch	24 inch	24 inch
Dimension (WxHxD mm)	Outside(Max)	575x505x52	575x505x52	575x505x52
	Shipping	692x622x147.5	692x622x147.5	692x622x147.5
	Cut out size	560x490	560x490	560x490
Weight (Net/Gross)		11.1/14kg	11.3/14.2kg	11.3/14.2kg
L/Q'TY (20/40ft)		405/855	405/855	405/855
Features				
Display	Control Method	Glass Touch	Glass Touch	Glass Touch
	Type	LED	LED	LED
	Color	RED	RED	RED
Heating Element	160mm	No	1.4/2.0K(B)	1.4/2.0K(B)
	180mm	No	No	1.8/2.6K(B) x 2
	210mm	No	2.2/3.2K(B)	2.2/3.2K(B)
	280mm	3.6/4.6K(B)	No	No
	Anydish zone(front)	1.8/2.6K(B)	1.8/2.6K(B)	No
	Anydish zone(Rear)	1.8/2.6K(B)	1.8/2.6K(B)	No
	Anydish TOT	3.6/4.6K(B)	3.6/4.6K(B)	No
	Total power	7.2KW	7.2KW	7.2KW
	Booster	O	O	O
	Inverter	3	4	4
	No. of Burners	1+Anydish	2+Anydish	4
Safety	Residual Heat Indicator	Yes	Yes	Yes
	Small utensil detection	Yes	Yes	Yes
	Auto Pan detection	Yes	Yes	Yes
	Safety shutoff	Yes	Yes	Yes
	Anti Overflow	Yes	Yes	Yes
	Child Safety Lock	Yes	Yes	Yes
	High temp Limit	Yes	Yes	Yes
Control feature	Child Safety Lock	Yes	Yes	Yes
	power level	15 + Boost	15 + Boost	15 + Boost
	Timer	99min	99min	99min.
	Power Control	Yes	Yes	Yes
	Direct Access	Sliding(3, dedicated)	Sliding(1)	Sliding(1)
	Power On/Off	Yes	Yes	Yes
	Auto water boiling	Yes	Yes	Yes
	Keep warm	Yes	Yes	Yes

Essential
Incution
Hob Series



NEW



NEW



Model Name		CTN364ND01	CTN363KB01	CTN263EA01	CTN264EA01
Model Type / Install		Built-in	Built-in	Built-in	Built-in
Appearance	Frame	4Bevelled	2STSS & Front bevelled	Cut edge	Cut edge
	Frame option	No	No	No	No
Application Dimensions		24 inch	24 inch	24 inch	24 inch
Dimension (WxHxD mm)	Outside(Max)	575x505x59.5	575x505x59.5	575x505x52	575x505x52
	Shipping	692x622x147.5	692x622x147.5	692x622x147.5	692x622x147.5
	Cut out size	560x490	560x490	560x490	560x490
Weight (Net/Gross)		12.0/14.5kg	12.6/15.9kg	10.5/13kg	10.5/13kg
L/Q'TY (20/40ft)		405/855	405/855	405/855	405/855
Features					
Display	Control Method	Touch Control	Touch Control	Glass Touch	Glass Touch
	Type	LED	LED	LED	LED
	Color	RED	RED	RED	RED
Heating Element	160mm	No	1.4/2.0KW(B)	1.4/2.0K(B)	1.4/2.0K(B)
	180mm	No	No	No	1.8/2.6K(B) 1.8/2.2K(B)
	210mm	No	2.2/3.2kW (B)	2.2/3.2kW (B)	2.2/3.2kW (B)
	280mm	No	3.6/4.6KW(B)	2.4/3.6k(B)	No
	Anydish zone(front)	1.8/2.6kW (B)	No	No	No
	Anydish zone(Rear)	1.8/2.6kW (B)	No	No	No
	Anydish TOT	3.6/5.2kW (B)	No	No	No
	Total power	7.2KW	7.2KW	6.8K	5.8KW
	Booster	O	O	O	O
	Inverter	4	4	2	2
	No. of Burners	Anydish x 2	3	3	4
Safety	Residual Heat Indicator	Yes	Yes	Yes	Yes
	Small utensil detection	Yes	Yes	Yes	Yes
	Auto Pan detection	Yes	Yes	Yes	Yes
	Safety shutoff	Yes	Yes	Yes	Yes
	Anti Overflow	Yes	Yes	Yes	Yes
	Child Safety Lock	Yes	Yes	Yes	Yes
	High temp Limit	Yes	Yes	Yes	Yes
Control feature	Child Safety Lock	Yes	Yes	Yes	Yes
	power level	15 + Boost	15 + Boost	9 + Boost	9 + Boost
	Timer	99min	99min	No	No
	Power Control	Yes	Yes	Yes	Yes
	Direct Access	4	4	Boost Level Only	Boost Level Only
	Power On/Off	Yes	Yes	Yes	Yes
	Auto water boiling	No	No	No	No
	Keep warm	No	No	No	No

Hob
Ceramic
Hob Series



Model Name		CTR164NC01	CTR164NB01	CTR364NC01	CTR364NB01
Old Version Model Name		CTR164N026	CTR164N027	CTR364N008 / C61R1CCMN	CTR364N004 / C61R1ACMN
Design					
Model Type / Install		Built-in	Built-in	Built-in	Built-in
Mode		2 Single, Double, Oval	2 Single, 2 Fast	2 Single, Double, Oval	2 Single, 2 Fast
Appearance (Frame)		Bevelled Edge	Bevelled Edge	Bevelled Edge	Bevelled Edge
Application Dimensions					
Dimension (W x D x H mm)	Glass	575x505x4	575x505x4	575x505x4	575x505x4
	Outside (Max)	575x505x52.6	575x505x52.6	575x505x52.6	575x505x52.6
	Shipping	692x622x130	692x622x130	692x622x130	692x622x130
	Cut Out Size	560x490	560x490	560x490	560x490
Weight (Net / Gross)		8.0 / 10.5Kg	7.5 / 10.0Kg	8.0 / 10.5kg	7.5 / 10.0kg
Loading Quantity (20 / 40ft)		459 / 918	459 / 918	459 / 918	459 / 918
Features					
Control Method		Sliding Control	Sliding Control	Touch Control	Touch Control
Display		LED	LED	LED	LED
Heating Element	Single 145mm	1.2kW	1.2kW	1.2kW	1.2kW
	Single 180mm	No	1.8kW	No	1.8kW
	Double (120 / 210mm)	0.75 / 2.2kW	No	0.75 / 2.2kW	No
	Oval (170 / 265mm)	1.5 ~ 1.6 / 2.4kW	No	1.5 ~ 1.6 / 2.4kW	No
	Total power	7.0kW	6.0kW	7.0kW	6.0kW
Residual Heat Indicator		Yes	Yes	Yes	Yes
Scraper		Yes	Yes	Yes	Yes
Control Feature	Child Safety Lock	Yes	Yes	Yes	Yes
	Power Level	9	9	9	9
	Timer	99 min.	NA	99 min.	NA
	Power Control	Yes	Yes	Yes	Yes
	High Temp. Protector	Yes	Yes	Yes	Yes
	Power On / Off	Yes	Yes	Yes	Yes

Hob
Gas Hob Series



Model Name		GN642JDXD1	GN641JDXD1	GN642FDXD1	GN641FDXD1
Main Specifications					
Width (cm)		59.4	59.4	59.4	59.4
Gas Cooking Zones		4	4	4	4
Color		Stainless steel	Stainless steel	Stainless steel	Stainless steel
Pan Supports		Cast-Iron(Wok pansupport included)	Enamel	Cast-Iron(Wok pansupport included)	Enamel
		WOK	WOK		
Burner Feature					
Gas		Triple crown(3.8kW) 1EA, Semi-rapid (1.75kW) 2EAAuxiliary (1.0kW) 1EA	Triple crown(3.8kW) 1EA, Semi-rapid (1.75kW) 2EAAuxiliary (1.0kW) 1EA	Rapid(3.0kW) 1EA, Semi-rapid (1.75kW) 2EAAuxiliary (1.0kW) 1EA	Rapid(3.0kW) 1EA, Semi-rapid (1.75kW) 2EAAuxiliary (1.0kW) 1EA
	Triple crown	3.8kW 1EA	3.8kW 1EA	No	No
	Rapid	No	No	3.0kW 1EA	3.0kW 1EA
	Semi-Rapid	1.75kW 2EA	1.75kW 2EA	1.75kW 2EA	1.75kW 2EA
	Auxiliary	1.0kW 1EA	1.0kW 1EA	1.0kW 1EA	1.0kW 1EA
Programing					
Power Levels		No	No	No	No
Position Of The Control Eelements		No	No	No	No
Knob Ignition		No	No	No	No
Safety Functions					
Flame failure device		○	○	○	○
Convenience					
One hand ignition		○	○	○	○
Installation /Connection					
Gas power consumption (W)		1.0W	1.0W	1.0W	1.0W
Power cord without plug		○	○	○	○
Power supply		220~240V/50/60Hz	220~240V/50/60Hz	220~240V/50/60Hz	220~240V/50/60Hz
Delivery status		Natural Gas	Natural Gas	Natural Gas	Natural Gas
Additional injectors		LPG conversion injectors included	LPG conversion injectors included	LPG conversion injectors included	LPG conversion injectors included
Dimensions /Weight					
Net Weight(kg)		12.9	8.6	12.9	8.6
Gross Weight(kg)		14.7	10.3	14.7	10.3
Cut out size		490x560	490x560	490x560	490x560
Dimension(WxDxH mm)		594x510x50	594x510x50	594x510x50	594x510x50

Hob
Ceramic
Hob Series



Model Name		CTR464NC01	CTR464NB01	CTR432NB02
Old Version Model Name		CTR364N016 / C61R2CCN	CTR364N011 / C61R2ACN	CTR332N002 / C21RJAN
Design				
Model Type / Install		Built-in	Built-in	Built-in
Mode		2 Single, Double, Oval	2 Single, 2 Fast	1 Single, 1 Fast
Appearance (Frame)		Bevelled Edge	Bevelled Edge	2-Bevelled Edge
Application Dimensions				
Dimension (W x D x H mm)	Glass	575x505x4	575x505x4	288x505x4
	Outside (Max)	575x505x52.6	575x505x52.6	288x505x50
	Shipping	692x622x130	692x622x130	430x645x160
	Cut Out Size	560x490	560x490	273x490
Weight (Net / Gross)		8.0 / 10.5kg	7.5 / 10.0Kg	4.3 / 6.0Kg
Loading Quantity (20 / 40ft)		459 / 918	459 / 918	719 / 1477
Features				
Control Method		Touch Control	Touch Control	Touch Control
Display		LED	LED	LED
Heating Element	Single 145mm	1.2kW	1.2kW	1.2kW
	Single 180mm	No	1.8kW	1.8kW
	Double (120 / 210mm)	0.75 / 2.2kW	No	No
	Oval (170 / 265mm)	1.5 ~ 1.6 / 2.4kW	No	No
	Total power	7.0kW	6.0kW	3.0kW
Residual Heat Indicator		Yes	Yes	Yes
Scraper		Option	Option	Yes
Control Feature	Child Safety Lock	Yes	Yes	Yes
	Power Level	9	9	9
	Timer	99 min.	NA	99 min.
	Power Control	Yes	Yes	Yes
	High Temp. Protector	Yes	Yes	Yes
	Power On / Off	Yes	Yes	Yes

Hob
Gas Hob Series



Model Name		GN7A2IFXD	GN792IFXD	GN642HFGD	GN642FFGD
Main Specifications					
Width (cm)		75	75	59.4	59.4
Gas Cooking Zones		5	5	4	4
Color		Stainless steel	Stainless steel	Black tempered glass	Black tempered glass
Pan Supports		Cast-Iron(Wok pansupport included)	Cast-Iron(Wok pansupport included)	Cast-Iron(Wok pansupport included)	Cast-Iron(Wok pansupport included)
		WOK	WOK	WOK	No
Burner Feature					
Gas		Triple crown(3.8kW) 1EA, Semi-rapid (1.75kW) 2EAAuxiliary (1.0kW) 1EA	Triple crown(1EA), Rapid(1EA) Semi-rapid(2EA), Auxiliary(1EA)	Triple crown(1EA), Semi-rapid(2EA), Auxiliary(1EA)	Rapid(1EA), Semi-rapid(2EA) Auxiliary(1EA)
	Triple crown	3.8kW 1EA	3.8kW 1EA	3.0kW 1EA	-
	Rapid	3.0kW 1EA	3.0kW 1EA	-	3.0kW 1EA
	Semi-Rapid	1.75kW 2EA	1.75kW 2EA	1.75kW 2EA	1.75kW 2EA
	Auxiliary	1.0kW 1EA	1.0kW 1EA	1.0kW 1EA	1.0kW 1EA
Programing					
Power Levels		No	No	No	No
Position Of The Control Eelements		No	No	No	No
Knob Ignition		No	No	No	No
Safety Functions					
Flame failure device		○	○	○	○
Convenience					
One hand ignition		○	○	○	○
Installation /Connection					
Gas power consumption (W)		1.0W	1.0W	1.0W	1.0W
Power cord without plug		○	○	○	○
Power supply		220~240V/50/60Hz	220~240V/50/60Hz	220~240V/50/60Hz	220~240V/50/60Hz
Delivery status		Natural Gas	Natural Gas	Natural Gas	Natural Gas
Additional injectors		LPG conversion injectors included	LPG conversion injectors included	LPG conversion injectors included	LPG conversion injectors included
Dimensions /Weight					
Net Weight(kg)		13.5	13.9	14.3	13.8
Gross Weight(kg)		15.9	16.5	16.1	15.5
Cut out size		490x560	490x680	490x560	490x560
Dimension(WxDxH mm)		750x510x50	750x510x50	594x510x46	594x510x46

Hob
Gas Hob Series



Model Name		GN642FFXD	GN642FFBD	GN641FFXD
Main Specifications				
Width (cm)		59.4	59.4	59.4
Gas Cooking Zones		4	4	4
Color		Stainless steel	Black Enamel coating	Stainless steel
Pan Supports		Cast-Iron(Wok pansupport included)	Cast-Iron(Wok pansupport included)	Enamel
		No	No	No
Burner Feature				
Gas		Rapid(1EA), Semi-rapid(2EA) Auxiliary(1EA)	Rapid(1EA), Semi-rapid(2EA) Auxiliary(1EA)	Rapid(1EA), Semi-rapid(2EA) Auxiliary(1EA)
	Triple crown	No	No	No
	Rapid	3.0kW 1EA	3.0kW 1EA	3.0kW 1EA
	Semi-Rapid	1.75kW 2EA	1.75kW 2EA	1.75kW 2EA
	Auxiliary	1.0kW 1EA	1.0kW 1EA	1.0kW 1EA
Programing				
Power Levels		No	No	No
Position Of The Control Eelements		No	No	No
Knob Ignition		No	No	No
Safety Functions				
Flame failure device		○	○	○
Convenience				
One hand ignition		○	○	○
Installation /Connection				
Gas power consumption (W)		1.0W	1.0W	1.0W
Power cord without plug		○	○	○
Power supply		220~240V,50/60Hz	220~240V,50/60Hz	220~240V,50/60Hz
Delivery status		Natural Gas	Natural Gas	Natural Gas
Additional injectors		LPG conversion injectors included	LPG conversion injectors included	LPG conversion injectors included
Dimensions /Weight				
Net Weight(kg)		8.8	8.8	7.3
Gross Weight(kg)		11	11	9.5
Cut out size		490x560	490x560	490x560
Dimension (WxDxH mm)		594x510x50	594x510x50	594x510x50

Hood
Hood Series



Model Name		HDC6A90UX	HDC9A90UX	HDC6D90UG	HDC9D90UG
Main Specifications					
References		S/Steel A430	S/Steel A430	S/Steel A430	S/Steel A430
Size (cm)		60	90	60	90
Technical Specifications		No	No	No	No
Type of controls		Touch control blue	Touch control blue	Touch control blue	Touch control blue
Ddisplay color		Blue, Orange	Blue, Orange	Blue, Orange	Blue, Orange
Number of motors / fans		1/1	1/1	1/1	1/1
Number of extraction speeds		4	4	4	4
Maxi extraction(m3 / hr)		861	861	861	861
Mini decibe (dBA)		61	61	61	61
dB A Sound Power		71	71	71	71
Lighting		2x20W Halogens	2x20W Halogens	2x20W Halogens	2x20W Halogens
Metallic filters		2 Aluminum panels	3 Aluminum panels	1 Aluminum panel	1 Aluminum panel
Total power of connection (W)		290 W	290 W	290 W	290 W
Ducting diameter (mm)		150	150	150	150
Clean Air		Yes	Yes	Yes	Yes
Saturation filter lamps		Yes	Yes	Yes	Yes
Timer		Yes	Yes	Yes	Yes
Booster		Yes	Yes	Yes	Yes
Accessories					
Filters		DG81-00560A	DG81-00560A	DG81-00560A	DG81-00560A
Dimensions					
Gross/net weight		14.48/12.12	17.20/14.40	16.20/13.20	19.70/15.70
Gross dimension		692x431xh618	992x431xh618	692x431xh618	992x431xh618
Net dimensions (HxWxD mm)		min 665 max 995x600x490	min 665 max 995x900x490	min 650 max 980x600x500	min 650 max 980x900x500
ETC					
Factory		China	China	China	China
Loading	20feet	153	110	153	110
	40feet	321	231	321	231
	40feet HQ	352	252	352	252

Hood
Hood Series



Model Name		HDC6C55UX	HDC9C55UX	HDC6955BG	HDC6845BX
Main Specifications					
References		S/Steel A430	S/Steel A430	S/Steel A430	S/Steel A430
Size (cm)		60	90	60	60
Technical Specifications		No	No	No	No
Type of controls		Touch control blue	Touch control blue	Push Button	Push Button
Ddisplay color		Blue, Red	Blue, Red	Na	Na
Number of motors / fans		1/1	1/1	1/1	1/1
Number of extraction speeds		4	4	3	3
Maxi extraction(m3 / hr)		500	500	500	400
Mini decibe (dBA)		57	57	52	50
dB A Sound Power		67	67	62	61
Lighting		2x20W Halogens	2x20W Halogens	2x20W Halogens	2x40W Bulbs
Metallic filters		2 Aluminum panels	3 Aluminum panels	1 Aluminum panels	2 Aluminum panels
Total power of connection (W)		170 W	170 W	170 W	230 W
Ducting diameter (mm)		150	150	150	150
Clean Air		Yes	Yes	No	No
Saturation filter lamps		Yes	Yes	No	No
Timer		Yes	Yes	No	No
Booster		Yes	Yes	No	No
Accessories					
Filters		ACK62259	ACK62259	ACK62259	ACK62259
Dimensions					
Gross/net weight		13.30/11.00	15.80/12.80	13 / 15,7 kg	6.8 / 10 kg
Gross dimension		692x431xh618	992x431xh618	692x431xh618	656x290x560
Net dimensions (HxWxD mm)		min 665 max 995x600x485	min 665 max 995x900x485	min 635 max 965x600x490	min 665 max 905x600x485
ETC					
Factory		China	China	China	China
Loading	20feet	153	110	153	192
	40feet	321	231	321	384
	40feet HQ	352	252	352	432

Hood
Hood Series



Model Name		HDC6475TG	HDC9475TG	HDC6675UG	HDC9675UG
Main Specifications					
References		S/Steel A430	S/Steel A430	S/Steel A430	S/Steel A430
Size (cm)		60	90	60	90
Technical Specifications		No	No	No	No
Type of controls		Touch control blue	Touch control blue	Touch control orange	Touch control orange
Display color		Blue	Blue	Red	Red
Number of motors / fans		1/1	1/1	1/1	1/1
Number of extraction speeds		4	4	4	4
Maxi extraction(m3 / hr)		703 (HC3 motor)	703 (HC3 motor)	703 (HC3 motor)	703 (HC3 motor)
Mini decibe (dBA)		56	56	56	56
dB A Sound Power		66	66	66	66
Lighting		2x20W Halogens	3x20W Halogens	2x20W Halogens	2x20W Halogens
Metallic filters		1 aluminium panel	1 aluminium panel	1 aluminium panel	1 aluminium panels
Total power of connection (W)		290W	290W	290W	290W
Ducting diameter (mm)		150	150	150	150
Clean Air		Yes	Yes	Yes	Yes
Saturation filter lamps		Yes	Yes	Yes	Yes
Timer		Yes	Yes	Yes	Yes
Booster		Yes	Yes	Yes	Yes
Accessories					
Filters		DG81-00560A	DG81-00560A	DG81-00560A	DG81-00560A
Dimensions					
Gross/net weight		13,2 / 17,53 kg	16,5 / 23 kg	17,5 / 27 kg	19,7 / 31,8 kg
Gross dimension		715x614x744	1015x614x790	715x614x744	1015x614x790
Net dimensions (HxWxD mm)		min1020 max 1490x600x340	min1020 max 1490x900x340	min1020 max 1490x600x340	min1020 max 1490x600x340
ETC					
Factory		Italy	Italy	Italy	Italy
Loading	20feet	81	52	81	52
	40feet	171	104	171	104
	40feet HQ	171	123	171	123

Hood
Hood Series



Model Name		HDC6747SW
Main Specifications		
References		body and bottom in white and the front in S / Steel A430
Size (cm)		60
Technical Specifications		No
Type of controls		Slider + micro switch
Display color		Na
Number of motors / fans		1/1
Number of extraction speeds		3
Maxi extraction(m3 / hr)		470
Mini decibe (dBA)		47
dB A Sound Power		57
Lighting		2x20W Halogens
Metallic filters		2 aluminium panels
Total power of connection (W)		270W
Ducting diameter (mm)		150
Clean Air		No
Saturation filter lamps		No
Timer		No
Booster		No
Accessories		
Filters		DG81-00560A
Dimensions		
Gross/net weight		10,3 / 11,66 kg
Gross dimension		670x389x404
Net dimensions (mm) H W D		min290 - max 440x600x260
ETC		
Factory		Italy
Loading	20feet	235
	40feet	435
	40feet HQ	522

Dishwasher
GALA Series



Model Name		DW-SG970T	DW-SG720T	DW-SG520W	DW-BG970B	DW-BG770B
Design						
Color / Material		Stainless	Stainless	White	Black	Black
Control Panel Style		Hidden	Front	Front	Hidden	Hidden
Control Type		Touch	Button	Button	Touch	Touch
Performance						
Capacity	# of place settings(EU)	14	14	13	14	14
	Energy efficiency	A+++	A++	A+	A+++	A++
	Cycle consumption	0.83	0.9	0.97	0.83	0.9
	Annual consumption	236	256	276	236	256
Wash performance		A	A	A	A	A
Drying performance		A	A	A	A	A
Water consumption	Drying system	EcoDry(HiveDry™), Condensing	EcoDry, Condensing	EcoDry, Condensing	EcoDry(HiveDry™), Condensing	EcoDry, Condensing
	Cycle consumption	10 ℓ	10 ℓ	12 ℓ	10 ℓ	10 ℓ
	Annual consumption	2800 ℓ	2800 ℓ	3360 ℓ	2800 ℓ	2800 ℓ
Noise level (dBA)		40	43	45	40	43
Functions						
Programs	Number of programs	7	7	7	7	7
	Intensive	Yes(70 ℃)	Yes(70 ℃)	Yes(70 ℃)	Yes(70 ℃)	Yes(70 ℃)
	Auto normal	Yes(40-65 ℃)	Yes(40-65 ℃)	Yes(40-65 ℃)	Yes(40-65 ℃)	Yes(40-65 ℃)
	Normal	No	No	No	No	No
	Express	Yes(65 ℃)	Yes(65 ℃)	Yes(65 ℃)	Yes(65 ℃)	Yes(65 ℃)
	ECO	Yes(45 ℃)	Yes(45 ℃)	Yes(45 ℃)	Yes(45 ℃)	Yes(45 ℃)
	Quick	Yes(50 ℃)	Yes(50 ℃)	Yes(50 ℃)	Yes(50 ℃)	Yes(50 ℃)
	Delicate	Yes(40 ℃)	Yes(40 ℃)	Yes(40 ℃)	Yes(40 ℃)	Yes(40 ℃)
	Pre Wash	Yes	Yes	Yes	Yes	Yes
	Rinse & Dry	No	No	No	No	No
	Power++ wash zone	Yes	Yes	No	Yes	Yes
	Delay Start	1-24h	1-24h	1-24h	1-24h	1-24h
	Half load	upper/lower	upper/lower	upper/lower	upper/lower	upper/lower
	Sanitize	70 ℃	70 ℃	70 ℃	70 ℃	70 ℃
	Multi-in-1	Yes	Yes	Yes	Yes	Yes
Options	Child lock	Yes	Yes	Yes	Yes	Yes
	Rinse plus	No	No	No	No	No
	Dry plus	No	No	No	No	No
	Safety devices	Aqua stop(hose leakage)	Yes	Yes	Yes	Yes
	Inner system					
	Interior					
	Cavity	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
	Interior lights	Yes	No	No	Yes	no
Upper Rack	Basic spray arms	Upper/Mid/Lower	Upper/Mid/Lower	Upper/Mid/Lower	Upper/Mid/Lower	Upper/Mid/Lower
	Power++ wash zone	Yes	Yes	No	Yes	Yes
	Adjustable Height	Yes	Yes	Yes	Yes	Yes
	Full flex tines	No	No	No	No	No
	Fold down tines	No	No	No	No	No
	Foldable cup shelves	Yes	Yes	Yes	Yes	Yes
	Cup support clip	Yes	No	No	Yes	No
	Knife rack	No	No	Yes	No	No
Lower Rack	Basket handle	Yes	Yes	Yes	Yes	Yes
	Biggest Dish loading (36cm)	Yes	Yes	Yes	Yes	Yes
	Full flex tines	Yes	Yes	Yes	Yes	Yes
	Fold down tines	Yes	Yes	Yes	Yes	Yes
Cutlery Rack	Basket handle	Yes	Yes	Yes	Yes	Yes
	1stop 3 rd rack	Yes	Yes	No	Yes	Yes
Dimensions	Outlery basket	No	No	Yes	No	No
Net dimension	Width(mm)	598	598	598	598	598
	Height(mm)	816	816	816	816	816
	Depth(mm)	600	600	600	550	550
Net weight(kg)		46	46	46	46	46
Installation						
Power / Ratings	Electrical(Volts/Hertz/Amps)	230V,50Hz;10 A	230V,50Hz;10 A	230V,50Hz;10 A	230V,50Hz;10 A	230V,50Hz;10 A
	Heater Watts	2000 W	2000 W	2000 W	2000 W	2000 W
	Circulation Motor(w)	30 to 60 W	30 to 60 W	50 to 70 W	30 to 60 W	30 to 60 W
	Drain Pump(w)	30 W	30 W	30 W	30 W	30 W
	Levelling screws	0 to 90mm	0 to 90mm	0 to 90mm	0 to 90mm	0 to 90mm
	Hard Countertop Installation	Yes	Yes	Yes	Yes	Yes

Dishwasher
GALA Series

NEW



NEW



NEW



NEW



NEW



Model Name		DW-BG570B	DW-FG720S	DW-FG720W	DW-FG520S	DW-FG520W
Design						
Color / Material		Black	White/Silver	White/Silver	White/Silver	White/Silver
Control Panel Style		Hidden	Front	Front	Front	Front
Control Type		Touch	Button	Button	Button	Button
Performance						
Capacity Energy efficiency	# of place settings(EU)	13	14	14	13	13
		A*	A*	A*	A*	A*
	Cycle consumption	0.97	0.96	0.96	0.97	0.97
		276	273	273	277	277
Wash performance		A	A	A	A	A
Drying performance		A	A	A	A	A
	Drying system	EcoDry, Condensing	EcoDry, Condensing	EcoDry, Condensing	EcoDry, Condensing	EcoDry, Condensing
Water consumption	Cycle consumption	12 ℓ	10 ℓ	10 ℓ	12 ℓ	12 ℓ
	Annual consumption	3360 ℓ	2800	2800	3360	3360
Noise level (dBA)		45	45	45	48	48
Functions						
Programs	Number of programs	7	7	7	7	7
	Intensive	Yes(70℃)	Yes(70℃)	Yes(70℃)	Yes(70℃)	Yes(70℃)
	Auto normal	Yes(40-65℃)	Yes(40-65℃)	Yes(40-65℃)	No	No
	Normal	No	No	No	Yes(65℃)	Yes(65℃)
	Express	Yes(65℃)	Yes(65℃)	Yes(65℃)	Yes(65℃)	Yes(65℃)
	ECO	Yes(45℃)	Yes(45℃)	Yes(45℃)	Yes(45℃)	Yes(45℃)
	Quick	Yes(50℃)	Yes(50℃)	Yes(50℃)	Yes(50℃)	Yes(50℃)
	Delicate	Yes(40℃)	Yes(40℃)	Yes(40℃)	Yes(40℃)	Yes(40℃)
	Pre Wash	Yes	Yes	Yes	Yes	Yes
	Rinse & Dry	No	No	No	No	No
	Power++ wash zone	No	Yes	Yes	No	No
	Delay Start	1-24h	1-24h	1-24h	1-24h	1-24h
	Half load	upper/lower	upper/lower	upper/lower	upper/lower	upper/lower
	Sanitize	70℃	70℃	70℃	70℃	70℃
	Multi-in-1	Yes	Yes	Yes	Yes	Yes
Options	Child lock	Yes	Yes	Yes	Yes	Yes
	Rinse plus	No	No	No	No	No
	Dry plus	No	No	No	No	No
Safety devices		Aqua stop(hose leakage)	Yes	Yes	Yes	Yes
Inner system						
Interior	Cavity	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
	Interior lights	No	No	No	No	No
	Basic spray arms	Upper/Mid/Lower	3	3	3	3
	Power+ wash zone	No	Yes	Yes	No	No
Upper Rack	Adjustable Height	Yes	Yes	Yes	Yes	Yes
	Full flex tines	No	No	No	No	No
	Fold down tines	No	No	No	No	No
	Foldable cup shelves	Yes	Yes	Yes	Yes	Yes
	Cup support clip	No	No	No	No	No
	Knife rack	Yes	No	No	Yes	Yes
	Basket handle	Yes	Yes	Yes	Yes	Yes
Lower Rack	Biggest Dish loading (36cm)	Yes	Yes	Yes	Yes	Yes
	Full flex tines	Yes	Yes	Yes	Yes	Yes
	Fold down tines	Yes	Yes	Yes	Yes	Yes
	Basket handle	Yes	Yes	Yes	Yes	Yes
Cutlery Rack	1stop 3 rd rack	No	Yes	Yes	No	No
	Cutlery basket	Yes	No	No	Yes	Yes
Dimensions						
Net dimension	Width(mm)	598	598	598	598	598
	Height(mm)	816	845	845	845	845
	Depth(mm)	600	600	600	600	600
Net weight(kg)		46	51	51	51	51
Installation						
Power / Ratings	Electrical(Volts/Hertz/Amps)	230V;50Hz;10 A	230V;50Hz;10 A	230V;50Hz;10 A	230V;50Hz;10 A	230V;50Hz;10 A
	Heater Watts	2000 W	2000 W	2000 W	2000 W	2000 W
	Circulation Motor(w)	50 to 70 W	30 to 60 W	30 to 60 W	50 to 70 W	50 to 70 W
	Drain Pump(w)	30 W	30 W	30 W	30 W	30 W
	Levelling screws	0 to 90mm	0 to 40mm	0 to 40mm	0 to 40mm	0 to 40mm
	Hard Countertop Installation	Yes	Yes	Yes	Yes	Yes

Dishwasher
T Series



Model Name		DMS400TUB	DMS400THX	DMS600TIX	DMS400TRS	DMS400TRW
Design						
Color / Material		Black	Stainless	Stainless	Silver	White
Control Panel Style		Hidden	Hidden	Hidden	Front	Front
Control Type		Touch	Touch	Touch	Button	Button
Performance						
Capacity Energy efficiency	# of place settings(EU)	12	12	12	12	12
		A	A	A	A	A
	Cycle consumption	1.05	1.05	1.05	1.05	1.05
		298	298	298	298	298
Wash performance		A	A	A	A	A
Drying performance		A	A	A	A	A
	Drying system	Condensing	Condensing	Condensing	Condensing	Condensing
Water consumption	Cycle consumption	13 ℓ	13 ℓ	13 ℓ	13 ℓ	13 ℓ
	Annual consumption	3640 ℓ	3640 ℓ	3640 ℓ	3640 ℓ	3640 ℓ
Noise level (dBA)		46	47	46	48	48
Functions						
Programs	Number of programs	6	6	6	7	7
	Intensive	Yes(70℃)	Yes(70℃)	Yes(70℃)	Yes(70℃)	Yes(70℃)
	Auto normal	No	No	No	No	No
	Normal	Yes(65℃)	Yes(65℃)	Yes(65℃)	Yes(65℃)	Yes(65℃)
	Express	No	No	No	No	No
	ECO	Yes(45℃)	Yes(45℃)	Yes(45℃)	Yes(45℃)	Yes(45℃)
	Quick	Yes(40℃)	Yes(40℃)	Yes(40℃)	Yes(40℃)	Yes(40℃)
	Delicate	Yes(40℃)	Yes(40℃)	Yes(40℃)	Yes(40℃)	Yes(40℃)
	Pre Wash	Yes	Yes	Yes	Yes	Yes
	Rinse & Dry	No	No	No	Yes	Yes
	Washing punch zone	No	No	No	No	No
	Delay Start	1-24h	1-24h	1-24h	1-24h	1-24h
	Flex half wash	upper/lower	upper/lower	upper/lower	upper/lower	upper/lower
	Sanitize option	80℃	80℃	80℃	80℃	80℃
	Multi-in-1	Yes	Yes	Yes	Yes	Yes
Options	Child lock	Yes	Yes	Yes	Yes	Yes
	Rinse plus	Yes	Yes	Yes	Yes	Yes
	Dry plus	Yes	Yes	Yes	Yes	Yes
Safety devices		Aqua stop(hose leakage)	Yes	Yes	Yes	Yes
Inner system						
Interior	Cavity	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
	Interior lights	No	No	No	No	No
	Basic spray arms	Upper/Mid/Lower	Upper/Mid/Lower	Upper/Mid/Lower	Upper/Mid/Lower	Upper/Mid/Lower
	Washing punch zone	No	No	No	No	No
Upper Rack	Adjustable Height	Yes	Yes	Yes	Yes	Yes
	Full flex tines	No	No	No	No	No
	Fold down tines	Yes	Yes	Yes	Yes	Yes
	Foldable cup shelves	Yes	Yes	Yes	Yes	Yes
	Cup support clip	No	No	No	No	No
	Knife rack	No	No	No	No	No
	Basket handle	Yes	Yes	Yes	Yes	Yes
Lower Rack	Biggest dish loading 360mm	No	No	No	No	No
	Full flex tines	No	No	No	No	No
	Fold down tines	Yes	Yes	Yes	Yes	Yes
	Basket handle	Yes	Yes	Yes	Yes	Yes
Cutlery Rack	Swoop 3 rd rack	No	No	No	No	No
	Cutlery basket	Yes	Yes	Yes	Yes	Yes
Dimensions						
Net dimension	Width(mm)	598	598	598	598	598
	Height(mm)	815	815	845	815	815
	Depth(mm)	550	557	596	550	550
Net weight(kg)		42kg	48kg	48kg	42kg	42kg
Installation						
Power / Ratings	Electrical(Volts/Hertz/Amps)	50Hz;10 A	230V;50Hz;10 A	230V;50Hz;10 A	50Hz;10 A	50Hz;10 A
	Heater Watts	2000 W	2000 W	2000 W	2000 W	2000 W
	Circulation motor(w)	125 W	125 W	125 W	125 W	125 W
	Drain pump(w)	30 W	30 W	30 W	30 W	30 W
	Levelling screws	0 to 50mm	0 to 50mm	0 to 50mm	0 to 50mm	0 to 50mm
	Hard Countertop Installation	No	No	No	No	No

Memo

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Memo

[illegible]

Memo

Memo