Learn more about Samsung Microwave Oven at www.samsung.com

Samsung Electronics Co., LTD Head Office(Suwon Korea) 416, Maetan-3dong, Yeontong-gu Suwon-City, Gyeonggi-do, 443-742, Korea








Samsung is moving ahead and with our customers

Samsung's differentiation is centered on producing innovative technology that brings genuine change to people's lives. We do this by bringing a relentless focus on customer experience and product innovation in everything we do. Our pursuit of the best technology does not end with our products, however. We are committed to continuously anticipating the needs of our customers as the basis for the successful launch of our products.

As a global leader, Samsung will continue to create future with our customer.



Global Business Network



'Eco-friendly' Samsung



Preserves the nature you live in.

Thinking of you and the environment, Samsung plans for the future. Realizing your hopes for a greener, healthier life for you and the generations that follow, Samsung's environmentally friendly technologies work to make the world a more beautiful place.

| Air & Water Conservation | As a leading innovator of environment-friendly products and technologies, Samsung products already drastically reduce the strains on nature's valuable resources. Samsung uses R-600, a natural refrigerant, and cyclopentane insulation in its refrigerators, which do not promote global warming and does not add to the greenhouse effect. Samsung's water-efficient washing machines also use less detergent and water without effecting cleanliness, helping to conserve water. |
|-----------------------------|--|
| Use Less, Save More | Samsung Microwave Oven has the world's lowest standby power consumption. The amount of the standby power consumption is much more than we expect, and the standby power is one of big reason of expensive electric bill. The Eco button dramatically reduces this standby power consumption. |
| Global Recycling | Samsung Electronics is making significant efforts to save the environment and complies with the WEEE (Waste Electrical and Electronic Equipment) directive by joining or establishing the recycling schemes for each country. |





2011

CERTIFICATION AND AWARDS RECEIVED



Ø

Korea Good Design Mark



- The Good Design Award is recognized and rewarded excellently designed products in Korea.
 The iF Product Design Award is the most important international product design award which is judged by renowned experts.



Feature

| Ceramic Inside | 12 |
|--------------------------------|----|
| Ceramic Enamel Cavity / Heater | 14 |
| Omnisense™ | 16 |
| Smartsense | 18 |
| ECO Mode | 20 |
| Super Grill | 22 |
| CMF Design | |
| Pro Steamer | 26 |
| 3D Heating | 28 |
| Power Defrost | 30 |
| Real Steam Cooking | 32 |
| Speed Cooking | |
| Text LCD Display | 36 |
| Steam Clean | 38 |
| Crusty Plate | 40 |
| Rotisserie | 42 |
| Multi-Spit | 44 |
| Voice Guide | 46 |

•

Compact Oven

• •

| Compact Oven | 60 |
|------------------|----|
| Combi Steam Oven | 61 |



Super Grill

Super Grill 2



Solo / Grill

| SHINE 14 | 68 |
|------------------|----|
| 1.0 MIRROR-GRILL | 69 |
| Mirror | 70 |
| SHINE | |
| Big plus | 72 |
| Marimba | |
| Transformer | |
| Stena | |
| Steel heart | 76 |
| Chic | |
| OGUN | 78 |
| MUSE 2 | 79 |
| Muse Mirror | 80 |
| Dream | 81 |
| Core-I | 82 |
| MONET | 83 |
| Trendy | 84 |
| SOFT 1 | 85 |
| SOFT 2 | 86 |
| SOFT 3 | 87 |
| ECO Basic | 88 |
| | |

Specifications



Offers a comfortable environment with innovative technology. The Perfect solution for the sweetest moments of your life.



Ceramic Inside

Samsung uses Ceramic Enamel for functionality. The Ceramic Enamel Interior is exceptionally smooth and allows grease and oil to be easily cleaned off. The ceramic heater allows the food to be cooked to perfection.

What is Ceramic Enamel?

A ceramic is an inorganic, nonmetallic solid prepared by the action of heat and subsequent cooling. It is often understood as a material like pottery. Technically, if something contains more than 40% of SiO2, it can be called Ceramic Enamel. Samsung Ceramic Enamel is consisted of 45% of SiO2.



How to make Ceramic Enamel?

Ceramic Enamel is made the same way as making high quality pottery. After fusing the powdered ceramic to steel, it is then fired at 830°C. As the SiO2 melts at the high temperature, it creates a smooth surface and nice gloss.

What is Ceramic Enamel for?

Ceramic Enamel is very durable. It can withstand daily wear and tear. As a result, the Ceramic Enamel is easy to clean, hygienic, and prevents odor transfer.



Ceramic Heater Ceramic for better cooking performance.



Ceramic Enamel Interior Ceramic for anti scratching and anti bacteria.



The Same way to make Pottery Ceramic Enamel is durable as it is fired at 830°C high temperature.

Anti-Bacterial Protection

Cavity with a damaged surface becomes best place to grow bacteria. The Cavity of Samsung's Microwave Oven is applied anti-bacterial coating made by Ceramic Enamel material. So, Samsung's Ceramic Enamel Interior is hygienic and prevents bacteria build-up. (Anti-bacterial 99.9%_Tested by Hohenstein, Germany)



Easy to Clean

The Ceramic Enamel Interior offers a solid surface that never scratches. Moreover, it prevents bacteria, and the smooth surface is easily to clean.



SAMSUNG Ceramic Enamel Interior



Conventional Epoxy Cavity

High Scratch Resistance

Ceramic Enamel's durable qualities make it more than 7 times scratch and rust resistant than other microwave interiors.



| | The First Failure Load (N) | | |
|-----------------|----------------------------|--|--|
| Ceramic Enamel | 14.18 | | |
| Stainless Steel | < 2 | | |
| Ероху | < 2 | | |


According to the Scratch Resistance Test <Tested by KRISS, KOREA>, the Ceramic Enamel Interior is 7 times stronger than stainless steel or epoxy painted interiors. This is the same high quality interior as that of traditional electric ovens.

No discoloration

Food elements including greases, oils, spices and animal protein can cause severe discoloration and cleaning issues.




No Odor Transfer Ceramic Enamel Interior does not adsorb moisture, odor or flavor, so there is no transfer of smell or flavor during the next cooking process.



More Even Cooking Result


The Ceramic heater works together with the Ceramic Enamel interior to distributes far infrared heat to the food reducing cold spots.





Deeper penetrating FIR (Far Infrared Rays) from ceramic heater Ceramic heater has higher FIR Spectrum emissivity, which makes it easy

for the ray to be absorbed by food. Well absorbed ray makes food cook faster and better.




Samsung ceramic heater emits FIR 1.5 times more than convectional heaters.


* The conversion values were calculated using the actual measuring data of spectral emissivity at 600°C~800°C. (Tested by Toray Research, Japan)

Healthy and Delicious Cooking

The Ceramic heater burns away excess fat so that you can enjoy healthier and great tasting meals without losing juiciness or the nutritional contents.



SAMSUNG



Conventional





OmniSense

The professional-grade Samsung OmniPro is the world's first and only convection microwave oven that has a built-in weight sensor with a text LCD display and easy-to-use Dual Dial. Samsung OmniPro oven will help you cook delicious homemade meals with Omnisense technology.

Omnisense Cook

Omnisense Steam Cook

Omnisense Crusty Cook

Omnisense Defrost

food's weight.

cooking with the Pro Steamer

Experience effortless cooking at just a touch of The weight sensor linked to the turntable debutton. The Auto Cook calculates cooking time by tects weight and the humidity sensor detects measuring the weight prior to cooking.




Omnisense Steam Cook is the ultimate aid to healthy

Crusty Cook gives oven-style browning and crisping to both the top and bottom of dishes with.

Take the struggle out of defrosting your food with the handy "Defrost" feature. Omnisense Defrost automatically calculates the time by measuring the

Omnisense System

humidity. Microwave oven automatically adjusts cooking time and mode accordingly.













An innovative defrosting plate elevates the food above the melting water to keep food fresh.






SmartSense

The innovative Smartsense enables you to not worry about over or under cooking. It can sense the humidity of the food's surface, and enables the Microwave Oven to adjust the optimum cooking mode & time automatically. No more worry - just enjoy delicious meals without the fuss.

Smartsense

The smartsense can detect the humidity of the food's surface, and can adjust the optimum cook-ing mode and time for the best cooking performance.



Effortless cooking with humidity sensor Smartsense Cook Menu

Just a touch gives you delicious dishes. Smartsense eliminates the need to check on the food. You no longer have to worry about over or under cooking.

Prepare a wide array of dishes, ranging from simple reheating to cooking more complex dishes.



Sliced Carrot







Jacket Potatoes

Microwave Oven



Frozen Lasagna





The innovative and efficient approach to Eco-friendly lifestyle.

SAMSUNG Microwave Oven 20

SAMSUNG

Even if you shut down the microwave, it still uses electricity to maintain its essential features. The Eco button can dramatically reduce this standby power consumption.



Standby Power Consumption


Eco Button

ECO N

Samsung microwave oven has the world's lowest Standby power consumption. You can save 40% on Standby Energy.

All appliance use standby power. Standby power consumption is much more than expected, and is one of the big reasons for expensive electricity bills.

Monthly Energy Waste caused by standby power




Enables food to be perfectly browned and crisped

Super Grill

Samsung Super Grill is an extreme power grill with three heating sources. The Triple Grill System heats food from both the top and bottom simultaneously, so that food becomes perfectly browned and crisped.


Fast cooking with three grilling heat sources!

Experience the ultimate cooking performance from the Samsung Super Grill. It has fabulous features and is intelligently designed. Enjoy a delicious feast at your next dinner party.



Various cooking modes with movable grill

Cooking foods using the microwave function, put the lower grill (sheath heater) in a vertical position. For grill cooking with the super grill function, just move the lower grill and put it in a horizontal position. With the triple grill system, you can cook foods however you wish for optimum taste.



FIR (Far Infrared Rays) Penetrate deeply in food



Movable Grill Features versatility and convenience

1 Ceramic Heater (Far Infrared Rays) FIR penetrates more deeply in food while keeping food moist and juicy.

2 Quartz Heater Boosts the taste of food with its speedy operation for express cuisine.

3 Sheath Heater Accelerates the cooking process.

Sleek and smart design combined with simple functionality

CMF Design

CMF(Color, Material, Finish) Design is the specialized features that offer a strong emotional identity. Samsung continuously develops CMF factors not only for emphasizing beauty but also increasing functionality.

Leading Style Microwave Oven

Samsung's latest Microwave Oven offers high style perfectly fitted on your kitchen. The style is carefully considered in CMF design trend and functionality factors. Samsung applies CMF design with stainless steel, mirror, hot stamping, and pattern.



Stainless steel is popular material because of its' shiny appearance and luxury images. Black colored or mirrored is also considered attractive color trend. Hot stamping offers strong impact.



Artistic Kitchen Style

A subtle difference in the design of Microwave oven alters the style of whole your kitchen. All aspects such as a front panel's texture, finishing material, pointed color, etc deliver additional value of the style. Samsung's microwave oven leads evolved lifestyle and is perfectly fitted in not only simple & modern style kitchen but also elegant & luxury style kitchen.



Pro Steamer

Samsung microwaves offer the Pro Steamer which looks sleek and professional with its metal lid. Large enough to fit big dishes, it also features a crusty plate as an additional accessory that works like real overware for amazing results.

Steam Cook and Crusty Plate

Pro Steamer enables water within the bottom plate to boil and generate steam. The stainless steel lid blocks microwave rays, but rather cooks the food with the generated steam. This cooks food healthily while at the same time retaining moisture and nutritional value.



Steam Cook

Crusty Plate

Enjoy a healthy lifestyle by cooking Crusty Plate gives oven-style vegetables, fish fillets, boiled eggs and chicken breast.

browning and crisping to both the top and bottom of dishes.







2

1

Metal Lid 2

3

Pure Steam Bowl



Power Steam Bowl






3D Heating

The 3D Heating System cooks food more thoroughly and evenly by uniquely distributing microwaves throughout the oven.

Triple Distribution System

A conventional wave distribution system distributes microwaves from a single Aperture Antenna. In this case, microwaves are concentrated to a particular part of the food. To overcome this problem, Samsung developed TDS, which cooks every part of the food evenly with an Aperture Antenna as well as two additional slot antennas so that waves can be more widely distributed.






S 2 2 2 3 Efficient emission of microwaves translates into better cooked food. Models with this triple distribution system will bring the benefit of more even cooking to customers unhappy with the performance of their old microwave ovens.







Conventional



Power Defrost

Power Defrost lets you defrost frozen foods quickly and evenly. Food won't get soggy. Defrost frozen foods to their freshest state, so you and your family can enjoy delicious food whenever you want.

How fast is it?

Frozen food takes time to defrost. Even after defrosting food, it will normally get soggy. But Sam-sung Rapid Defrost is different. Its smart defrosting function lets you defrost faster and better.





Meat









Defrosting time 2m. 10s.

Defrosting time 5m. 00s. Poultry



The oven is equipped with a large capacity water tank which enables hassle-free steaming. The real steam cooks food to perfection in a shorter period of time.



The lid of the water tank is removable, allowing you to easily clean the container as needed. Once you fill the tank with water, there is no need to refill or add water while you're cooking. A display alerts you when the water level is low.

Decalcifying System

You can set-up or change your water hardness. Samsung Combi Steam Oven alerts when you need to clean the steam generator periodically. You can easily clean inside the oven without additional equipment.

Real Steam Cook

Hassle-free steaming


Real Steam

Samsung's new Combi Steam Oven is equipped with inovative steam and speed cooking technology. Real Steam Cooking leaves food crispy with a golden brown crust. This is a healthy

Cooking

way to roast or bake.

Steaming in the oven leaves food crispy with a golden brown crust, that is a healthy way to roast or bake. Steam your food with real steam (70-100°C) from the steam generator.









You ca additio



In a busy day, most people don't have enough time to cook a complete meal, and instead search for unhealthy alternatives. Samsung's Compact Oven comes with Speed Cook, which enables you to cook wholesome food in a shorter time.

Surround Heating System

With one convection vent on the left side, dual movable grills on the top, a bottom grill and stirrer at the back, this compact oven is versatile enough to handle all your cooking needs.



Multiple Heating System

Convection

performance.









Convection vent generates heated air circulation for better cooking crunch to your food.

Dual movable grills with far infrared Stirrer microwaves cook the food rays enable you to add crisp and deeply, evenly, and more tastily.



than conventional oven

Microwave

Easy to follow step-by-step cooking instructions



Text LCD Display

The interactive wide Text LCD Display will guide you step-bystep through the cooking menu. Easy to follow and convenient to use.



Step-by-Step Cooking Instruction

The display guides you through every step so you know exactly what you do.



Sensor Cook Stask modium ► C

A complete user guide eliminates the need for an instruction booklet.

Text LCD display also lets you know what accessory you need to use for cooking. It's like having a complete cookbook built into your oven.





You do not have to worry about which accessory to use. Just follow the instructions. It shows you exactly which accessory you need to use.



Steam Clean

The unique surface inside the microwave is made of ceramic enamel; a nonstick and highly scratch-resistant surface that also has an anti-bacterial coating. In conjunction with the Steam Clean system, bacteria and food particles can be wiped away easily.

Keeping Hygienic Your Oven

The inimitable Steam Cleaning feature keeps your microwave oven clean and hygienic, facilitating elimination of bacteria and food grime without using any chemical detergents.



The unique Steam Cleaning feature keeps your microwave oven clean and hygienic, eliminating bacteria and food grime without using any detergents.





Pour water in the container.

Stick to the inside of the microwave. Press the "Steam Clean" button.





Wipe off with a clean towel.

Oven style browning & crisping

Crusty Plate

Crusty Plate helps to heat frozen foods such as pizza, making it taste like freshly ordered pizza. This amazing feature makes frozen foods tasty and crispy with perfect results.

Deliciously Crunchy Results

Try the Samsung Crusty Plate for frozen foods such as pizza, baguettes, quiche and chicken nuggets. Give traditional recipes a crispy texture. You can also bake, and even fry without oil.



Add the food after preheating and activate the Crusty Cook button for deliciously crispy food.

Grill Cooking





Top located Grill heats up the food. It becomes Crusty Plate transfers the heat to the bottom ideal for baking pastries, quiche and roasting or grilling meat and fish. of the food. It offers oven-style browning and crisping to both the top and bottom of dishes.




Barbecue with ease in your own kitchen

Rotisserie

Rotisserie roasts meat skewered on a spit as it revolves over the heat source. The rotating device cooks the meat evenly and in its own juices. It also allows easy access for continuous basting if desired.

Barbecue-Style Cooking

Skewered-style cooking, such as kebabs and barbecue, is now possible in your own kitchen. With rotisserie cooking, meats become more tender, juicier, and easier to baste.



Just put the rotisserie attachment into place whenever you need it.

Setting up the Rotisserie



Fit the two end pieces together.





The basic form is complete. The form Place the 4 single spits through the holes in the 4 corners. The Rotisserie is now set up.

1.1.1

Skewer style cooking to create a variety of dishes

Multi Spit

60

The unique Samsung Multi-Spit provides skewer-styled cook-ing, such as kebabs and roast meats, enhanced by the even heating system. The simple process offers huge convenience when cooking in the kitchen.

This unique feature gives you more choice for cooking enjoyable food. Skewered-style cooking such as kebabs and barbecue is now possible in your own kitchen.







Even Cooking with Rotating Plate

The spit sits on a rotating plate. The convection heat is distributed evenly and all the fat drips down to the plate for healthier food.



The spit is designed for easy cooking and cleaning.





Enjoy 141 Auto recipes. You can cook dishes from many different cultures.

1 Press "Indian best" button.

141 Auto Indian Menus

2 Turn the dial to select the dish, and press the start button. Or if you'd like to select other sub-category, press the button repeatedly.

3 Stuffed Tomatoes ; Choose your favorite from 141 menu.

4 Put the microwave safe container on the turntable, and press the start button.

Stop searching through the manual to operate mvicrowave oven. Once you push the button, the voice will explain the current mode and guide you through the next step.



Convenient Voice Guide

Voice Guide

The manual is only one option for trouble shooting. Samsung provides another option, called 'Voice Guide'. Once you push

the button, the voice will explain the current mode and guide

you through the next step.

Using Microwave

- 1 Select the power level by pressing the "Microwave" button repeatedly.
- 2 Set the cooking time by turning the dial.

3 Press set the start button.

Volume Control

The voice volume can be adjusted from zero to level 4. So, if you don't want to hear the voice anymore, you can turn off the voice or reduce the volume.





Convection

convection oven and a microwave come together in the ultimate kitchen solution. is versatile and cooks superior food.





- 36L combi. grill convection microwave oven 900 watt microwave output power
- European oven style drop down door
- OmniSense[™] OmniSense cook / defrost
- Text LCD Display (optional)
- Local recipe (optional)
- Round rack (high/low)
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 1500 watt grill output power
- 2050 watt convection output power
- Sensor cook (15)
- Sensor defrost (5)
- Sensor steam cook (5)
- Keep warm
- Sensor reheat (5)
- Weight guide

OMNI PRO

• CP1395EST • CP1395-S • CP1370EST • CP1370-B • CP1370-W

Omni pro offers great cooking performance by the heat convectional cooking.

Color



Control Type



LCD + Tact & Dial



Optional Specifications

| Product | Steam Clean | Round Rack (2) | Multi Pan | Crusty Plate | Defrost Plate | Multi-Sensor LCD Display (95) | Pro Steamer (E) | LED Display + Non-Sensor (70) |
|-----------|-------------|-------------------|-----------|--------------|---------------|-------------------------------------|--------------------|--|
| CP1395EST | ٠ | 0 | 0 | ۰ | ۰ | ۰ | ۰ | |
| CP1395-S | • | 0 | 0 | ۰ | ٠ | ٠ | | |
| CP1370EST | • | • | | | | | ٠ | • |
| CP1370-B | • | • | | ۰ | | | | • |
| CP1370-W | ٠ | • | • | ۰ | | | | ٠ |



Key Features

- 32L combi. grill convection microwave oven
- SmartSense
- Local recipe (optional)
- Round rack (high/low)
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 900 watt microwave output power
- 1250 watt grill output power
- 2050 watt convection output power
- 6 power level for cooking versatility
- Auto sensor cook (8)
- Auto cook (5)

PURE 2

• CE117P • CE117PT • CE117PPT • CE117PE • CE117PAE • CE113PF

Pure2 offers the great convenience of control and cooking with SmartSense.

Color



Control Type



Tact + 2Dial Membrane

| Product | Crusty Plate(T) | Pure Steam Bowl(P) | Pro Steamer(E) | Steam Clean | Multi-Spit(B) |
|-------------|-----------------|--------------------|----------------|-------------|---------------|
| CE117P | | | | | |
| CE117PT | ۰ | | | | |
| CE117PPT | | ٠ | | | |
| CE117PE | | | ٠ | | |
| CE117PAE | | | ٠ | ۰ | |
| CE113PF | ۰ | | | ٠ | ٠ |



- 37L combi. grill convection
- Local recipe (optional)
- Round rack (high/low)
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 900 watt microwave output power
- 99 min. cooking time
- 6 power levels for cooking versatility
- Auto cook (4)
- Auto reheat (4)
- Snack (6)
- Power defrost (6)

ATLAS

• CE137NE • CE137NM-B • CE137NM-S • CE137NEM-X

Atlas delivers greater convenience and versatile with 37L bigger capacity and refined minimal & sleek design.

Color



Control Type





Optional Specifications

| Product | Pro Steamer(E) + Crusty Cook | Steam Clean | Multi-Spit(B) | Multi Square Rack(M) |
|------------|---------------------------------|-------------|---------------|----------------------|
| CE137NE | ٠ | ۰ | | |
| CE137NM-B | | | • | • |
| CE137NM-S | | | • | • |
| CE137NEM-X | ٠ | ٠ | ٠ | • |



Key Features

- 32L combi. grill convection microwave oven
- Local recipe (optional)
- Round rack (high/low)
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 900 watt microwave output power
- 99 min. cooking time
- 6 power levels for cooking versatility
- Auto cook (5)
- Auto reheat (4)
- Snack (6)
- Power defrost (5)

TRIO 2

• CE117A • CE117AE-S • CE117AE-X • CE113AE-S

Trio2 offers a smart impression of minimal & sleek design and greater convenience of larger capacity.

Color



Control Type



Tact + Dial

| Product | Pro Steamer(E) + Crusty Cook | Steam Clean(E) | Crusty Plate |
|-----------|---------------------------------|----------------|--------------|
| CE117A | | | |
| CE117AE-S | ۰ | 0 | ٠ |
| CE117AE-X | 0 | 0 | 0 |
| CE113AE-S | • | • | 0 |



- 28L combi. grill convection microwave oven 900 watt microwave output power SmartSense
- Hot stamping handle
- Local recipe (optional)
- Round rack (high/low)
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 1250 watt grill output power
- 1850 watt convection output power
- 6 power level for cooking versatility
- Auto sensor cook (8)

CHIC (Convection)

• CE107F-S • CE107FT-S • CE107FTP-S • CE103FF-2S

Chic offers various style including full glass and pattern design, and it delivers easy-to-use control and quality cooking performance.

Color



Control Type





Optional Specifications

| Product | Crusty Plate(T) | Pure Steam Bowl(P) | Multi-Spit | Steam Clean |
|------------|-----------------|--------------------|------------|-------------|
| CE107F-S | | | | |
| CE107FT-S | • | | | |
| CE107FTP-S | • | • | | |
| CE103FF-2S | • | | • | • |



Key Features

- 28L combi. grill convection microwave oven
- Local recipe (optional)
- Round rack (high/low)
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 900 watt microwave output power
- 99 min. cooking time
- 6 power levels for cooking versatility
- Auto cook (5)
- Auto reheat (4)
- Power defrost (5)

OGUN (Convection)

CE107MT • CE107MPT • CE107MST

Ogun offers great features including wide tempered glass from the door and slim keypad for the delicious cuisine.

Color



Control Type



Tact + Dial

| | Product | Round Rack(2) | Crusty Plate(T) | Pure Steam Bowl(P) |
|---|----------|---------------|-----------------|--------------------|
| | CE107MT | ۰ | ۰ | |
| | CE107MPT | ۰ | 0 | • |
| _ | CE107MST | ۰ | ٠ | |



- 28L combi. grill convection microwave oven 900 watt microwave output power
- 3D Convection
- Local recipe (optional)
- Round rack (high/low)
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 1250 watt grill output power
- 1850 watt convection output power
- 99 min. cooking time
- 6 Power level for cooking versatility
- Local recipe Russian (5), Indian (30)
- Cafeteria menu (2)
- Auto cook (5)
- Auto reheat (4)

VALUE (Convection)

• CE103VR • CE107VR • CE107V-S • CE107VA • CE103VD-B

Value convection gives your kitchen a real stylish look with contemporary designed outfit.

Color



Control Type



Optional Specifications

CE103VD-B

Round Rack(2) 1 Steam Clean Product CE103VR . CE107VR . CE107V-S . CE107VA . .

.

.



Key Features

- 21L combi. Grill convection microwave oven 800 watt microwave output power
- Local recipe (optional)
- Round rack (high/low)
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 1100 watt grill output power
- 1700 watt convection output power
- 6 power level for cooking versatility
- Keep warm Auto power defrost (4)

GIANT

• CE73JD • CE73JD-PR

Giant offers a choice of various colors perfectly matched with other appliances, and it always makes your meals ready to serve.

Color

| Black | Red Pattern |
|-------|-------------|

Control Type



Membrane

| Product | High / Low Rack | |
|-----------|-----------------|--|
| CE73JD | 0 | |
| CE73JD-PR | ¢ | |



Compact Oven

sy to use and compact in size. Enjoy a healthy lifestyle with innovative cooking technology.



- 36L family-size compact oven
- Healthy cooking with pro steamer
- (CQ138S, CQ138T only)
- Speedy cooking with surround heater
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 800 watt microwave output power, 1540 watt grill power,
- 2050 watt convection power
- 99 min. cooking time
- 6 power levels for cooking versatility
- Auto cook (20)
- Auto power defrost (5)
- 30 sec. plus

COMPACT OVEN

• CQ138-G • CQ138-ST • CQ138S-G • CQ138T-G • CQ138T-ST

Easy to use and compact in size. Enjoy a healthy lifestyle with innovative cooking technology.

Color



Stainless Silver

Control



Optional Specifications

| Product | Pro Steamer(E) | Steam Clean | Oven Rack | Multi Pan | Crusty Plate |
|-----------|----------------|-------------|-----------|-----------|--------------|
| CQ138-G | | ۰ | | ۰ | ۰ |
| CQ138-ST | | ٠ | | ۰ | • |
| CQ138S-G | ۰ | ٠ | | ۰ | • |
| CQ138T-G | ۰ | • | ٠ | ٠ | ۰ |
| CQ138T-ST | ۰ | ٠ | ٠ | ٠ | • |



Key Features

- 36L family-size combi steam oven
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 800 watt microwave output power, 1540 watt grill power, 2050 watt convection power
- 99 min. cooking time
- 6 power levels for cooking versatility
- Auto steam cook (17)
- Auto cook (20)
- Auto power defrost (5)
- 30 sec. plus

COMBI STEAM OVEN

• CQV137S

Combi steam oven helps you to keep up with healthy life by innovative steam cooking technology.

Color



Silver

Control









- 23L super grill microwave oven
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 1950 watt grill output power
- 800 watt microwave output power
- 99 min. cooking time
- 6 power levels for cooking versatility
- Auto cook (8)
- Auto reheat (3)
- Auto defrost (4)

SUPER GRILL 2

• PG838R-S • PG838R-SB • PG838R

Super grill 2 enables you to enjoy a precious feast with your neighbors at your dinner party.

Color



Control Type



Membrane

| Product | Super Grill Rack | Rack Holder | Steam Clean | Oven Mitten |
|-----------|------------------|-------------|-------------|-------------|
| PG838R-S | ۰ | ٠ | • | • |
| PG838R-SB | ٥ | 0 | ٥ | ٠ |
| PG838R | ۰ | ۰ | ۰ | • |

| Μ | EN | | \bigcirc |
|---|----|--|------------|
|---|----|--|------------|





- 40L grill / solo microwave oven
- SmartSense (optional)
- Ceramic Inside (ceramic enamel interior)
- Additional Features
- 1000 watt microwave output power
- 1300 watt grill output power
- 10 power level for cooking versatility

SHINE 14

• MG402MADXBB • MS405MADXBB

Shine 14 offers stylish black-mirror-glassed outfit including door & membrane and great cooking performance with Smartsense & grills.

Color



Black Mirror

• Control



Membrane

Optional Specifications

| T _C Cessolites Grill | High / Low Rack | Crusty Plate | Sensor |
|------------------------------------|-----------------|--------------|--------|
| MG402MADXBB | ٠ | ٠ | |
| MS405MADXBB | | | ٠ |



Key Features

- 28L grill microwave oven
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 900 watt microwave output power
- 7 power levels for cooking versatility
- 99 min. cooking time
- Auto defrost (4)
- 900 watt microwave output power
- 7 power levels for cooking versati
- 99 min. cooking time
- Auto defrost (4)
- Auto reheat/cook (5)
- Auto grill cook (4)
- Auto junior & snack (6)

1.0 MIRROR GRILL

• GE0103MB

1.0 Mirror grill delivers simple and luxurious minimal and modern outfit with smart features.

Color



Black Mirror

Control









- 32L solo microwave oven
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 1100 watt microwave output power
- 10 power levels for cooking versatility
- 99 min. cooking time
- Auto defrost (5)
- Auto reheat (3)
- Auto cook (14)

MIRROR

• AMW0113 • AME0103 • MW0113 • ME0113

Mirror has modern designed with reflective mirror window which maintains the best quality food flavors.

Color



Black Mirror

Control Type



Membrane

Optional Specifications

| Product | Standby-1w | Smart Sensor |
|---------|------------|--------------|
| AMW0113 | 0 | |
| AME0103 | 0 | |
| MW0113 | | 0 |
| ME0113 | | ۰ |



Key Features

- 23L grill / solo microwave oven
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 800 watt microwave output power
- 7 power levels for cooking versatility
- 99 min. cooking timer
- Rapid defrost (4)
- Auto reheat (4)
- Auto cook (4)

SHINE

• ME83X • GE83X

Shine offers elegant and stylish black-mirror-glassed outfit including door and membrane control.

Color



Black Mirror

Control Type



Membrane

| Product | | Child Lock | Deodorization |
|---------|-------|------------|---------------|
| | ME83X | 0 | ۰ |
| | GE83X | 0 | • |



- 32L grill / solo microwave oven
- SmartSense (optional)
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 1100 watt microwave output power
- Halogen light
- 10 power level for cooking versatility
- Auto sensor cook (3)

BIG PLUS

• ME113TST • AME113TST • AGE1103TST

Big plus delivers larger turntable and brighter cavity for easy cooking and easy checking. It always offers quality cooking results.

Color



Stainless

Control Type



Membrane

Optional Specifications

| Product | Pure Steam Bowl | Round Rack |
|------------|-----------------|------------|
| ME113TST | 0 | |
| AME113TST | | |
| AGE1103TST | | • |



Key Features

- 20L grill / solo microwave oven
- Local recipe (optional)
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 800 watt microwave output power
- 1100 watt grill output power
- 6 power level for cooking versatility
- Auto cook

MARIMBA

ME71MR
 ME73MR
 GE71MR
 GE73MR

Marimba offers luxurious & metallic stainless steel design absolutely matched with your modern kitchen.

Color



Stainless

Control Type



Membrane Mechanical

| | Product | Eco button | Child lock | Round Back |
|---|---------|------------|------------|------------|
| _ | ME71MR | | | |
| _ | ME73MR | ۰ | • | |
| | GE71MR | | | • |
| | GE73MR | ۰ | ۰ | ٠ |



- 23L grill / solo microwave oven
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 800 watt microwave output power
- 1100 watt grill output power
- 6 power level for cooking versatility
- Auto cook
- Power defrost (4)

TRANSFORMER

• ME88SSTR • GE88SSTR

Transformer delivers a luxurious stainless steel design matching with built-in oven in your kitchen.

Color



Stainless

Control





Optional Specifications

| Product | Eco button | Child lock | Round Rack |
|----------|------------|------------|------------|
| ME88SSTR | ٠ | • | |
| GE88SSTR | ۰ | ۰ | ٠ |



Key Features

- 32L / 40L microwave oven
- SmartSense (optional)
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 1100, 1000 watt microwave output power
- 10 power levels for cooking versatility
- Auto cook (handy helper, kids meal, snack bar)
- Auto defrost
- Auto reheat
- 30 sec. plus

STENA

• AME9114 • AME9144 • ME9114 • ME9144

Stena has a full stainless steel body that will fit right in with your kitchen décor.

Color



Control Type



Membrane

| Product | Bacon | Pizza Reheat | Boil Water | Frozen Dinner | Sensor Cook |
|-------------|-------|--------------|------------|---------------|-------------|
| AME9114 | ۰ | ۰ | ٠ | ۰ | |
| AME9144 | ۰ | ۰ | ۰ | ۰ | |
| ME9114 | | | | | 0 |
| ME9144 | | | | | ٥ |



- 23L grill microwave oven
- Duo grill
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 850 watt microwave output power
- Ergonomic slanted door
- Solid steel handle
- 6 power levels for cooking versatility
- 99 min. cooking time

STEEL HEART

• GE89AST • GE89AST-R • GE89PST-S

Steel heart grill has a stainless steel design, elegant handle style, and Duo Grill technology for delicious food.

Color



Stainless

Stainless + Black frame



- + Wine Red frame
- Control Type



Tact + Dial

Optional Specifications

| | Gri ll | Round Rack | Crusty Cook | Steam Clean | Cabinet Color |
|---|---------------|------------|-------------|-------------|---------------|
| _ | GE89AST | ۰ | • | ٠ | Black |
| - | GE89AST-R | • | • | ۰ | Wine Red |
| - | GE89PST-S | ۰ | ۰ | ۰ | Silver |





Key Features

- 23L / 28L Grill / Solo microwave oven
- SmartSense
- Hot stamping handle
- Local recipe (optional)
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 800 / 1000 watt microwave output power
- 8 power levels for cooking versatility
- 99 min. cooking timer
- Power defrost (4)
- Auto reheat (4)
- Auto crusty cook (4)
- Auto power steam cook (4)
- Sensor cook (8)

CHIC

• ME89F-1S • ME109F-1S • GS89F-1S • GS109F-1S

Chic delivers sleek & modern design and better cooking performance controlled by Smart sensor.

Color



Black

Control Type





| Product | Steam Clean | Pure Steam Bowl | Crusty Plate |
|-----------|-------------|-----------------|--------------|
| ME89F-1S | | ۰ | |
| ME109F-1S | | ٥ | |
| GS89F-1S | 0 | | 0 |
| GS109F-1S | ٠ | | ۰ |



- 23L grill / solo microwave oven
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 850 watt microwave output power
- 8 power levels for cooking versatility
- 99 min. cooking time
- Defrost (4)
- Auto reheat (4)
- Auto cook (9)

OGUN (SOLO/GRILL)

• GE89MST • GE89M-S • GE89M-B • MW89MST • MW89M-S • MW89M-B

Ogun offers great features including wide tempered glass from the door and slim keypad for the delicious cuisine.

Color

| Silver | Stainless | White | Black |
|--------|-----------|-------|-------|

Control Type





Optional Specifications

| Srill | Crusty Cook | Steam Clean(E) | Pure Steam Bowl(P) |
|---------|-------------|----------------|--------------------|
| GE89MST | • | 0 | |
| GE89M-S | • | 0 | |
| GE89M-B | ۰ | ۰ | |

| Power Steam Bowl(P) |
|---------------------|
| Power Steam Bowl(P) |
| ۰ |
| • |
| 0 |
| |



Key Features

- 20L / 23L / 28L grill / solo microwave oven
- Ceramic heater (grill)
- Hot stamping handle
- Local recipe (optional)
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 800 / 1000 watt microwave output power
- 7 Power levels for cooking versatility
- 99 min. cooking timer
- Rapid defrost (4)
 Auto reheat (4)
- Auto reneat (4)
 Auto cook (4)
- AULO COOK (4)

MUSE 2

• ME76V • ME86V • ME102V • GW76V • GE86V • GE102V

Muse 2 offers hygienic cooking by ceramic Inside including ceramic enamel interior and ceramic heater.

Color



Control Type



Tact Easy tronics

| Ceature . | Child lock | Deodorization | ECO Mode |
|-----------|------------|---------------|------------|
| Solo | | | |
| ME76V | 0 | • | • |
| ME86V | 0 | • | 0 |
| ME102V | | | ۰ |
| Grill | Child lock | Deodorization | Round Rack |
| GW76V | 0 | ٠ | 0 |
| GE86V | • | • | ۰ |
| GE102V | | | • |



- 20L grill microwave oven
- Eco mode (optional)
- Local recipe (optional)
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 750 watt microwave output power
- 99 min. cooking time
- 6 power level for cooking versatility
- Rapid defrost (4)
- Auto cook / reheat (5)
- Rapid defrost (4) Memory cook
- Child lock

MUSE MIRROR

• GW76NM

Muse mirror provides superior results with every type of food, innovative technologies, and sleek design.

Color



Mirror

Control Type





Optional Specifications





Key Features

- 23L grill / solo microwave oven
- Eco mode (optional)
- Local recipe (optional)
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 850 watt microwave output power
- 99 min. cooking time
- 6 power level for cooking versatility
- Rapid defrost (4) Auto cook / reheat (5)

DREAM

• GE83DR • GE83DTR • ME83DR

Dream provides a deluxe, higher quality image to complement any kitchen décor.

Color



White

Black

Control Type



Membrane

| [₹] C ^E ^K G ^T E ^K G | Round Rack (High / Low) | Crusty Plate(T) |
|--|-------------------------|-----------------|
| GE83DR | ٠ | |
| GE83DTR | ۰ | ٠ |



- 23L / 28L grill / solo microwave oven
- Eco mode (optional)
- Local recipe (optional)
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 850 / 900 watt microwave output power
- 6 power levels for cooking versatility
- 99 min. cooking timer
- Auto defrost (4)
 - Auto reheat / cook (5)
 - Auto crusty cook (4)

CORE-I

• MW81Y • MW83Y • GE83Y • GE107Y • GE107Y-S

Core-I has unique design and various cooking accessories that provide upgraded cooking performance.

Color



Silver


White

Control Type





Optional Specifications





Key Features

- 23L grill / solo microwave oven
- Eco mode (optional)
- Local recipe (optional)
- Ceramic Inside (ceramic enamel interior)

MONET

• GE83GR • GE83GDT-B • GE83GR-S • GE87GR • MW83G • MW87G-WR • MW87G

Monet makes an artistic impression with its soft oval design and versatile cooking program.

Color







Black

1

Steam Clean

.

.

.

•

100

Pure Steam Bowl(P)



White

Silver

White + Red Ring

Crusty Plate

.

.

.

.

Control Type



Optional Specifications

Gri

GE83GDT-B

GE83GR-S

GE87GR

Solo

MW87G-WR

MW83G

MW87G

GE83R







Round Rack

.

.

.

.

۲

Power Steam Bowl

.

.

.





• 850 watt microwave output power

- 6 power levels for cooking versatility
- 99 min. cooking timer

Additional Features

- Auto defrost (4)
- Auto reheat / cook (5)
- Auto crusty cook (4)



- 20L / 23L grill / solo microwave oven
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 800 watt microwave output power
- 99 min. cooking timer
- Rapid defrost (4)
- Auto reheat / cook (6)

TRENDY

• MW71A • MW73A • GW71A • GW73A • GE83A

Trendy shows off not only simple & modest style but also more efficient space usage.

Color Type



White

Control Type



Mechanical Membrane

Optional Specifications

| Legitine 20L | Round Rack | ECO Mode |
|-----------------|------------|----------|
| MW71A | | |
| MW73A | | ۰ |
| GW71A | 0 | |
| GW73A | 0 | ۰ |
| GE83A | e | • |



Additional Features

• Output : 800w

Key Features

- 20L grill / solo microwave oven
- Eco mode (optional)
- Local recipe (optional)
- Ceramic Inside (ceramic enamel interior)

SOFT #1

• ME731KR • GE731KR • ME711KR • GE711KR

Soft 1 has wide black door with softly curved line which delivers style and convenient.

Color



Control Type



Mechanical Membrane

| | Product | LED Display | ECO Button | Russian Recipe (optiona l) |
|---|---------|-------------|------------|---------------------------------------|
| - | MW731KR | • | ۰ | 0 |
| | GW731KR | 0 | • | 0 |
| | ME711KR | | | |
| | GE711KR | | | |





Output : 800w

- 20L grill / solo microwave oven
- Eco mode (optional)
- Local recipe (optional)
- Ceramic Inside (ceramic enamel interior)

SOFT #2

• ME732KR • GE732KR • ME712KR • GE712KR

Soft 2 has upgraded design with softly curved line at the bottom which emphasizes energetic style.

Color





Control Type



Mechanical Membrane

Optional Specifications

| | Product | LED Disp l ay | ECO Button | Russian Recipe (optiona l) |
|---|---------|----------------------|------------|---------------------------------------|
| - | ME732KR | ۰ | 0 | • |
| | GE732KR | • | 0 | • |
| | ME712KR | | | |
| | GE712KR | | | |



Key Features

- 20L grill / solo microwave oven
- Eco mode (optional)
- Local recipe (optional)
- Ceramic Inside (ceramic enamel interior)

Additional Features

800 watt microwave output power

SOFT #3

• ME713KR • GE713KR • ME733KR • GE733KR

Soft 3 has feminine feeling exterior with round edge at the corner which leads to elegant lifestyle.

Color





Mechanical Membrane

| Product | LED Disp l ay | ECO Button | Russian Recipe (optiona l) |
|-------------|----------------------|------------|---------------------------------------|
| ME733KR | 0 | ۰ | • |
| GE733KR | ۰ | ٠ | 0 |
| ME713KR | | | |
| GE713KR | | | |



- 20L solo / grill microwave oven
- Eco mode (optional)
- Local recipe (optional)
- Ceramic Inside (ceramic enamel interior)

Additional Features

- 800 watt microwave output power
- 6 power levels for cooking versatility
- 99 min. 99 sec. cooking timer
- Auto defrost (4)
- Auto reheat

ECO BASIC

• ME71B • ME71B-B • ME71B-S • ME73B • ME73B-B • ME73B-S

ECO basic provides plenty of features easy to use and an absolute joy for every meals.

Color



Control Type



Membrane Mechanical

Optional Specifications

| Grill | Round Rack | |
|---------|------------|--|
| GW71B | 0 | |
| GW71B-B | ٥ | |
| GW71B-S | ٠ | |
| GW73B | ٠ | |
| GW73B-B | 0 | |
| GW73B-S | 0 | |

| Grill | ECO Mode |
|---------|----------|
| ME73B | 0 |
| ME73B-B | 0 |
| ME73B-S | ê. |



Low Rack





Round Rack Round Rack(2)



Multi-Spit

Accessories

Samsung features innovation and style, making cooking easier than ever while enhancing the flavors of the food you cook.







Rotisserie

Power Steam Bowl



Pro Steamer

Crusty Plate





Multi Pan

Ceramic Tray





Steam Clean

Defrost Plate



Steam Clean



Cookbook

Oven Mitten



OMNI PRO



CP1395-S

CP1370EST







| | Capacity | | 36 Litres | 36 Liters | 36 Liters |
|----------------------------|---|---|---|--|---|
| | Туре | Installation | CMO | CMO | CMO |
| | | Heat Source | Convection | Convection | Convection |
| | Power | Power Source | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| _ | | Output Power (Microwave) | 900W | 900W | 900W |
| $\overline{\omega}$ | | Output Power (Grill) | 1500W | 1500W | 1500W |
| e. | | Output Power (Convection) | Max.2050W | Max. 2050W | Max. 2050W |
| ē | | Power Consumption (Microwave) | 1550W | 1550W | 1550W |
| G | Sensor | | OmniSense | OmniSense | - |
| | Display Type | | LCD | LCD | LED |
| | Control Method | | Tact+2 Dial | Tact + 2 Dial | Tact + 2 Dial |
| | Door Open Mechanism | | Drop-down handle | Drop-Down Handle | Drop-Down Handle |
| | MW Distribution Mechanism | | Turntable | Turntable | Turntable |
| - | Cooking Modes | Microwave Oven | • | • | |
| | Soonalig Modeo | Brown / Grill | • | • | • |
| | | Convection | | • | |
| | | Bake | • | • | |
| | | Combi 1 | MW+Grill | MW + Grill | MW + Grill |
| | | Combi 2 | MW+Conv (5 ways) | MW + Conv. (5 Ways) | MW + Conv. (5 Ways) |
| ł | Convection Temperature | CONTRA 2 | 40~ 230°C | 40 ~ 230°C | 40 ~ 230°C |
| | Clock | | 40~ 230 C | 40~2300 | 40~2300 |
| | Keep Warm | | • | • | • |
| | | | 99 Min. /10 Hr | • 99 Min. / 10 Hr | • 99 Min. / 10 Hr |
| | Max Cooking Time | | 99 Min. / 10 Hr | 99 Min. / 10 Hr | 99 Min. / 10 mr |
| | Memory Cook | | 7 | 7 | - |
| | Power Level | | | - | 1 |
| S | Cooking Stages | | 1 | 1 | 1 |
| <u>ق</u> | Time Control | | Dial | Dial | Dial |
| Ę | Weight / Serving Control | | Dial | Dial | Dial |
| ğ | One Minute / 30 Sec. | | 30 sec Plus | 30 Sec. Plus | 30 Sec. Plus |
| யீ | Turntable On / Off | | • | • | • |
| | Preheat | | Fast preheat | Fast preheat | Fast preheat |
| | Defrost (Auto / Power / Sensor) | | Sensor (5) | Sensor (5) | Auto Power (5) |
| | Auto Reheat | | Sensor (5) | Sensor (5) | Auto (5) |
| | Auto Cook | | Sensor (15) | Sensor (15) | Auto (15) |
| | Auto Crusty Cook | | • (5) | (5) | • (5) |
| | Auto Steam Cook (Pro Steamer) | | (5) | (5) | (5) |
| | Deodorization | | - | - | • |
| | Setting (My Choice) | Sound Option | • | • | • |
| | | Reminder End Signal | • | • | • |
| | | | | • | |
| | | Clock System Option (12H / 24H) | • | • | • |
| | | | • | : | • |
| | | Clock System Option (12H / 24H) Child Lock | | | • |
| | Others | Clock System Option (12H / 24H) | • • (8) | • • (8) | • |
| | | Clock System Option (12H / 24H) Child Lock | • • (8) Digital scale | • • (8) Digital Scale | • |
| | Others Cabinet Color Control Panel Color | Clock System Option (12H / 24H) Child Lock | • • (8) | • • (8) | • |
| S | Cabinet Color Control Panel Color | Clock System Option (12H / 24H) Child Lock | • (8) Digital scale Stainless Black | • • (8) Digital Scale Silver | • - Stainless |
| hes | Cabinet Color Control Panel Color Door Color | Clock System Option (12H / 24H) Child Lock | • (8) Digital scale Stainless Black Stainless | • (8) Digital Scale Silver Black Silver | - Stainless Black Stainless |
| iishes | Cabinet Color Control Panel Color | Clock System Option (12H / 24H) Child Lock | • (8) Digital scale Stainless Black | • • (8) Digital Scale Silver Black | • |
| Tinishes | Cabinet Color Control Panel Color Door Color Cavity Interior | Clock System Option (12H / 24H) Child Lock Language Selection | • • (8) Digital scale Stainless Black Stainless Ceramic Enamel Glass | • (8) Digital Scale Silver Black Silver Ceramic Enamel Glass | Stainless Black Stainless Ceramic Enamel Glass |
| & Finishes | Cabinet Color Control Panel Color Door Color Cavity Interior Turntable | Clock System Option (12H / 24H) Child Lock Language Selection | • (8) Digital scale Stainless Black Stainless Ceramic Enamel Glass diameter 360mm | • (8) Digital Scale Silver Black Silver Ceramic Enamel Glass diameter 300mm | stainless Black Stainless Ceramic Enamel Glass diameter 360mm |
| & Finishes | Cabinet Color Control Panel Color Door Color Cavity Interior Turntable Grill Heater | Clock System Option (12H / 24H) Child Lock Language Selection | • • (8) Digital scale Stainless Black Stainless Ceramic Enamel Glass diameter 360mm SheathX 2 | • • • (8) Digital Scale Silver Black Silver Ceramic Enamel Glass diameter 360mm Sheath x 2 | Stainless Black Stainless Ceramic Enamel Glass diameter 360mm Sheath x 2 |
| & Finishes | Cabinet Color Control Panel Color Door Color Cavity Interior Turntable Grill Heater Convection Heater | Clock System Option (12H / 24H) Child Lock Language Selection | • • (8) Digital scale Stainless Black Stainless Ceramic Enamel Class diameter 360mm SheathX 2 Sheath | • (b) Digital Scale Silver Black Silver Ceramic Enamel Glass diameter 360mm Sheath x 2 Sheath | • Stainless Black Stainless Ceramic Enamel Glass diameter 360mm Sheath x 2 Sheath |
| & Finishes | Cabinet Color Control Panel Color Door Color Cavity Interior Turntable Grill Heater Convection Heater Carton Box | Clock System Option (12H / 24H) Child Lock Language Selection | • (8) Digital scale Stainless Black Stainless Ceramic Enamel Glass diameter 360mm SheathX 2 Sheath Yellow | • • • • • • • • • • • • • • | Stainless Black Stainless Ceramic Enamel Glass diameter 360mm Sheath x 2 |
| ory & Finishes | Cabinet Color Control Panel Color Door Color Cavity Interior Turntable Grill Heater Convection Heater Carton Box Round Rack (High, Low) | Clock System Option (12H / 24H) Child Lock Language Selection | • • (8) Digital scale Stainless Black Stainless Ceramic Enamel Class diameter 360mm SheathX 2 Sheath | • (b) Digital Scale Silver Black Silver Ceramic Enamel Glass diameter 360mm Sheath x 2 Sheath | Stainless Black Stainless Ceramic Enamel Glass diameter 360mm Sheath x 2 Sheath x 2 Sheath Yellow |
| sory & Finishes | Cabinet Color Control Panel Color Door Color Cavity Interior Turntable Grill Heater Convection Heater Carton Box Round Rack (High, Low) Defrost Plate | Clock System Option (12H / 24H) Child Lock Language Selection | • (8) Digital scale Stainless Elack Stainless Ceramic Enamel Class diameter 360mm Sheath X 2 Sheath Yellow • | • (8) Digital Scale Silver Black Silver Ceramic Enamel Glass diameter 380mm Sheath x 2 Sheath Yelbw | Stainless Black Stainless Ceramic Enamel Glass diameter 360mm Sheath x 2 Sheath Yellow |
| essory & Finishes | Cabinet Color Control Panel Color Door Color Cavity Interior Turntable Grill Heater Convection Heater Carton Box Round Rack (High, Low) Defrost Plate Steam Cooker (Pro Steamer) | Clock System Option (12H / 24H) Child Lock Language Selection | • (8) Digital scale Stainless Elack Stainless Ceramic Enamel Class diameter 360mm Sheath X 2 Sheath Yellow • | • (8) Digital Scale Silver Black Silver Geramic Enamel Glass diameter 360mm Sheath x 2 Sheath x 2 Sheath Yellow • | Stainless Black Stainless Ceramic Enamel Glass diameter 360mm Sheath x 2 Sheath Yellow |
| ccessory & Finishes | Cabinet Color Control Panel Color Door Color Cavity Interior Turntable Grill Heater Convection Heater Carton Box Round Rack (High, Low) Defrost Plate Steam Cooker (Pro Steamer) Steam Cooker | Clock System Option (12H / 24H) Child Lock Language Selection | • (8) Digital scale Stainless Elack Stainless Ceramic Enamel Glass diameter 360mm Sheath X 2 Sheath Yellow • • | • • • • • • • • • • • • • • | • Stainless Black Stainless Ceramic Enamel Glass diameter 360mm Sheath x 2 Sheath Yellow • • |
| Accessory & Finishes | Cabinet Color Control Panel Color Door Color Cavity Interior Turntable Grill Heater Convection Heater Carton Box Round Rack (High, Low) Defrost Plate Steam Cocker (Pro Steamer) Steam Clean Square Metal Tray | Clock System Option (12H / 24H) Child Lock Language Selection | • • (8) Digital scale Stainless Black Stainless Ceramic Enamel Glass diameter 360mm SheathX 2 Sheath Yellow • • • • • • • • • • • • • | • (8) Digital Scale Silver Black Silver Ceramic Enamel Glass diameter 360mm Sheath x 2 Sheath Yellow • • • • • • • • • • • • • | Stainless Black Stainless Ceramic Enamel Glass diameter 380mm Sheath x 2 Sheath x 2 Sheath Yellow • |
| Accessory & Finishes | Cabinet Color Control Panel Color Door Color Cavity Interior Turntable Grill Heater Cortvection Heater Carton Box Round Rack (High, Low) Defrost Plate Steam Cooker (Pro Steamer) Steam Cooker (Pro Steamer) Steam Cooker (Pro Steamer) Steam Cooker (Pro Steamer) | Clock System Option (12H / 24H) Child Lock Language Selection | • (8) Digital scale Stainless Elack Stainless Ceramic Enamel Glass diameter 360mm SheathX 2 Sheath Yellow • • • • • • • • • • • • • | • • (8) Digital Scale Silver Black Silver Ceramic Enamel Glass diameter 360mm Sheath x 2 Sheath x 2 Sheath Yellow • • • • • • • • • • • • • | Stainless Black Stainless Ceramic Enamel Glass diameter 380mm Sheath x 2 Sheath Yellow • • • • • |
| . Accessory & Finishes | Cabinet Color Control Panel Color Door Color Cavity Interior Turntable Grill Heater Convection Heater Carton Box Round Rack (High, Low) Defrost Plate Steam Cocker (Pro Steamer) Steam Clean Square Metal Tray | Clock System Option (12H / 24H) Child Lock Language Selection | • (8) Digital scale Stainless Black Stainless Ceramic Enamel Glass diameter 360mm SheathX 2 Sheath Yellow • • • • • • • • • • • • • | • (8) Digital Scale Silver Black Silver Ceramic Enamel Glass diameter 360mm Sheath x 2 Sheath Yellow • • • • • • • • • • • • • • • • • • • | • Stainless Black Stainless Ceramic Enamel Glass diameter 360mm Sheath x 2 Sheath Yellow • • • • • • • • • • • • • • • • • • • |
| ec. Accessory & Finishes | Cabinet Color Control Panel Color Door Color Cavity Interior Turntable Grill Heater Cortvection Heater Carton Box Round Rack (High, Low) Defrost Plate Steam Cooker (Pro Steamer) Steam Cooker (Pro Steamer) Steam Cooker (Pro Steamer) Steam Cooker (Pro Steamer) | Clock System Option (12H / 24H) Child Lock Language Selection | • (8) Digital scale Stainless Elack Stainless Ceramic Enamel Glass diameter 360mm Sheath Yellow • • • • • • • • • • • • • • • • • • • | • • (8) Digital Scale Silver Black Silver Ceramic Enamel Glass diameter 300mm Sheath x 2 Sheath x 2 Sheath x 2 Sheath Yelow • • • • • • • • • • • • • | • Stainless Black Stainless Ceramic Enamel Glass diameter 360mm Sheath x 2 Sheath x 2 Sheath X 2 Sheath Yellow • • • • • • • • • • • • • • • • • • • |
| pec. Accessory & Finishes | Cabinet Color Control Panel Color Door Color Cavity Interior Turntable Grill Heater Carton Box Round Rack (High, Low) Defrost Plate Steam Cooker (Pro Steamer) Steam Cooker (Pro Steamer) | Clock System Option (12H / 24H) Child Lock Language Selection | • (8) Digital scale Stainless Elack Stainless Ceramic Enamel Glass diameter 360mm SheathX 2 Sheath Yellow • • • • • • • • • • • • • • • • • • • | • • (8) Digital Scale Silver Black Silver Ceramic Enamel Glass diameter 360mm Sheath x 2 Sheath x 2 Sheath X 2 Sheath Yellow • • • • • • • • • • • • • | Stainless Black Stainless Ceramic Enamel Glass diameter 360mm Sheath x 2 Sheath x 2 Sheath Yellow • • • • • • • • • • • • • • • • • • • |
| Spec. Accessory & Finishes | Cabinet Color Control Panel Color Door Color Cavity Interior Turntable Grill Heater Cortvection Heater Carton Box Round Rack (High, Low) Defrost Plate Steam Cooker (Pro Steamer) Steam Cooker (Pro Steamer) Steam Cooker (Pro Steamer) Steam Cooker (Pro Steamer) | Clock System Option (12H / 24H) Child Lock Language Selection | • (8) Digital scale Stainless Elack Stainless Ceramic Enamel Glass diameter 360mm Sheath Yellow • • • • • • • • • • • • • • • • • • • | • • (8) Digital Scale Silver Black Silver Ceramic Enamel Glass diameter 300mm Sheath x 2 Sheath x 2 Sheath x 2 Sheath Yelow • • • • • • • • • • • • • | Stainless Black Stainless Ceramic Enamel Glass diameter 360mm Sheath x 2 Sheath x 2 Sheath X 2 Sheath Yelow • • • • • • • • • • • • • • • • • • • |

OMNI PRO

CP1370-B

CP1370-W





| Capacity | | 36 Liters | 36 Liters |
|-------------------------------|-------------------------------------|--------------------------------------|--|
| Туре | Installation | CMO | CMO |
| 1)00 | Heat Source | Convection | Convection |
| Power | Power Source | 230V / 50Hz | 230V / 50Hz |
| 1 OWDI | Output Power (Microwave) | 900W | 900W |
| <u></u> | | 1500W | 1500W |
| e | Output Power (Grill) | | |
| | Output Power (Convection) | Max. 2050W | Max. 2050W |
| ര് | Power Consumption (Microwave) | 1550W | 1550W |
| Sensor | | - | - |
| Display Type | | LED | LED |
| Control Method | | Tact + 2 Dial | Tact + 2 Dial |
| Door Open Mechanism | | Drop-Down Handle | Drop-Down Handle |
| MW Distribution Mechanism | | Turntable | Turntable |
| Cooking Modes | Microwave Oven | • | • |
| Ť | Brown / Gril | • | • |
| | Convection | • | • |
| | Bake | • | • |
| | Combi 1 | MW + Grill | MW + Grill |
| | Combi 2 | MW + Conv. (5 Ways) | MW + Conv. (5 Ways) |
| | Combi 2 | | |
| Convection Temperature | | 40 ~ 230°C | 40 ~ 230°C |
| Clock | | • | • |
| Keep Warm | | • | • |
| Max Cooking Time | | 99 Min. / 10 Hr | 99 Min. / 10 Hr |
| Memory Cook | | • | • |
| Power Level | | 7 | 7 |
| Cooking Stages | | 1 | 1 |
| 8 Time Control | | Dial | Dial |
| Weight / Serving Control | | Dial | Dial |
| One Minute / 30 Sec. | | 30 Sec. Plus | 30 Sec. Plus |
| Turntable On / Off | | • | • |
| Preheat | | Fast preheat | Fast preheat |
| Defrost (Auto / Power | | Auto Power (5) | Auto Power (5) |
| Auto Reheat | | | |
| | | Auto (5) | Auto (5) |
| Auto Cook | | Auto (15) | Auto (15) |
| Auto Crusty Cook | | • (5) | • (5) |
| Auto Steam Cook (Pro Steamer) | | - | - |
| Deodorization | | • | • |
| Setting (My Choice) | Sound Option | • | • |
| | Reminder End Signal | • | • |
| | Clock System Option (12H / 24H) | • | • |
| | Child Lock | • | • |
| | Language Selection | - | - |
| Others | | | <u> </u> |
| Cabinet Color | | Black | White |
| Control Panel Color | | Black | Black |
| Door Color | | Black | White |
| | | Ceramic Enamel | Ceramic Enamel |
| Cavity Interior | Mate /al | | |
| Turntable | Material | Glass | Glass |
| | Size | diameter 360mm | diameter 360mm |
| Grill Heater | | Sheath x 2 | Sheath x 2 |
| Convection Heater | | Sheath | Sheath |
| Carton Box | | Yellow | Yellow |
| Round Rack (High, Low) | | • | • |
| Defrost Plate | | - | |
| Steam Cooker (Pro Steamer) | | - | - |
| Steam Clean | | • | • |
| Square Metal Tray | | (1 Level) | • (1 Level) |
| Crusty Plate | | • (325mm) | • (325mm) |
| Dimension (WxHxD) | Cavity | 402mm x 390mm x 227mm | • (325mm) 402mm x 390mm x 227mm |
| Dimension (WXHXD) | | | |
| 0 | Outside | 520mm x 403mm x 453.5mm | 520mm x 403mm x 453.5mm |
| | Shipping | 618mm x 466mm x 550mm | 618mm x 466mm x 550mm |
| <u>0</u> | | | |
| Weight (kg) | Weight | 24.7kg | 24.7kg |
| Weight (kg) | Weight Loading 20ft/40ft/40HQ | 24.7kg 28.8kg 189/389/410 sets | 24.7Kg 28.8kg 189 / 389 / 410 sets |

PURE 2







CE117PPT





CE117PT-B

| Capacity | | 32 Litres | 32 Litres | 32 Litres | 32 Litres |
|---------------------------------|---------------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| Туре | Installation | CMO | CMO | CMO | CMO |
| | Heat Source | Microvace & Grill & Convection |
| Power | Power Source | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| | Output Power (Microwave) | 900W | 900W | 900W | 900W |
| | Output Power (Grill) | 1250W | 1250W | 1250W | 1250W |
| | Output Power (Convection) | 2050W | 2050W | 2050W | 2050W |
| | Power Consumption (Microwave / Grill) | 1400W | 1400W | 1400W | 1400W |
| Sensor | Tower Consumption (Microwave / Cini) | SmartSense | SmartSense | SmartSense | SmartSense |
| Display Type | | LED | LED | LED | LED |
| Control Method | | Tact+2 Dial | | Tact+2 Dial | |
| | | | Tact+2 Dial | | Tact+2 Dial |
| Door Open Mechanism | | Side swing | Side swing | Side swing | Side swing |
| MW Distribution Mechanism | | Turntable | Turntable | Turntable | Turntable |
| Cooking Modes | Microwave Oven | • | • | • | • |
| | Brown / Grill | • | • | • | • |
| | Convection | • | • | • | • |
| | Bake | • | • | • | • |
| | Toaster | • | • | • | • |
| | Combi 1 | MW+Grill | MW+Grill | MW+Grill | MW+Grill |
| | Combi 2 | MW+Conv (5 ways) | MW+Conv (5 ways) | MW+Conv (5 ways) | MW+Conv (5 ways) |
| Convection Temperature | | 40~ 220'C | 40~ 220'C | 40~ 220'C | 40~ 220'C |
| Steam Temperature | | - | - | - | - |
| Clock | | • | • | • | • |
| Keep Warm | | Yes(Manual) | Yes(Manual) | Yes(Manual) | Yes(Manual) |
| Max Cooking Time | | 99 min. | 99 min. | 99 min. | 99 min. |
| Power Level | | 6 | 6 | 6 | 6 |
| Cooking Stages | | 1 | 1 | 1 | 1 |
| Time Control | | Dial | Dial | Dial | Dial |
| Weight / Serving Control | | Dial | Dial | Dial | Dial |
| | | 30 sec Plus | | | |
| One Minute / 30 Sec. Plus | | | 30 sec Plus | 30 sec Plus | 30 sec Plus |
| Preheat | | Fast preheat | Fast preheat | Fast preheat | Fast preheat |
| Defrost (Auto / Power / Sensor) | | Auto power (5) | Auto power (5) | Auto power (5) | Auto power (5) |
| Auto Reheat | | Auto (4) | Auto (4) | Auto (4) | Auto (4) |
| Sensor Cook | | Sensor(8) | Sensor(8) | Sensor(8) | Sensor(8) |
| Auto Snack Cook | | Auto (6) | Auto (6) | Auto (6) | Auto (6) |
| Auto Cook | | Auto (5) | Auto (5) | Auto (5) | Auto (5) |
| Deodorization | | - | • | • | • |
| Setting (My Choice) | Sound Option | • | • | • | • |
| | Reminder End Signal | • | • | • | • |
| | Clock System Option (12H / 24H) | • | • | • | • |
| | Child Lock | • | • | • | • |
| Cabinet Color | Child Eddit | Neo Silver | WHITE | WHITE | Black |
| Control Panel Color | | STSS | WHITE | WHITE | Black |
| Door Color | | STSS | WHITE | WHITE | Black |
| | | Ceramic Enamel | | Ceramic Enamel | Black Ceramic Enamel |
| Cavity Interior | h fa ta da l | Glass | Ceramic Enamel | | |
| Turntable | Material | | Glass | Glass | Glass |
| | Size | diameter 316mm | diameter 316mm | diameter 316mm | diameter 316mm |
| Grill Heater | | Ceramic + Quartz | Ceramic + Quartz | Ceramic + Quartz | Ceramic + Quartz |
| Convection Heater | | Sheath | Sheath | Sheath | Sheath |
| Carton Box | | Yellow | Yellow | Yellow | Yellow |
| Rack | Round | • | • | • | • |
| Steam Cooker | | - | - | - | - |
| Steam Clean | | • | - | - | - |
| Pure Steam bowl | | - | • | - | - |
| Crusty Plate | | • | • | - | • |
| Multi Spit / Rotisserie | | • | - | - | - |
| Cooking Guide Label | | • | • | • | • |
| Dimension (WxHxD) | Cavity | 355mm x 234mm x380.6mm |
| | Outside | 522mm x 312mm x 539mm |
| | Shipping | 606mm x 374mm x 576mm |
| Moight (kg) | Net | 20.2kg | | | |
| Weight (kg) | | | 20.2kg | 20.2kg | 20.2kg |
| | Shipping | 23.0kg | 23.0kg | 23.0kg | 23.0kg |
| Loading Quantity | 20ft/40ft/40HQ | 207 / 437 / 456 sets |



CE115P-X







| | | | | | 1 |
|---------------|---------------------------------|---------------------------------------|--------------------------------|--------------------------------|--------------------------------|
| | Capacity | | 32 Litres | 32 Litres | 32 Litres |
| | Туре | Installation | CMO | CMO | CMO |
| | | Heat Source | Microvace & Grill & Convection | Microvace & Grill & Convection | Microvace & Grill & Convection |
| | Power | Power Source | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| | | Output Power (Microwave) | 900W | 900W | 900W |
| l Se | | Output Power (Grill) | 1250W | 1250W | 1250W |
| Ĕ | | Output Power (Convection) | 2050W | 2050W | 2050W |
| l | | Power Consumption (Microwave / Grill) | 1400W | 1400W | 1400W |
| | Sensor | | - | - | - |
| | Display Type | | LED | LED | LED |
| | Control Method | | Tact+2 Dial | Tact+2 Dial | Tact+2 Dial |
| | Door Open Mechanism | | Side swing | Side swing | Side swing |
| | MW Distribution Mechanism | | Turntable | Turntable | Turntable |
| | Cooking Modes | Microwave Oven | • | • | • |
| | , v | Brown / Grill | • | • | • |
| | | Convection | • | • | • |
| | | Bake | • | • | • |
| | | Toaster | • | • | • |
| | | Combi 1 | MW+Gril | MW+Grill | MW+Grill |
| | | Combi 2 | MW+Conv (5 ways) | MW+Conv (5 ways) | MW+Conv (5 ways) |
| | Convection Temperature | | 40~ 220'C | 40~ 220'C | 40~ 220'C |
| | Steam Temperature | | | | |
| | Clock | | • | • | • |
| | Keep Warm | | Yes(Manual) | Yes(Manual) | Yes(Manual) |
| | Max Cooking Time | | 99 min. | 99 min. | 99 min. |
| | Power Level | | 6 | 6 | 6 |
| e e | Cooking Stages | | 1 | 1 | 1 |
| 물 | | | Dial | Dial | Dial |
| g | Time Control | | | | |
| Ľ | Weight / Serving Control | | Dial | Dial | Dial |
| | One Minute / 30 Sec. Plus | | 30 sec Plus | 30 sec Plus | 30 sec Plus |
| | Preheat | | Fast preheat | Fast preheat | Fast preheat |
| | Defrost (Auto / Power / Sensor) | | Auto power (5) | Auto power (5) | Auto power (5) |
| | Auto Reheat | | Auto (4) | Auto (4) | Auto (4) |
| | Sensor Cook | | - | - | - |
| | Auto Snack Cook | | Auto (6) | Auto (6) | Auto (6) |
| | Auto Cook | | Auto (5) | Auto (5) | Auto (5) |
| | Deodorization | | • | • | • |
| | Setting (My Choice) | Sound Option | • | • | • |
| | | Reminder End Signal | • | • | • |
| | | Clock System Option (12H / 24H) | • | • | • |
| | | Child Lock | • | • | • |
| | Cabinet Color | | STSS | STSS | STSS |
| | Control Panel Color | | STSS | STSS | STSS |
| <u>s n</u> | Door Color | | Neo Silver + STSS | Neo Silver | Neo Silver |
| laterial | Cavity Interior | | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel |
| ⊒.ē | Turntable | Material | Glass | Glass | Glass |
| <u>ت</u> ويتً | | Size | diameter 316mm | diameter 316mm | diameter 316mm |
| ∣≥_∞ | Grill Heater | | Ceramic + Quartz | Ceramic + Quartz | Ceramic + Quartz |
| | Convection Heater | | Sheath | Sheath | Sheath |
| | Carton Box | | Yellow | Yellow | Yellow |
| | Rack | Round | • | • | • |
| ≥ | Steam Cooker | | - | - | • |
| 8 | Steam Clean | | - | - | - |
| Š | Pure Steam bowl | | - | - | - |
| <u> </u> | Crusty Plate | | - | • | • |
| - A | Multi Spit / Rotisserie | | - | - | - |
| | Cooking Guide Label | | • | • | • |
| | Dimension (WxHxD) | Cavity | 355mm x 234mm x380.6mm | 355mm x 234mm x380.6mm | 355mm x 234mm x380.6mm |
| | | Outside | 522mm x 312mm x 539mm | 522mm x 312mm x 539mm | 522mm x 312mm x 539mm |
| Scal | | Shipping | 606mm x 374mm x 576mm | 606mm x 374mm x 576mm | 606mm x 374mm x 576mm |
| _≈a | Weight (kg) | Net | 20.2kg | 20.2kg | 20.2kg |
| Physi | | Shipping | 23.0kg | 23.0kg | 23.0kg |
| ш. | Loading Quantity | 20ft/40ft/40HQ | 207 / 437 / 456 sets | 207 / 437 / 456 sets | 207 / 437 / 456 sets |
| | Localing Guartity | 2010-1010-401102 | 2017 4017 400 3013 | 2017 4017 400 3013 | 2017 4017 400 3013 |

CHIC CONVECTION





CE107FTP-S





| Capacity | | 1.0 cu.ft. / 28 Liter | 1.0 cu.ft. / 28 Liter | 1.0 cu.ft. / 28 Liter |
|---|---------------------------------------|---------------------------------|---------------------------------|---------------------------------|
| Туре | Installation | СМО | СМО | СМО |
| | Heat Source | Convection | Convection | Convection |
| Power | Power Source | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| | Output Power (Microwave) | 900W | 900W | 900W |
| 2 | Output Power (Grill) | 1250W | 1250W | 1250W |
| | Output Power (Convection) | 2050W | 2050W | 2050W |
| | Power Consumption (Microwave / Grill) | 1400W/1250W | 1400W/1250W | 1400W/1250W |
| 2 | | | | |
| · | Max Output Power | 2700W | 2700W | 2700W |
| Display Type | | LED Bar | LED Bar | LED Bar |
| Sensor (SmartSense) | | • | • | • |
| Control Method | | Tact + Dial | Tact + Dial | Tact + Dial |
| Door Open Mechanism | | Handle | Handle | Handle |
| MW Distribution Mechanism | | Turntable | Turntable | Turntable |
| Cooking Modes | Microwave Oven | • | • | • |
| , i i i i i i i i i i i i i i i i i i i | Brown / Grill | • | • | • |
| | Convection | • | • | • |
| | Bake | • | • | • |
| | Combi 1 | MW+Grill | MW+Grill | MW+Grill |
| | Combi 2 | MW+Convection | MW+Convection | MW+Convection |
| | Combi 3 | Fast preheat (Grill+Convection) | Fast preheat (Grill+Convection) | Fast preheat (Grill+Convection) |
| | Combi 3 | | | |
| Convection Temperature | | 40~ 250'C(8 levels) | 40~ 250'C(8 levels) | 40~ 250 C(8 levels) |
| Clock | | • | • | • |
| Max Cooking Time | | 99 min | 99 min | 99 min |
| Power Level | | 6 | 6 | 6 |
| Cooking Stages | | 3 | 3 | 3 |
| Time Control | | Dial | Dial | Dial |
| Weight / Serving Control | | Dial | Dial | Dial |
| One Minute / 30 Sec. Plus | | 30 sec Plus | 30 sec Plus | 30 sec Plus |
| Preheat | | Fast preheat | Fast preheat | Fast preheat |
| Defrost (Auto / Power / Sensor) | | • | • | • |
| Auto Reheat | | • | • | • |
| Auto Cook | | • | • | |
| Sensor Cook | | • | • | |
| Setting (My Choice) | Sound Option | | | |
| Setting (My Choice) | | | | - |
| | Reminder End Signal | • | • | • |
| | Clock System Option (12H / 24H) | • | • | - |
| | Child Lock | • | • | • |
| Cabinet Color | | Black | Black | Black |
| Control Panel Color | | Black | Black | Black |
| Door Color | | Black | Black | Black |
| Cavity Interior | | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel |
| Turntable | Material | Glass | Glass | Glass |
| | Size | diameter 318mm | diameter 318mm | diameter 318mm |
| Grill Heater | | Ceramic | Ceramic | Ceramic |
| Convection Heater | | Sheath | Sheath | Sheath |
| Carton Box | | Yellow | Yellow | Yellow |
| Rack | Round | High / Low | High / Low | High / Low |
| | nouno | riigit7 Low | High / Low | High / Low |
| Steam Clean | | - | - | |
| Crusty Plate | | - | | • |
| Multi Spit | | | - | - |
| Pure Steam Bowl | | - | - | • |
| Cooking Guide Label | | • | • | • |
| Dimension (WxHxD) | Cavity | 352mm x 235mm x 348mm | 352mm x 235mm x 348mm | 352mm x 235mm x 348mm |
| | Outside | 517mm x 310mm x 495mm | 517mm x 310mm x 495mm | 517mm x 310mm x 495mm |
| | Shipping | 596mm x 374mm x 556mm | 596mm x 374mm x 556mm | 596mm x 374mm x 556mm |
| | | | | |
| Weight (kg) | | 18.5kg | 18.5kg | 18.5kg |
| Weight (kg) | Net Shipping | 18.5kg 21.5kg | 18.5kg 21.5kg | 18.5kg 21.5kg |

CHIC CONVECTION

CE103FF-2S







| Capacity | | 1.0 cu.ft. / 28 Liter | 1.0 cu.ft. / 28 Liter |
|--|---------------------------------------|---------------------------------|---------------------------------|
| Туре | Installation | CMO | CMO |
| 1,000 | Heat Source | Convection | Convection |
| Power | Power Source | 230V / 50Hz | 230V / 50Hz |
| 1 OWG | Output Power (Microwave) | 900W | 900W |
| | Output Power (Grill) | 1250W | 1250W |
| ara | Output Power (Convection) | 2050W | 2050W |
| 2 | | | 1400W/1250W |
| 0 | Power Consumption (Microwave / Grill) | 1400W/1250W 2700W | 2700W |
| | Max Output Power | | |
| Display Type | | LED Bar | LED Bar |
| Sensor (SmartSense) | | | • |
| Control Method | | Membrane | Tact + Dial |
| Door Open Mechanism | | Handle | Handle |
| MW Distribution Mechanism | | Turntable | Turntable |
| Cooking Modes | Microwave Oven | • | • |
| | Brown / Grill | • | • |
| | Convection | • | • |
| | Bake | • | • |
| | Combi 1 | MW+Grill | MW+Grill |
| | Combi 2 | MW+Convection | MW+Convection |
| | Combi 3 | Fast preheat (Grill+Convection) | Fast preheat (Grill+Convection) |
| Convection Temperature | | 40~ 250'C(8 levels) | 40~ 250'C(8 levels) |
| Clock | | • | • |
| Max Cooking Time | | 99 min | 99 min |
| 8 Power Level | | 6 | 6 |
| Cooking Stages | | 3 | 3 |
| Time Control | | Dial | Dial |
| Weight / Serving Control | | Dial | Dial |
| One Minute / 30 Sec. Plus | | 30 sec Plus | 30 sec Plus |
| Preheat | | Fast preheat | Fast preheat |
| Defrost (Auto / Power / Sensor | 1 | • | • |
| Auto Reheat | · · · · · · · · · · · · · · · · · · · | • | • |
| Auto Cook | | Yes (Indian recipe) | Yes(Indian recipe) |
| Sensor Cook | | • | • |
| Setting (My Choice) | Sound Option | • | • |
| | Reminder End Signal | • | • |
| | Clock System Option (12H / 24H) | • | • |
| | Child Lock | • | • |
| Cabinet Color | | Black | Black |
| Control Panel Color | | RED | Black |
| | | RED Pattern | Black |
| Cavity Interior | | Ceramic Enamel | Ceramic Enamel |
| Turntable | Material | Glass | Glass |
| ;= | Size | diameter 318mm | diameter 318mm |
| Door Color Cavity Interior Turntable | | Ceramic | Ceramic |
| Convection Heater | | Sheath | Sheath |
| Carton Box | | Yellow | Yellow |
| > Rack | Round | High / Low | High / Low |
| Steam Clean | | • | • |
| Crusty Plate | | • | • |
| Multi Spit | | • | |
| Cooking Guide Label | | • | |
| Dimension (WxHxD) | Cavity | 352mm x 235mm x 348mm | 352mm x 348mm |
| Dimension (WXHXD) | Outside | 517mm x 310mm x 495mm | 517mm x 310mm x 495mm |
| 0 | | | |
| | Shipping | 596mm x 374mm x 556mm | 596mm x 374mm x 556mm |
| Weight (kg) | Net | 18.5kg | 18.5kg |
| Loading Quantity | Shipping | 21.5kg | 21.5kg |
| | 20ft / 40HQ | 240 / 492 sets | 240 / 492 sets |







.

CE137NM-S

.





| Capacity | | 1.3 cu. ft. / 37 Liters | 1.3 cu. ft. / 37 Liters | 1.3 cu. ft. / 37 Liters | 1.3 cu.ft. / 37 Liter |
|--|--|---|---|---|--|
| Туре | Installation | CMO | CMO | CMO | CMO |
| 1.200 | Heat Source | Convection | Convection | Convection | Convection |
| Power | Power Source | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| | Output Power (Microwave) | 900W | 900W | 900W | 900W |
| | Output Power (Grill) | 1300W | 1300W | 1300W | 1300W |
| | Output Power (Convection) | 1700W | 1700W | 1700W | 1700W |
| | Power Consumption (Microwave / Grill) | 1400W / 1300W | 1400W / 1300W | 1400W / 1300W | 1400W/1300W |
| | | 3100W | 3100W | 3100W | |
| Diale Tax | Max Output Power | | | | 3100W |
| Display Type | | LED Bar | LED Bar | LED Bar | LED Bar |
| Sensor (Temp.) | | • | • | • | • |
| Control Method | | Tack + Dial | Tack + Dial | Tack + Dial | Tact + Dial |
| Door Open Mechanism | | Handle | Handle | Handle | Handle |
| MW Distribution Mechanism | | Turntable | Turntable | Turntable | Turntable |
| Cooking Modes | Microwave Oven | • | • | • | • |
| | Brown / Grill | • | • | • | • |
| | Convection | • | • | • | • |
| | Bake | • | • | • | • |
| | Combi 1 | MW + Grill | MW + Grill | MW + Grill | MW+Grill |
| | Combi 2 | MW + Conv. | MW + Conv. | MW + Conv. | MW+Convection |
| | Combi 3 | Fast Preheat (Grill + Convection) | Fast Preheat (Grill + Convection) | Fast Preheat (Grill + Convection) | Fast preheat (Grill+Convection) |
| Convection Temperature | | 40 ~ 250°C (8 Levels) | 40 ~ 250°C (8 Levels) | 40 ~ 250°C (8 Levels) | 40~ 250°C (8 levels) |
| Clock | | • 2000 (0 2000) | ••••••••••••••••••••••••••••••••••••••• | | |
| Max Cooking Time | | 99 Min. | 99 Min. | 99 Min. | 99 Min |
| | | 99 Min. 6 | 6 99 Min. | 99 Min. 6 | 99 Min 6 |
| Power Level | | | | | |
| Cooking Stages | | 3 | 3 | 3 | 3 |
| Time Control | | Dial | Dial | Dial | Dial |
| Weight / Serving Control | | Dial | Dial | Dial | Dial |
| One Minute / 30 Sec. Plus | | 30 Sec. Plus | 30 Sec. Plus | 30 Sec. Plus | 30 Sec. Plus |
| Turntable On / Off | | • | • | • | • |
| Preheat | | Fast Preheat | Fast Preheat | Fast Preheat | Fast preheat |
| Defrost (Auto / Power / Sensor) | | Auto Power (6) | Auto Power (6) | Auto Power (6) | Auto power (6) |
| Reheat | | Auto (4) | Auto (4) | Auto (4) | Auto (4) |
| Auto Cook | | Auto (4) | Auto (4) | Auto (4) | Auto (4) |
| Auto Cafeteria Cook | | Auto (2) | Auto (2) | Auto (2) | Auto (2) |
| Auto Junior Cook / Auto Snack Cook | | Auto (6) / Auto (6) | Auto (6) / Auto (6) | Auto (6) / Auto (6) | Auto (6) |
| Deodorization | | - | • | - | |
| Setting (My Choice) | Sound Option | • | • | • | • |
| Octaing (wy Onoice) | Reminder End Signal | | | - | • |
| | | · · · · · · · · · · · · · · · · · · · | | - | • |
| | Clearly Custom Online (1011/0410) | | | | |
| | Clock System Option (12H / 24H) | • | • | • | |
| | Clock System Option (12H / 24H) Child Lock | • | • | • | • |
| Cabinet Color | | • White | Black | • Silver | • Silver |
| Control Panel Color | | ● White White | • Black Black | • Silver Silver | • Silver Stainless |
| Control Panel Color Door Color | | ● White White White | • Black Black Black Black | • Silver Silver Silver | • Silver Stainless Stainless |
| Control Panel Color Door Color Cavity Interior | Child Lock | • White White White Ceramic Enamel | • Black Black Black Ceramic Enamel | • Silver Silver Silver Ceramic Enamel | Stver Stainless Stainless Ceramic Enamel |
| Control Panel Color Door Color | Child Look | • White White Ceramic Enamel Glass | Black Black Black Ceramic Enamel Glass | Silver Silver Silver Silver Ceramic Enamel Glass | Silver Stainless Stainless Ceramic Enamel Glass |
| Control Panel Color Door Color Cavity Interior Turntable | Child Lock | White White White Ceramic Enamel Glass Diameter 318mm | Black Black Black Black Ceramic Enamel Glass Diameter 318mm | Silver Silver Silver Ceramic Enamel Glass Diameter 318mm | Silver Stainless Stainless Ceramic Enamel Glass diameter 318mm |
| Control Panel Color Door Color Cavity Interior | Child Look | • White White Ceramic Enamel Glass | Black Black Black Ceramic Enamel Glass | Silver Silver Silver Silver Ceramic Enamel Glass | Silver Stainless Stainless Ceramic Enamel Glass |
| Control Panel Color Door Color Cavity Interior Turntable | Child Look | White White White Ceramic Enamel Glass Diameter 318mm | Black Black Black Black Ceramic Enamel Glass Diameter 318mm | Silver Silver Silver Ceramic Enamel Glass Diameter 318mm | Silver Stainless Stainless Ceramic Enamel Glass diameter 318mm |
| Control Panel Color Door Color Cavity Interior Turntable Grill Heater | Child Look | White White White Ceramic Enamel Glass Diameter 318mm Sheath | Black Black Black Ceramic Enamel Citass Diameter 318mm Sheath | Silver Silver Silver Ceramic Enamel Glass Diameter 318mm Sheath | Silver Stainless Stainless Ceramic Enamel Glass diameter 318mm Sheath |
| Control Panel Color Door Color Cavity Interior Turntable Grill Heater Convection Heater | Child Look Material Size | White White White Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow | Black Black Black Black Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow | Silver Silver Silver Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow | Silver Stainless Stainless Ceramic Enamel Glass diameter 318mm Sheath Sheath Yellow |
| Control Panel Color Door Color Cavity Interior Turntable Grill Heater Convection Heater Carton Box | Child Look | • White White Ceramic Enamel Glass Diameter 318mm Sheath Sheath | Black Black Black Ceramic Enamel Glass Diameter 318mm Sheath Sheath | Silver Silver Silver Ceramic Enamel Glass Diameter 318mm Sheath Sheath | Silver Stainless Stainless Ceramic Enamel Glass diameter 318mm Sheath Sheath |
| Control Panel Color Door Color Cavity Interior Turntable Grill Heater Convection Heater Carton Box | Child Look Material Size Round Rectagle | White White White Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow | Black Black Black Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low | Silver Silver Silver Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yelow High / Low | Silver Stainless Stainless Ceramic Enamel Glass diameter 318mm Sheath Sheath Yellow High / Low |
| Control Panel Color Door Color Cavity Interior Turntable Grill Heater Convection Heater Carton Box Rack | Child Look | White White White Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low | Back Black Black Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low | Silver Silver Silver Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low | Silver Stainless Stainless Ceramic Enamel Glass diameter 318mm Sheath Sheath Yellow High / Low |
| Control Panel Color Door Color Cavity Interior Turntable Grill Heater Convection Heater Carton Box Rack Steam Cooker | Child Look Material Size Round Rectagle | White White White Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow | Black Black Black Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low | Silver Silver Silver Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yelow High / Low | Silver Stainless Stainless Ceramic Enamel Glass diameter 318mm Sheath Sheath Yellow High / Low |
| Control Panel Color Door Color Cavity Interior Turntable Grill Heater Convection Heater Carton Box Rack Steam Cooker Steam Ocean | Child Look Material Size Round Rectagle | White White White Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low | Back Black Black Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low - | Silver Silver Silver Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yelow High / Low | Silver Stainless Stainless Ceramic Enamel Glass diameter 318mm Sheath Sheath Yellow High / Low |
| Control Panel Color Door Color Cavity Interior Turntable Grill Heater Convection Heater Carton Box Rack Steam Cooker Steam Clean Square Metal Tray | Child Look Material Size Round Rectagle | White White White Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low | Back Black Black Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low | Silver Silver Silver Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low | Silver Stainless Stainless Ceramic Enamel Glass diameter 318mm Sheath Sheath Yellow High / Low |
| Control Panel Color Door Color Cavity Interior Turntable Grill Heater Convection Heater Carton Box Rack Steam Cooker Steam Cooker Steam Clean Square Metal Tray Crusty Plate | Child Look Material Size Round Rectagle | White White White White Ceranic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low - | Black Black Black Ceramic Enamel Cilass Diameter 318mm Sheath Sheath Yellow High / Low - | Silver Silver Silver Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low | Silver Stainless Stainless Ceramic Enamel Glass diameter 318mm Sheath Sheath Yellow High / Low • • • |
| Control Panel Color Door Color Cavity Interior Turntable Grill Heater Convection Heater Carton Box Rack Steam Cooker Steam Cooker Steam Clean Square Metal Tray Crusty Plate Multi Spit | Child Look Material Size Round Rectagle | White White White Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low | Back Black Black Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low - | Silver Silver Silver Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yelow High / Low | Silver Stainless Stainless Ceramic Enamel Glass diameter 318mm Sheath Sheath Yellow High / Low |
| Control Panel Color Door Color Cavity Interior Turntable Grill Heater Convection Heater Carton Box Rack Steam Cooker Steam Clean Square Metal Tray Crusty Plate Multi Spit Rotisserie | Child Look Material Size Round Rectagle | White White White White Caramic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low - | Black Black Black Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low - | Silver Silver Silver Geramic Enamel Glass Diameter 318mm Sheath Sheath Yelow High / Low | Silver Stainless Stainless Ceramic Enamel Glass diameter 318mm Sheath Sheath Yellow High / Low • • • |
| Control Panel Color Door Color Cavity Interior Turntable Grill Heater Convection Heater Carton Box Rack Steam Cooker Steam Cooker Steam Clean Square Metal Tray Crusty Plate Multi Spit Rotisserie Cooking Guide Label | Child Look Material Size Round Rectagle | White White White Uranic Enamel Class Diameter 318mm Sheath Sheath Yellow High / Low | Black Black Black Ceramic Enamel Ciass Diameter 318mm Sheath Sheath Yelow High / Low - | Silver Silver Silver Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low | Silver Stainless Stainless Ceramic Enamel Class diameter 318mm Sheath Sheath Yellow High / Low • • • |
| Control Panel Color Door Color Cavity Interior Turntable Grill Heater Convection Heater Carton Box Rack Steam Cooker Steam Clean Square Metal Tray Crusty Plate Multi Spit Rotisserie Cooking Guide Label Cook Book | Child Look | White White White White White Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low - | Black Black Black Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low | Silver Silver Silver Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low | Silver Stainless Stainless Ceramic Enamel Glass diameter 318mm Sheath Sheath Yellow High / Low • • • |
| Control Panel Color Door Color Cavity Interior Turntable Grill Heater Convection Heater Carton Box Rack Steam Cooker Steam Cooker Steam Cooker Steam Cean Square Metal Tray Crusty Plate Multi Spit Rotisserie Cooking Guide Label | Child Look Material Size Round Rectagle | White White White Uranic Enamel Class Diameter 318mm Sheath Sheath Yellow High / Low | Black Black Black Ceramic Enamel Ciass Diameter 318mm Sheath Sheath Yelow High / Low - | Silver Silver Silver Geramic Enamel Glass Diameter 318mm Sheath Sheath Yelow High / Low | Silver Stainless Stainless Ceramic Enamel Glass diameter 318mm Sheath Sheath Yellow High / Low • • • |
| Control Panel Color Door Color Cavity Interior Turntable Grill Heater Convection Heater Carton Box Rack Steam Cooker Steam Clean Square Metal Tray Crusty Plate Multi Spit Rotisserie Cooking Guide Label Cook Book | Child Look | White White White White White Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low - | Black Black Black Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low | Silver Silver Silver Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low | Silver Stainless Stainless Ceramic Enamel Glass diameter 318mm Sheath Sheath Yellow High / Low • • • |
| Control Panel Color Door Color Cavity Interior Turntable Grill Heater Convection Heater Carton Box Rack Steam Cooker Steam Clean Square Metal Tray Crusty Plate Multi Spit Rotisserie Cooking Guide Label Cook Book | Child Look Material Size Round Rectagle Multi Cavity Outside | White White White White Caramic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low - | Black Black Black Black Ceramic Enamel Class Diameter 318mm Sheath Sheath Yellow High / Low - | silver Silver Silver Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low | Silver Stainless Stainless Ceramic Enamel Glass diameter 318mm Sheath Sheath Yellow High / Low • • • • • • • • • • • • • |
| Control Panel Color Door Color Cavity Interior Turntable Grill Heater Convection Heater Carton Box Rack Steam Cooker Steam Clean Square Metal Tray Crusty Plate Mutti Spit Rotisserie Cook Book Dimension (WxHxD) | Child Look Material Size Round Rectagle Multi Cavity Cavity Outside Shipping | • White White White White Caramic Enamel Glass Diameter 318mm Sheath Sheath Yelow High / Low | Black Black Black Ceramic Enamel Class Diameter 318mm Sheath Sheath Yellow High / Low | Silver Silver Silver Ceramic Enamel Glass Diameter 318mm Sheath Sheath Sheath Yellow High / Low | Silver Stainless Stainless Ceramic Enamel Glass diameter 318mm Sheath Sheath Yellow High / Low • • • • • • • • • • • • • • • • • • • |
| Control Panel Color Door Color Cavity Interior Turntable Grill Heater Convection Heater Carton Box Rack Steam Cooker Steam Clean Square Metal Tray Crusty Plate Multi Spit Rotisserie Cooking Guide Label Cook Book | Child Look Material Size Round Rectagle Multi Cavity Outside | White White White White White Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yellow High / Low - | Black Black Black Ceramic Enamel Glass Diameter 318mm Sheath Yellow High / Low | Silver Silver Silver Ceramic Enamel Glass Diameter 318mm Sheath Sheath Yelow High / Low | Silver Stainless Stainless Ceramic Enamel Glass diameter 318mm Sheath Sheath Yellow High / Low • • • • • • • • • • • • • • • • • • • |

TRIO 2







.







CE113AE-S

| Capacity | | 1.1 cu.ft. / 32 Liter | 1.1 cu.ft. / 32 Liters | 1.1 cu.ft. / 32 Liters | 1.1 cu.ft. / 32 Liter |
|--------------------|-------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| Туре | Installation | CMO | CMO | СМО | CMO |
| | Heat Source | Convection | Convection | Convection | Convection |
| Power | Power Source | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| - | Output Power (Microwave) | 900W | 900W | 900W | 900W |
| eneral | Output Power (Grill) | 1250W | 1250W | 1250W | 1250W |
| e l | Output Power (Convection) | 2050(1050+800)W | 2050 (1050 +800)W | 2050 (1050 +800)W | 2050(1050+800)W |
| ē | Power Consumption (Microwave) | 1400W | 1400W | 1400W | 1400W |
| U | Max Output Power | 2700W | 2700W | 2700W | 2700W |
| Display Type | | LED Bar | LED Bar | LED Bar | LED Bar |
| Control Method | | Tact + Dial | Tact + Dial | Tact + Dial | Membrane |
| Door Open Mech | anism | Handle | Handle | Handle | Handle |
| MW Distribution | | Turntable | Turntable | Turntable | Turntable |
| Cooking Modes | Microwave Oven | • | • | • | • |
| Cooking Woodco | Brown / Grill | • | • | • | • |
| | Convection | | • | • | • |
| | Combi 1 | MW+Grill | MW + Grill | MW + Grill | MW+Grill |
| | Combi 2 | MW+Conv. | MW + Conv. | MW + Conv. | MW+Conv. |
| | Combi 3 | Conv.+Gril | Conv. + Grill | Conv. + Grill | Conv.+Gril |
| Convection Temp | | 40~ 250°C (8 levels) | 40 ~ 250°C (8 Levels) | 40 ~ 250°C (8 Levels) | 40~ 250'C(8 levels) |
| | lerature | Yes | 40 ~ 250 C (8 Levels) | 40 ~ 250 C (8 Levels) | 40~ 250 C(8 levels) |
| Clock | | 99 Min | • 99 Min. | • 99 Min. | 99 mi n 90 sec. |
| Max Cooking Tim | le | 99 Min 6 | 99 Min. 6 | | 99 min 90 sec. |
| Power Level | | | | 6 | 6 |
| Cooking Stages | | 4 | 4 | 4 | • |
| Time Control | | Dial | Dial | Dial | Button |
| Weight / Serving | | • | • | • | • |
| One Minute / 30 | Sec. Plus | 30 Sec. Plus | 30 Sec. Plus | 30 Sec. Plus | 30 Sec. Plus |
| Preheat | | Fast preheat | Fast Preheat | Fast Preheat | Fast preheat |
| Defrost (Auto / Po | ower / Sensor) | Auto(5) | Auto (5) | Auto (5) | Auto(5) |
| Reheat | | Auto | Auto | Auto | Auto |
| Auto Cook | | • | • | • | • |
| Setting (My Choic | | • | • | • | • |
| | Reminder End Signal | • | • | • | • |
| | Child Lock | • | • | • | • |
| Cabinet Color | | White | Silver | Stainless | Silver |
| 0 Door Color | | White | Silver | Stainless | Silver |
| Cavity Interior | | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel |
| Turntable | Material | Glass | Glass | Glass | Glass |
| {.≘ | Size | Diameter 318mm | Diameter 318mm | Diameter 318mm | Diameter 318mm |
| Grill Heater | | Quartz / Ceramic | Quartz / Ceramic | Quartz / Ceramic | Quartz / Ceramic |
| Convection Heat | er | Sheath | Sheath | Sheath | Sheath |
| Carton Box | | Yellow | Yellow | Yellow | Yellow |
| Round Rack | | • | • | • | • |
| Steam Cooker | | • | • | • | • |
| 8 Steam Clean | | • | • | • | • |
| Square Metal Tra | y | - | - | - | - |
| K Cook Book | | • | • | • | • |
| Dimension (WxH) | D) Cavity | 355mm x 234mm x 380.6mm |
| 5 | Outside | 522mm x 312mm x 539mm |
| | Shipping | 587mm x 364mm x 551mm | 587mm x 364mm x 551mm | 587mm x 364 x 551 | 587mm x 364mm x 551mm |
| Weight (kg) | Net | 21kg | 21kg | 21kg | 21kg |
| | Shipping | 26.5kg | 26.5kg | 26.5kg | 26.5kg |
| | | | | | |

OGUN CONVECTION



-









| Capacity | | 1.0 cu.ft. / 28 Liters | 1.0 cu.ft. / 28 Liters | 1.0 cu.ft. / 28 Liters |
|--------------------------------|---------------------------------------|------------------------------|------------------------------|------------------------------|
| Туре | Installation | СМО | СМО | СМО |
| <i>.</i> | Heat Source | Convection | Convection | Convection |
| Power | Power Source | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| | Output Power (Microwave) | 900W | 900W | 900W |
| 0 | Output Power (Grill) | 1250W | 1250W | 1250W |
| e | Output Power (Convection) | 2050W | 2050W | 2050W |
| <u>É</u> | Power Consumption (Microwave / Grill) | 1400W / 1250W | 1400W / 1250W | 1400W / 1250W |
| ക് | Max Output Power | 2700W | 2700W | 2700W |
| Display Type | | LED Bar | LED Bar | LED Bar |
| Sensor (Temp.) | | • | • | • |
| Control Method | | Tact + Dial | Tact + Dial | Tact + Dial |
| Door Open Mechanism | | Handle | Handle | Handle |
| MW Distribution Mechanism | | Turntable | Turntable | Turntable |
| Cooking Modes | Microwave Oven | | • | |
| Coording Modele | Brown / Grill | • | • | • |
| | Convection | • | • | • |
| | Bake | • | • | • |
| | Combi 1 | MW + Grill | MW + Grill | MW + Grill |
| | Combi 2 | MW + Conv. | MW + Conv. | MW + Conv. |
| | Combi 3 | Fast Preheat (Grill + Conv.) | Fast Preheat (Grill + Conv.) | Fast Preheat (Grill + Conv.) |
| Convection Temperature | Combro | 40 ~ 250°C (8 Levels) | 40 ~ 250°C (8 Levels) | 40 ~ 250°C (8 Levels) |
| Clock | | • | • | • • • |
| Max Cooking Time | | 99 Min. | 99 Min. | 99 Min. |
| 8 Power Level | | 6 | 6 | 6 |
| Cooking Stages | | 3 | 3 | 3 |
| Time Control | | Dial | Dial | Dial |
| Weight / Serving Control | | Dial | Dial | Dial |
| One Minute / 30 Sec. Plus | | 30 Sec. Plus | 30 Sec. Plus | 30 Sec. Plus |
| Preheat | | Fast Preheat | Fast Preheat | Fast Preheat |
| Defrost (Auto / Power / Sensor | 1 | Auto Power (5) | Auto Power (5) | Auto Power (5) |
| Reheat |) | Auto Power (5) Auto (4) | Auto Power (5) Auto (4) | |
| Auto Cook | | | | Auto (4) |
| | | Auto (5) | Auto (5) | Auto (5) |
| Deodorization | | • | • | • |
| Setting (My Choice) | Sound Option | • | | |
| | Reminder End Signal | • | | • |
| | Clock System Option (12H / 24H) | • | | |
| | Child Lock | • | • | • |
| Cabinet Color | | White | Black | Black |
| Control Panel Color | | White | Black | Black |
| 0 Door Color | | White | Black | Stainless |
| Cavity Interior | | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel |
| Turntable | Material | Glass | Glass | Glass |
| | Size | Diameter 318mm | Diameter 318mm | Diameter 318mm |
| ⊲ŏ Grill Heater | | Ceramic | Ceramic | Ceramic |
| Convection Heater | | Sheath | Sheath | Sheath |
| Carton Box | | Yellow | Yellow | Yellow |
| Round Rack | | High / Low | High / Low | High / Low |
| Power Steam Bowl | | - | • | - |
| Crusty Plate | | • | • | - |
| Cooking Guide Label | | • | • | • |
| Cook Book | | • | • | • |
| Dimension (WxHxD) | Cavity | 352mm x 235mm x 348mm | 352mm x 235mm x 348mm | 352mm x 235mm x 348mm |
| 5 | Outside | 517mm x 310mm x 495mm | 517mm x 310mm x 495mm | 517mm x 310mm x 495mm |
| ŭ | Shipping | 596mm x 374mm x 556mm | 596mm x 374mm x 556mm | 596mm x 374mm x 556mm |
| Weight (kg) | Net | 18.5kg | 18.5kg | 18.5kg |
| | Shipping | 21.5kg | 21.5kg | 21.5kg |
| Loading Quantity | 20ft/40ft/40HQ | 240 / 492 / 570 Sets | 240 / 492 / 570 Sets | 240 / 492 / 570 Sets |

VALUE CONVECTION





CE107V





CE107V-S

| | Capacity | | 1.0 cu.ft. / 28 Liters | 1.0 cu.ft. / 28 Liters | 1.0 cu.ft. / 28 Liters |
|---|---------------------------------|---------------------------------------|---------------------------|---------------------------|---------------------------|
| | Type | Installation | CMO | CMO | CMO |
| | 1)00 | Heat Source | Convection | Convection | Convection |
| | Power | Power Source | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| | | Output Power (Microwave) | 900W | 900W | 900W |
| ភ្ | | Output Power (Grill) | 1250W | 1250W | 1250W |
| ā | | Output Power (Convection) | Max. 1850W | Max, 1850W | Max, 1850W |
| E C | | Power Consumption (Microwave / Grill) | 1400W / 1250W | 1400W / 1250W | 1400W / 1250W |
| Ū | | Max Output Power | 2700W | 2700W | 2700W |
| | Display Type | Iviax Output Power | LED Bar | LED Bar | LED Bar |
| | Control Method | | Membrane | Tact Button | Tact Button |
| | | | Handle | Handle | Handle |
| | Door Open Mechanism | | | | |
| | MW Distribution Mechanism | Marca and Andrews | Turntable | Turntable | Turntable |
| | Cooking Modes | Microwave Oven | • | | • |
| | | Brown / Grill | | | |
| | | Convection | • | • | • |
| | | Bake | • | • | • |
| | | Combi 1 | MW + Grill | MW + Grill | MW + Grill |
| | | Combi 2 | MW + Conv. (5 Ways) | MW + Conv. (5 Ways) | MW + Conv. (5 Ways) |
| | Convection Temperature | | 40 ~ 220°C (7 Levels) | 40 ~ 220°C (7 Levels) | 40 ~ 220°C (7 Levels) |
| | Clock | | • | • | • |
| | Max Cooking Time | | 99 Min. 90 Sec. | 99 Min. 90 Sec. | 99 Min. |
| | Power Level | | 6 | 6 | 6 |
| Ś | Cooking Stages | | 4 | 4 | 4 |
| 1 | Time Control | | +,- | +,- | +,- |
| Ě | Weight / Serving Control | | 10', 1', 10" | 10', 1', 10" | + , - |
| Ğ. | One Minute / 30 Sec. Plus | | 30 Sec. Plus | 30 Sec. Plus | 30 Sec. Plus |
| | Preheat | | Fast Preheat | Fast Preheat | Fast Preheat |
| | Defrost (Auto / Power / Sensor) | | Auto Power (5) | Auto Power (5) | Auto Power (5) |
| | Auto Reheat | | Auto (4) | Auto (4) | Auto (4) |
| | Auto Cook | | Auto (5) | Auto (5) | Auto (5) |
| | Local Menu | | Auto (4) | Auto (4) | - |
| | Auto Cafeteria Cook | | - | - | • |
| | Deodorization | | • | • | • |
| | Setting (My Choice) | Sound Option | • | • | • |
| | | Reminder End Signal | • | • | • |
| | | Clock System Option (12H / 24H) | • | • | • |
| | | Child Lock | • | • | • |
| | Cabinet Color | | White | White | Silver |
| | Control Panel Color | | White | White | Silver |
| Ĕ | Door Color | | White | White | Silver |
| Finish | Cavity Interior | | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel |
| i≓ 0 | Turntable | Material | Glass | Glass | Glass |
| _ Second | | Size | Diameter 318mm | Diameter 318mm | Diameter 318mm |
| တ် ပိ | Grill Heater | | Quartz x 2 | Quartz x 2 | Quartz x 2 |
| ŭ ŭ | Convection Heater | | Quartz | Quartz | Quartz |
| - E | Carton Box | | Yellow | Yellow | Yellow |
| _ a t | Round Rack (High,Low) | | • | • | • |
| Mat | Steam Clean | | - | - | - |
| | Cooking Guide Label | | - | - | - |
| | Dimension (WxHxD) | Cavity | 358mm x 231.5mm x 327.1mm | 358mm x 231.5mm x 327.1mm | 358mm x 231.5mm x 327.1mm |
| Physical Spec. | / | Outside | 567mm x 310mm x 460mm | 567mm x 310mm x 460mm | 567mm x 310mm x 460mm |
| . <u>0</u> 0 | | Shipping | 585mm x 368mm x 517mm | 585mm x 368mm x 517mm | 585mm x 368mm x 517mm |
| _ <u>S</u> ă | Weight (kg) | Net | 18.0kg | 18.0kg | 18.0mm |
| r S | | Shipping | 21.0kg | 21.0kg | 21.0mm |
| | Loading Quantity | 20ft / 40HQ | 251 / 515 Sets | 251 / 515 Sets | 251 / 515 Sets |
| | | | 2011 010 0010 | 2011/01/00/00 | 2017 010 0000 |

VALUE CONVECTION









| Capacity | | 1.0 cu.ft. / 28 Liter | 1.0 cu.ft. / 28 Liters |
|---|---------------------------------------|---------------------------|---------------------------|
| Туре | Installation | CMO | СМО |
| 1.016-0 | Heat Source | Convection | Convection |
| Power | Power Source | 230V / 50Hz | 230V / 50Hz |
| | Output Power (Microwave) | 900W | 900W |
| <u></u> | Output Power (Grill) | 1250W | 1250W |
| e | Output Power (Convection) | Max.1850W | Max. 1850W |
| G | Power Consumption (Microwave / Grill) | 1400W/1250W | 1400W / 1250W |
| 5 | Max Output Power | 2700W | 2700W |
| Display Type | Max Odipat i owei | LED Bar | LED Bar |
| Control Method | | Tact Button | Membrane |
| | | | |
| Door Open Mechanism | | Handle | Handle |
| MW Distribution Mechanism | | Turntable | Turntable |
| Cooking Modes | Microwave Oven | • | • |
| | Brown / Grill | • | • |
| | Convection | • | • |
| | Bake | • | • |
| | Combi 1 | MW+Grill | MW + Grill |
| | Combi 2 | MW+Conv(5ways) | MW + Conv. (5 Ways) |
| Convection Temperature | | 40~ 220'C (7 levels) | 40 ~ 220°C (7 Levels) |
| Clock | | • | • |
| Max Cooking Time | | 99 min | 99 Min. 90 Sec. |
| Power Level | | 6 | 6 |
| Cooking Stages | | 4 | 4 |
| Time Control | | + - | |
| | | | + , - 10', 1', 10" |
| Weight / Serving Control | | +,- | |
| One Minute / 30 Sec. Plus | | 30 sec Plus | 30 Sec. Plus |
| Preheat | | Fast preheat | Fast Preheat |
| Defrost (Auto / Power / Sensor) | | Auto power (5) | Auto Power (5) |
| Auto Reheat | | Auto (4) | Auto (4) |
| Auto Cook | | Auto (5) | - |
| Local Menu | | - | • (30) |
| Auto Cafeteria Cook | | • | - |
| Deodorization | | • | • |
| Setting (My Choice) | Sound Option | • | • |
| | Reminder End Signal | • | • |
| | Clock System Option (12H / 24H) | • | • |
| | Child Lock | • | • |
| Cabinet Color | Offild LOOK | White | Black |
| Control Panel Color | | White | Black |
| Door Color | | White | Black |
| | | | |
| Cavity Interior | | Ceramic Enamel | Ceramic Enamel |
| Turntable | Material | Glass | Glass |
| 3 | Size | diameter 318mm | Diameter 318mm |
| Grill Heater | | Quartz X 2 | Quartz x 2 |
| Convection Heater | | Quartz | Quartz |
| Carton Box | | Yellow | Yellow |
| Round Rack (High,Low) | | • | • |
| Steam Clean | | • | |
| Cooking Guide Label | | | - |
| Dimension (WxHxD) | Cavity | 358mm x 231.5mm x 327.1mm | 358mm x 231.5mm x 327.1mm |
| | Outside | 567mm x 310mm x 460mm | 567mm x 310mm x 460mm |
| | Shipping | 585mm x 368mm x 517mm | 585mm x 368mm x 517mm |
| Weight (kg) | Net | 18.0kg | 18.0kg |
| Weight (kg) | | | |
| Loading Quantity | Shipping | 21.0kg | 21.0kg |
| | 20ft / 40HQ | 251 / 515 Sets | 251 / 515 Sets |

GIANT

CE73JD

CE73JD-PR





| | Capacity | | 0.7 cu.ft. / 21 Liter | 0.7 cu.ft. / 21 Liter |
|--|---------------------------------|---------------------------------------|---------------------------|---------------------------|
| | Туре | Installation | CMO | СМО |
| | | Heat Source | Convection | Convection |
| | Power | Power Source | 230V / 50Hz | 230V / 50Hz |
| | | Output Power (Microwave) | 800W | 800W |
| enera | | Output Power (Grill) | 1100W | 1100W |
| ම | | Output Power (Convection) | Max,1700W | Max 1700W |
| | | Power Consumption (Microwave / Grill) | 1200W/1100W | 1200W/1100W |
| G | | Max Output Power | 2350W | 2350W |
| | Display Type | | LED Bar | LED Bar |
| | Control Method | | Membrane | Membrane |
| | Door Open Mechanism | | Handle | Handle |
| | MW Distribution Mechanism | | Turntable | Turntable |
| | Cooking Modes | Microwave Oven | • | • |
| | | Brown / Grill | • | • |
| | | Convection | • | • |
| | | Bake | • | • |
| | | Combi 1 | 5Ways | 5Ways |
| | Convection Temperature | | 40~ 200'C (6 levels) | 40~ 200'C (6 levels) |
| | Clock | | • • • • • • • | 40. 200 0 (0 10/013) |
| | Max Cooking Time | | 99 min 90sec | - 99 min 90sec |
| | Power Level | | 6 | 6 |
| ĕ | Cooking Stages | | 4 | 4 |
| 5 | Time Control | | +,- | +,- |
| gt - | Weight / Serving Control | | 10',1',10" | 10',1',10" |
| щ | One Minute / 30 Sec. Plus | | 30 sec Plus | 30 sec Plus |
| | Keep warm | | • | • |
| | Preheat | | Fast preheat | Fast preheat |
| | Defrost (Auto / Power / Sensor) | | Auto power (4) | Auto power (4) |
| | Local menu | | • (60) | • (60) |
| | Setting (My Choice) | Sound Option | • | |
| | | Reminder End Signal | • | • |
| | | Clock System Option (12H / 24H) | • | • |
| | | Child Lock | • | • |
| | Cabinet Color | Offild LOOK | Black | Silver |
| S | Control Panel Color | | Front Black/ Frame Silver | Red/ Frame Silver |
| Ę. | Door Color | | Front Black/ Frame Silver | Red Pattern/ Frame Silver |
| ∵≝ ≧ | Cavity Interior | | Ceramic Enamel | Ceramic Enamel |
| E S | Turntable | Material | Glass | Glass |
| ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | | Size | diameter 255mm | diameter 255mm |
| <u> </u> | Grill Heater | 010 | Sheath Heater | Sheath Heater |
| ₽ <u>a</u> . | Convection Heater | | Quartz | Quartz |
| | Carton Box | | ECO Box | ECO Box |
| at | Round Rack (High / Low) | | • | Lee Box |
| ≥_ | Cooking Guide Label | | • | • |
| _ | Dimension (WxHxD) | Cavity | 330mm x 211mm x 309mm | 330mm x 211mm x 309mm |
| | | Outside | 489mm x 282mm x 444mm | 489mm x 282mm x 444mm |
| <u>ِن</u> <u>ٽ</u> . | | Shipping | 561mm x 348mm x 490mm | 561mm x 348mm x 490mm |
| _~S_9 | Weight (kg) | Net | 15.0kg | 15.0kg |
| <u>Č</u> iž | rogin (kg) | Shipping | 13.0kg 17.5kg | 13.0kg |
| ш | Loading Quantity | 20ft/40ft/40HQ | 288 / 576 / 670 sets | 288 / 576 / 670 sets |
| | Loading Quantity | 2010401040104 | 2007 3707 070 Sets | 2007 0707 070 5818 |

COMPACT OVEN







CQ513X(Pro-steamer)



CQ513T(Pro-steamer)

| Capacity | | 1.3 cu.ft. / 36 Liter | 1.3 cu.ft. / 36 Liter | 1.3 cu.ft. / 36 Liter | 1.3 cu.ft. / 36 Liter | 1.3 cu.ft. / 36 Liter |
|---------------------------------|---------------------------------------|---------------------------------|------------------------|------------------------|------------------------|---------------------------------|
| Туре | Installation | Counter top | Counter top | Counter top | Counter top | Counter top |
| · · · | Heat Source | Convection | Convection | Convection | Convection | Convection |
| Power | Power Source | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| | Output Power (Microwave) | 800W | 800W | 800W | 800W | 800W |
| | Output Power (Grill) | 1540W | 1540W | 1540W | 1540W | 1540W |
| | Output Power (Convection) | 2050W | 2050W | 2050W | 2050W | 2050W |
| | | | | | | |
| | Power Consumption (Microwave + Grill) | 3000W | 3000W | 3000W | 3000W | 3000W |
| | Power Consumption (Microwave + Conv.) | 3000W | 3000W | 3000W | 3000W | 3000W |
| | Max Output Power | 3000W | 3000W | 3000W | 3000W | 3000W |
| Display Type | | LED (graphic) | LED (graphic) | LED (graphic) | LED (graphic) | LED (graphic) |
| Sensor (Temp.) | | • | • | • | • | • |
| Control Method | | Tact + Dial | Tact + Dial | Tact + Dial | Tact + Dial | Tact + Dial |
| Door Open Mechanism | | Drop-Down | Drop-Down | Drop-Down | Drop-Down | Drop-Down |
| MW Distribution Mechanism | | Stirrer | Stirrer | Stirrer | Stirrer | Stirrer |
| Cooking Modes | Microwave Oven | Suiter | Suller | Suiter | Suiter | Suiter |
| Cooking wodes | Brown / Grill | • | • | • | • | : |
| | | • | • | • | | |
| | Convection / Oven | • | • | • | • | • |
| | Combi 1 | MW+Grill | MW+Grill | MW+Grill | MW+Grill | MW+Grill |
| | Combi 2 | MW+Convection | MW+Convection | MW+Convection | MW+Convection | MW+Convection |
| Convection Temperature | | 40~ 230°C (5°C unit) | 40~ 230°C (5°C unit) | 40~ 230°C (5°C unit) | 40~ 230°C (°C unit) | 40~ 230°C (5°C unit) |
| Clock | | • | • | • | • | • |
| Warm | | Manual(60~70°C) | Manual(60~70°C) | Manual(60~70°C) | Manual(60~70°C) | Manual(60~70°C) |
| Max Cooking Time | | 99 min (Oven : 10Hr) | 99 min (Oven : 10Hr) | 99 min (Oven : 10Hr) | 99 min (Oven : 10Hr) | 99 min (Oven : 10Hr) |
| Kitchen Timer / Hold Timer | | | | 99 mill (Oven: Torin) | samin (over . torii) | samin(oven. ion) |
| | | Yes | Yes | • | • | |
| Power Level | | 6 | 6 | 6 | 6 | 6 |
| Time Control | | Dial | Dial | Dial | Dial | Dial |
| Weight / Serving Control | | Dial | Dial | Dial | Dial | Dial |
| One Minute / 30 Sec. Plus | | 30 sec Plus | 30 sec Plus | 30 sec Plus | 30 sec Plus | 30 sec Plus |
| Memory | | • | • | - | - | - |
| Preheat | | • | • | • | _ | - |
| Defrost (Auto / Power / Sensor) | | power (5) | power (5) | power (5) | power (5) | power (5) |
| Auto Cook | | Auto (20) | Auto (20) | Auto (20) | Auto (20) | Auto (20) |
| | | Auto (20) | | | | |
| Auto Steam Cook | | - | - | Auto (5) | Auto (5) | Auto (5) |
| Auto Crusty Cook | | - | - | Auto (5) | Auto (5) | Auto (5) |
| Deodorization | | - | - | - | • | • |
| Setting (My Choice) | Sound Option | • | • | • | • | • |
| | Reminder End Signal | • | • | • | • | • |
| | Clock System Option (12H / 24H) | - (24H only) | - (24H only) | - (24H only) | - (24H only) | - (24H only) |
| | Child Lock | • | • | • | • | • |
| Cabinet Color | | Black/Silver | Silver | Black/Silver | Black/Silver | Silver |
| Control Panel Color | | Silver | Stainless wrap | Silver | Silver | Stainless wrap |
| Door Color | | Black glass | Stainless wrap | Black glass | Black glass | Stainless wrap |
| Cavity Interior | | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel |
| | | | | | | |
| Grill Heater | | Sheath | Sheath | Sheath | Sheath | Sheath |
| Convection Heater | | Sheath | Sheath | Sheath | Sheath | Sheath |
| Carton Box | | Yellow | Yellow | Yellow | Yellow | Yellow |
| Rack | Grill Insert For Ceramic Tray | • | • | • | • | • |
| Ceramic Tray | | (Rectangle) | (Rectangle) | (Rectangle) | (Rectangle) | (Rectangle) |
| Pro Steamer | | - | - | • | • | • |
| Steam Clean | | • | • | • | • | • |
| Oven Rack | | _ | _ | | • | • |
| Multi Pan | | - | | | | |
| | | • | - | | | |
| Crusty Plate | | - | - | • | • | • |
| Cooking Guide Label | | • | • | • | • | • |
| Dimension (WxHxD) | Cavity | 400mm x 235mm x 385mm | 400mm x 235mm x 385mm | 400mm x 235mm x 385mm | 400mm x 235mm x 385mm | 400mm x 235mm x 385m |
| | Outside | 520mm x 385mm x 481mm | 520mm x 385mm x 481mm | 520mm x 385mm x 481mm | 520mm x 385mm x 481mm | 520mm x 385mm x 481m |
| | Shipping | 640mm x 468mm x 550mm | 640mm x 468mm x 550 | 640mm x 468mm x 550mm | 640mm x 468mm x 550mm | 640mm x 468mm x 550m |
| | | 25.0kg | 25.0kg | 25.0kg | 25.0kg | 25.0kg |
| Weight | | | | | | |
| Weight | Net Shipping | 31.5kg | 31.5kg | 31.5kg | 31.5kg | 31.5kg |

COMBI STEAM OVEN

CQV137S



| | Capacity | last-later | 1.3 cuft, / 36 Liter |
|-------------------------|---------------------------------|---------------------------------|--|
| | Туре | Installation | СМО |
| | | Heat Source | Steam Convection |
| | Power | Power Source | 230V / 50Hz |
| | | Output Power (Microwave) | 800W |
| | | Output Power (Grill) | 1540W |
| | | Output Power (Convection) | 2050W |
| General | | Power Consumption | - |
| Ĕ | | (Steam + Conv.) | - |
| Å. | | Power Consumption | 2850W |
| | | (Microwave + Steam.) | 2350W |
| | | Max Output Power | 3000W |
| | Display Type | | LED (Graphic) |
| | Sensor (Temp.) | | • |
| | Control Method | | Tact + Dial |
| | Door Open Mechanism | | Drop - Down |
| | MW Distribution Mechanism | | Stirrer |
| | Cooking Modes | Microwave Oven | • |
| | Ŭ | Brown / Grill | • |
| | | Convection / Oven | • |
| | | Super Steam | • |
| | | Combi 1 | Steam + Convectiom |
| | | Combi 2 | Steam + MW |
| | Convection Temperature | Combi 2 | 40 ~ 230'C (5'C Unit) |
| | Steam Temperature | | 70 ~ 100°C (5° Unit) |
| | Clock | | |
| | Warm | | Manual (60 ~ 70°C) |
| Ś | Max Cooking Time | | 99 Min (Over, 1047) 99 Min (Over, 1047) |
| 2 | | | |
| Ę | Kitchen Timer / Hold Timer | | • |
| g | Power Level | | 6 |
| шĽ | Time Control | | Dial |
| | Weight / Serving Control | | Dial |
| | One Minute / 30 Sec. Plus | | 30 Sec. Plus |
| | Preheat | | • |
| | Defrost (Auto / Power / Sensor) | | Power (5) |
| | Auto Cook | | Auto (20) |
| | Auto Steam Cook | | Auto (17) |
| | Setting (My choice) | Sound Option | • |
| | | Reminder End Signal | • |
| | | Clock System Option (12H / 24H) | - (24H Only) |
| | | Child Lock | • |
| ω Ω | Cabinet Color | | Black / Silver |
| le al | Control Panel Color | | Silver |
| Materials & Finishes | Door Color | | Black Glass |
| _i,≝ | Cavity Interior | | Ceramic Enamel |
| ЗĽ, | Grill Heater | | Sheath |
| ∞ | Convection Heater | | Sheath |
| | Carton Box | | Yellow |
| | Rack | | • |
| ≥ | Ceramic Tray | Grill Insert For Ceramic Tray | (Rectangle) |
| S | Steam Clean | | • |
| SS | Steam Rack | | • |
| ğ | Oven Rack | | • |
| Ă | Multi Pan | | • |
| | Cooking Guide Label | | • |
| | Cook Book | | • |
| | Dimension (WxHxD) | Cavity | 400mm x 235mm x 385mm |
| ल | | Outside | S20mm x 481mm |
| <u>ِں ü</u> | | Shipping | B87mm x 40mm |
| Physical Spec. | Weight | Net | 37.3kg |
| <u>رينج</u> | ttoigin. | Shipping | 21-049 32kg |
| ш | Loading Quantity | 20ft / 40ft | |
| | Lodoing Quantity | 2011/ 4011 | 104 50(5 / 420 50(5 |

SUPER GRILL 2













| Capacity | | 0.8cu.ft. / 23 Liter | 0.8 cu.ft. / 23 Liter | 0.8 cu.ft. / 23 Liter |
|---------------------------------|---------------------------------------|--|--|--------------------------------|
| Туре | Installation | CMO | CMO | CMO |
| | Heat Source | Grill | Grill | Grill |
| Power | Power Source | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| | Output Power (Microwave) | 800W | 800W | 800W |
| | Output Power (Grill) | 1950 (Upper 1200W/Lower 750W) | 1950 (Upper 1200W/Lower 750W) | 1950 (Upper 1200W/Lower 750W) |
| 5 | Power Consumption (Microwave / Grill) | 1250W/ 1950W | 1250W/ 1950W | 1250W/ 1950W |
| | Max Output Power | 3200W | 3200W | 3200W |
| Display Type | | LED | LED | LED |
| Control Method | | Electronic Touch Controls | Electronic Touch Controls | Electronic Touch Controls |
| Door Open Mechanism | | Handle open type | Handle open type | Handle open type |
| MW Distribution Mechanism | | Turntable | Turntable | Turntable |
| Cooking Modes | Microwave Oven | • | • | • |
| | Brown / Grill | • | • | • |
| | Toaster | • | • | • |
| | Combi 1 | Microwave + Grill (3ways) | Microwave + Grill (3ways) | Microwave + Grill (3ways) |
| | Combi 2 | Microwave+ Super Grill (3ways) | Microwave+ Super Grill (3ways) | Microwave+ Super Grill (3ways) |
| | Combi 3 | Super (Upper + Lower)Grill | Super (Upper + Lower)Grill | Super (Upper + Lower)Grill |
| | Grill | Upper Grill | Upper Grill | Upper Grill |
| Clock | | • | • | • |
| Max Cooking Time | | 60 min | 60 min | 60 min |
| Power Level | | 6 | 6 | 6 |
| Time | | UP DOWN BUTTON | UP DOWN BUTTON | UP DOWN BUTTON |
| Weight / Serving Control | | UP DOWN BUTTON | UP DOWN BUTTON | UP DOWN BUTTON |
| One Minute / 30 Sec. Plus | | 30 sec Plus | 30 sec Plus | 30 sec Plus |
| Defrost (Auto / Power / Sensor) | | Auto(4) | Auto(4) | Auto(4) |
| Derrost (Auto / Power / Sensor) | | 1. Meat | 1. Meat | 1. Meat |
| | | 2. Poultry | 2. Poultry | 2. Poultry |
| | | | | |
| | | 3. Fish | 3. Fish | 3. Fish |
| | | 4. Fruit | 4. Fruit | 4. Fruit |
| Reheat | | Auto(3) | Auto(3) | Auto(3) |
| | | 1. Ready Meal | 1. Ready Meal | 1. Ready Meal |
| | | 2. Soup/Source | 2. Soup/Source | 2. Soup/Source |
| | | 3. Drinks | 3. Drinks | 3. Drinks |
| Auto Cook | | 1.Toast & Pizza | 1.Toast & Pizza | 1.Toast & Pizza |
| | | 1)Toast Hawaii | 1)Toast Hawaii | 1)Toast Hawaii |
| | | 2) Frozen Pizza | 2) Frozen Pizza | 2) Frozen Pizza |
| | | Roast Recipes | 2. Roast Recipes | 2. Roast Recipes |
| | | 1)Steaks | 1)Steaks | 1)Steaks |
| | | 2)Shashylik | 2)Shashylik | 2)Shashylik |
| | | Roast Chicken pieces | Roast Chicken pieces | 3) Roast Chicken pieces |
| | | 4)Roast Chicken Breast | 4)Roast Chicken Breast | 4)Roast Chicken Breast |
| | | 5) Roast Fish | 5) Roast Fish | 5) Roast Fish |
| | | 6)Roast Fish Fillets | 6)Roast Fish Fillets | 6)Roast Fish Fillets |
| Setting (My Choice) | Sound Option | • | • | |
| | Reminder End Signal | • | • | • |
| | Child Lock | • | • | • |
| Cabinet Color | | White | Silver | Silver |
| Membrane Color | | White | Silver | Black |
| Door Color | | White | Silver | Silver |
| Cavity Interior | | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel |
| Turntable | Material | Glass | Glass | Glass |
| . a. Hadolo | Size | diameter 288mm | diameter 288mm | diameter 288mm |
| Grill Heater | 0.20 | Upper | Upper | Upper |
| Carlie i Oditor | | Lower | Lower | Lower |
| Carton Box | | Yellow | Yellow | Yellow |
| Round Rack | | reliow | • | renow |
| Steam Clean | | • | • | • |
| | | • | • | • |
| Cooking Guide Label | | | | |
| Cook Book | | • | • | • |
| Dimension (WxHxD) | Cavity | 330mm x 211mm x 329mm | 330mm x 211mm x 329mm | 330mm x 211mm x 329mm |
| 5 | Outside | 489mm x 275mm x 401mm | 489mm x 275mm x 401mm | 489mm x 275mm x 401mm |
| 5 | Shipping | 557mm x 329mm x 466mm | 557mm x 329mm x 466mm | 557mm x 329mm x 466mm |
| Weight (kg) | Net | 15kg | 15kg | 15kg |
| ² | Shipping | 17kg | 17kg | 17kg |
| Loading Quantity | 20ft / 40ft / 40ftH | 362 sets / 737 sets / 830 sets | 362 sets / 737 sets / 830 sets | 362 sets / 737 sets / 830 sets |

SAMSUNG Microwave Oven

| /EMO | | | |
|------|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

SHINE 14

MS405MADXBB







| | Capacity | | 1.4 cu.ft. / 40 Liter | 1.4 cu.ft. / 40 Liter |
|------------|---------------------------------|---------------------------------|-----------------------|-------------------------|
| | Туре | Installation | CMO | CMO |
| | | Heat Source | Solo | Gril |
| | Power | Power Source | 230V / 50Hz | 230V / 50Hz |
| | | Output Power (Microwave) | 1000W | 900W |
| <u>n</u> | | Output Power (Grill) | - | 1300W |
| e e | | Power Consumption (Microwave) | 1550W | 1500W |
| | | Max Output Power | 1550W | 2800W |
| G | Display Type | | LED | LED |
| | Sensor | | | |
| | Control Method | | Membrane | Membrane |
| | Door Open Mechanism | | Push button type | Push button type |
| | MW Distribution Mechanism | | Turntable | Turntable |
| | Cooking Modes | Microwave Oven | • | Torritatio |
| | | Brown / Grill | - | • |
| | | Combi 1 | - · | • |
| | | Combi 2 | - | • |
| | | Combi 3 | - | • |
| | Clock | | • | • |
| | Max Cooking Time | | 99 min.90sec | 99 min.90sec |
| | Power Level | | 10 | 6 |
| S | Eco Mode | | • | |
| - S | Time Control | | Button (Numeric) | Button (10'.1'.10") |
| at | Weight / Serving Control | | • | |
| | One Minute / 30 Sec. Plus | | +30s Plus | +30s Plus |
| | Defrost (Auto / Power / Sensor) | | Power Defrost (5) | Rapid Defrost(4) |
| | Auto Reheat & Instant & Cook | | Auto Reheat (5) | Auto Instant & Cook (5) |
| | | | Auto Cook (5) | |
| | Sensor Cook | | • | - |
| | Setting (My Choice) | Sound Option | - | (Hidden) |
| | | Reminder End Signal | • | • |
| | | Clock System Option (12H / 24H) | • | • |
| | | Child Lock | - | (Hidden) |
| | Cabinet Color | | Black | Black |
| | Door Color | | Mirror | Mirror |
| _≤ list | Cavity Interior | | Ceramic Enamel | Ceramic Enamel |
| ŝĒ | Turntable | Material | Glass | Glass |
| ~ ର ମ | | Size | diameter360mm | diameter360mm |
| | Grill Heater | | - | Sheath |
| _en_ | Carton Box | | Yellow | Yellow |
| Aat | Round Rack | | - | • |
| | Cooking Guide Label | | • | • |
| | Dimension (WxHxD) | Cavity | 375mm x 249mm x 408mm | 375mm x 249mm x 408mm |
| cal | | Outside | Not yet | Not yet |
| S SI | | Shipping | 624mm x 380mm x 501mm | 624mm x 380mm x 501mm |
| <u>×ö</u> | Weight (kg) | Net | 18.0kg | 20.0kg |
| <u>τ</u> ο | | Shipping | 20.0kg | 22.0kg |
| | Loading Quantity | 20ft / 40HQ | 235 / 502 Set | 235 / 502 Set |
| | | | | |

1.0 MIRROR GRILL





| | Capacity | | 1.0 cu.ft. / 28 Liter |
|-------------------|---------------------------------|----------------------------------|-----------------------|
| | Туре | Installation | CMO |
| | | Heat Source | Gril |
| | Power | Power Source (V / Hz) | 230// 50Hz |
| | | Output Power / Microwave (Watts) | 900W |
| E S | | Output Power / Grill (Watts) | 1300W |
| Ĕ | | Power Consumption / Microwave | 1400W |
| Å. | | Max Output Power | 2700W |
| | Display Type | Wax Output I Owei | 21000 LED-BAR |
| | Control Method | | Membrane |
| | Door Open Mechanism | | Push Button |
| | MW Distribution Mechanism | | Turtiable |
| | Cooking Modes | Microwave Oven | |
| | Cooking wodes | Brown / Gril | |
| | | Combi 1 | |
| | | Combi 2 | |
| | | Combi 2 Combi 3 | |
| | | Combi 3 | • |
| | Clock | | • |
| ں ا | Max Cooking Time | | 99 min 90 sec |
| Ű | Energy Saving | | Yes |
| Ę | Power Level | | 7 |
| ğ | Time Control | | Button (+ , -) |
| டீ | Weight / Serving Control | | Button (+ , -) |
| | One Minute / 30 Sec. Plus | | +30 sec |
| | Defrost (Auto / Power / Sensor) | | Auto Defrost (4) |
| | Auto Reheat / Cook | | • (5) |
| | Auto Grill Cook | | • (4) |
| | Junior & Snack | | • (6) |
| | Setting | Reminder End Signal | • |
| | | Clock System Option(12H / 24H) | • |
| es | Cabinet Color | | Black |
| < <u>is</u> > | Door Color | | Mirror |
| i E jo | Cavity Interior | | Ceramic Enamel |
| l ∞ s | Turntable | Material | Glass |
| <u>କ୍ଷ</u> ର | | Size | diameter318mm |
| Aeris | Grill Heater | | Sheath |
| | Carton Box | | Yelow |
| 2 | Round Rack | | • |
| | Dimension (WxHxD) | Cavity | 336mm x 241mm x 349mm |
| Physical Spec. | | Outside | 512mm x 297mm x 391mm |
| ୍ ଅ କ | | Shipping | 570mm x 362mm x 466mm |
| _ ≥°8 | Weight | Net | 16.0kg |
| Ē, | | Shipping | 18.5kg |
| | Loading Quantity | 20ft/40ft/40HQ | 288 / 600 / 700 sets |

MIRROR





```
MW0113M
```





| | Capacity | | 1.1(32Liter) | 1.0(28Liter) | 1.1(32Liter) |
|------------------|---------------------------------|---------------------------------|------------------------------|------------------------------|------------------------------|
| | Type | Installation | CMO | CMO | CMO |
| | | Heat Source | Solo | Solo | Solo |
| _ | Power | Power Source | 120 V / 60 Hz | 220 V / 60 Hz | 230 V / 50 Hz |
| ā | | Output Power (Microwave) | 1100W | 1100W | 1000W |
| e | | Power Consumption (Microwave) | 1600W | 1500W | 1550W |
| ē | Display Type | | LED | LED | LED |
| U U | Sensor | | - | - | • |
| | Control Method | | Membrane | Membrane | Membrane |
| | Door Open Mechanism | | Push button | Push button | Push button |
| | MW Distribution Mechanism | | Turntable | Turntable | Turntable |
| | Cooking Modes | Microwave Oven | • | • | • |
| | Clock | | • | • | • |
| | Max Cooking Time | | - | - | • |
| | Warm | | 99 min 99 sec. | 99 min 99 sec. | 99 min 99 sec. |
| | Kitchen Timer / Hold Timer | | • | • | • |
| | More / Less | | • | • | • |
| | Power Level | | 10 | 10 | 10 |
| | Power saving Mode | | • | • | - |
| | Numeric Pads | | • | • | • |
| S | One Minute / 30 Sec. Plus | | 30 sec + | 30 sec + | 30 sec + |
| 5 | Defrost (Auto / Power / Sensor) | | Auto | Auto | Auto |
| at | Reheat | | Auto(3) | Auto(3) | Auto(5) |
| | Auto Cook | | Auto(6) | Auto(6) | Auto(6) |
| - | Sensor Cook | | - | - | • |
| | Instant Cook Pads | | • (6) | • (6) | • (6) |
| | Setting (My Choice) | Weight Option | (Gr/Lbs) | (Gr/Lbs) | (Gr/Lbs) |
| | | Sound Option | (On/Off) | (On/Off) | (On/Off) |
| | | Reminder End Signal | • | • | • |
| | | Clock System Option (12H / 24H) | 12Hr | 12Hr | 12Hr |
| | | Child Lock | • | • | • |
| | | Kitchen Timer | • | • | • |
| | | Demonstration Mode | • | • | • |
| ŝ | Cabinet Color | | Black | Black | Black |
| i 9 v | Door Color | | Mirror | Mirror | Mirror |
| <u>5.0</u> | Cavity Interior | | Epoxy | Ceramic Enamel | Epoxy |
| ≝'ë | Turntable | Material | Glass | Glass | Glass |
| Ž | | Size | 288 mm | 288 mm | 288 mm |
| | Carton Box | | Eco Package | Eco Package | Eco Package |
| 2 | Dimension (WxHxD) | Cavity | 334mm x 252.5mm x 357.5mm | 352mm x 227mm x 348.5mm | 334mm x 252.5mm x 357.5mm |
| နို ပွ | | Outside | 523mm x 282mm x 432mm | 517mm x 294mm x 391.6mm | 518mm x 297mm x 395mm |
| ν Θ | Weight | Net | 15kg | 15kg | 13kg |
| ĘΟ | | Shipping | 16.5kg | 17kg | 15.5kg |
| | Loading Quantity | 20ft/40ft/40HQ | 288 / 630 / 729 sets | 288 / 630 / 729 sets | 288 / 630 / 729 sets |

SHINE

ME83X

GE83X





| Capacity | | 0.8 cu.ft. / 23 Liter | 0.8 cu.ft. / 23 Liter |
|---|---------------------------------|-----------------------|-----------------------|
| Туре | Installation | CMO | CMO |
| .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | Heat Source | Solo | Grill Combi |
| Power | Power Source | 230V / 50Hz | 230V / 50Hz |
| | Output Power (Microwave) | 800W | 800W |
| ē | Output Power(Grill) | - | 1100W |
| ص ا | Power Consumption (Microwave) | 1150W | 1200W |
| U | Max Output Power | 1150W | 2300W |
| Display Type | Iviax Odipat i oviči | LED | LED-BAR |
| Control Method | | Membrane | Membrane |
| Door Open Mechanism | | Push Button | Push Button |
| MW Distribution Mechanism | | Turntable | Turntable |
| Cooking Modes | Microwave Oven | • | • |
| Cooking Wodes | Brown / Grill | • - | • |
| | Combi 1 | - - | • (MWO+Grill) |
| | Combi 2 | - | |
| | | | • (MWO+Grill) |
| | Combi 3 | - | • (MWO+Grill) |
| Clock | | • | |
| Max Cooking Time | | 99 min 90sec | 99 min 90sec |
| Custom Cook | | - | - |
| Power Level | | 6 | 6 |
| Time Control | | Button (10", 1', 10') | Button (10",1',10') |
| Weight / Serving Control | | Button (kg, 100g) | Button (kg, 100g) |
| One Minute / 30 secs Plus | | 30 sec Plus | 30 sec Plus |
| Defrost (Auto / Power / Sensor) | | Power (3) | Power (4) |
| (0) | | 1. Meat | 1. Meat |
| ğ | | 2. Poultry | 2. Poultry |
| 5 | | 3. Fish | 3. Fish |
| | | | 4. Bread / Cake |
| Auto Reheat | | Auto (2) | Auto(6) |
| | | 1. Ready Meal | 1. Ready Meal |
| | | 2. Frozen Ready Meal | 2. Frozen Ready Meal |
| | | | 3. Drinks |
| | | | 4. Frozen Mini Quiche |
| | | | 5. Frozen Paistry |
| | | | 6. Frozen Fish |
| Auto cook | | - | |
| Auto Cafeteria | | - | - · |
| Deodorization | | • | - |
| Setting (My Choice) | Sound Option | • | • |
| | Reminder End Signal | • | • |
| | Clock System Option (12H / 24H) | • | • |
| | Child Lock | • | • |
| Cabinet Color | | Black | Black |
| <u>o</u> 🛞 Door Color | | Mirror | Mirror |
| Cavity Interior | | Ceramic Enamel | Ceramic Enamel |
| Turntable | Material | Glass | Glass |
| | Size | diameter288mm | diameter288mm |
| ≥ X Carton Box | | ECO Package | ECO Package |
| Round Rack | | - - | • |
| Disconsister (Middle D) | Cavity | 330mm x 211mm x 324mm | 330mm x 211mm x 324mm |
| त्त . | Outside | 489mm x 275mm x 338mm | 489mm x 275mm x 354mm |
| | Shipping | 552mm x 329mm x 423mm | 552mm x 329mm x 423mm |
| SQ Weight | Net | 12.0kg | 13.0kg |
| | Shipping | 13.5kg | 15.0kg |
| Loading Quantity | 20ft / 40ft / 40HQ | 377 / 783/ 890 set | 380/785/906 set |
| Loading Quantity | 2010 4010 4010 | 01111001000361 | 000//00/300 Set |

BIG PLUS











| | Capacity | | 1.1 cu.ft. / 32 Liter | 1.1 cu.ft. / 32 Liter | 1.1 cu.ft. / 32 Liter |
|------------------|---------------------------------|---------------------------------------|---|---|--|
| | Туре | Installation | CMO | CMO | CMO |
| | | Heat Source | Solo | Solo | Solo |
| | Power | Power Source | 240V / 50Hz | 240V / 50Hz | 120V / 60Hz |
| _ | | Output Power (Microwave) | 1100 Watts (IEC-705) | 1100 Watts (IEC-705) | 1100 Watts |
| <u>a</u> | | Power Consumption (Microwave / Grill) | 1550W | 1550W | 1600Watts |
| é | Display Type | | LED | LED | LED |
| ē | Sensor | | • | • | |
| G | Interior light | | Halogen(40W) | Halogen(40W) | Incandescent |
| | Control Method | | Electronic (Membrane) | Electronic (Membrane) | Electronic (Membrane) |
| | Door Open Mechanism | | Swing / Push | Swing / Push | Swing / Push |
| | MW Distribution Mechanism | | Turntable | Turntable | Turntable |
| | Cooking Modes | Microwave Oven | Turritable | Turridule | rumable |
| | Clock | WICOWAVE OVEN | • (12Hr.) | • (12Hr.) | • (12Hr.) |
| | Warm | | • (12mm) | • (12Hr.) | • (1281.) |
| | | | - | • | |
| | Max Cooking Time | | 99 Min, 99 Sec. | 99 Min, 99 Sec. | 99 Min, 99 Sec. |
| | Kitchen Timer / Hold Timer | | • | • | • |
| | More/Less | | • | • | • |
| | Power Level | | 10 | 10 | 10 |
| | Eco Mode Button | | • | • | • |
| | Time Control | | Numeric | Numeric | Numeric |
| | Weight / Serving Control | | Numeric | Numeric | Numeric |
| | One Minute / 30 Sec. Plus | | + 30 Sec. | + 30 Sec. | + 30 Sec. |
| | Defrost (Auto / Power / Sensor) | | (Auto 5) | (Auto 5) | (Auto 5) |
| | | | 1. Meat / 2. Poultry / 3. Fish / 4. Sea Food / 5. Bread/Cake | 1. Meat / 2. Poultry / 3. Fish / 4. Sea Food / 5. Bread/Cake | 1. Meat / 2. Fish fillet / 3. Ground meat / 4. Whole chicken / 5. Chicken piec |
| | Auto Reheat | | Auto (5) | • (5) | • (3) |
| | | | 1. Plate of Food / 2. Casserole / 3. Pasta / 4. Rice / 5. Tinned soup | 1. Plate of Food / 2. Casserole / 3. Pasta / 4. Rice / 5. Tinned soup | 1. Plate of Food / 2. Guisado / 3. Pasta |
| | Sensor Cook | | Sensor (3) | • (3) | - |
| | | | 1. Potato / 2. Fresh Vegetables / 3. Single entrees | 1. Potato / 2. Fresh Vegetables / 3. Single entrees | |
| (0 | Instant Cook | | Instant (2) | • (2) | • (6) |
| ĕ | | | 1. Pizza Reheat / 2. Beverage | 1. Pizza Reheat / 2. Beverage | 1. Popcorn / 2. Potato / 3. Chorigueso / 4. Fondue Roguefort |
| 5 | | | 1.1 izza hondat / Z. Dovorago | 1.1 izza Honoar / 2. Dovorago | 5. Champiñones aromáticos / 6. Risotto con camarones |
| ät | Rice/Pasta | | • (7) | • (7) | 3. Champinones aromaticos / 6. hisotto con camarones |
| ιΨ | nice/Fasia | | 1. White Rice / 2. Dry Pasta / 3. Frozen Pasta / 4. Fresh Pasta | 1. White Rice / 2. Dry Pasta / 3. Frozen Pasta / 4. Fresh Pasta | |
| | | | 5. Spaghetti / 6. 2Minute noodles / 7. Porridge | 5. Spaghetti / 6. 2Minute noodles / 7. Porridge | - |
| | Meat/Poultry | | | | |
| | Meat/Poultry | | • (7) | • (7) | |
| | | | 1. Chicken wings / 2. Chicken nuggets / 3. Casserole / 4. Bacon | 1. Chicken wings / 2. Chicken nuggets / 3. Casserole / 4. Bacon | - |
| | | | 5. Meatball / 6. Meat loaf / 7. Omelette | 5. Meatball / 6. Meat loaf / 7. Omelette | |
| | Kids Meal | | - | - | • (4) |
| | | | | | 1. Nachos / 2. Alitas de Pollo / 3. Cáscaras de Papa / 4. Palitos de Queso |
| | Soften / Melt | | - | - | • (4) |
| | | | | | 1. Chicken nuggets / 2. Hot dog / 3. Fried potato / 4. Sandwich |
| | Deodorization | | - | - | - |
| | Setting (My Choice) | Sound Option | (On/Off) | (On/Off) | - |
| | | Reminder End Signal | • | • | (On/Off) |
| | | Clock System Option (12H / 24H) | • | • | • |
| | | Child Lock | (Hidden) | (Hidden) | • |
| | | Word scrolling speed | - | - | (Hidden) |
| | | Demonstration Mode | • | • | - |
| | | Language selection | - | - | (Hidden) |
| ທູ | Cabinet Color | | Silver | Silver | Silver |
| <u> </u> | Door Color | | Stainless | White | Stainless |
| $\cong \geq$ | Cavity Interior | | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel |
| <u> 1</u> | Turntable | Material | Glass | Glass | Glass |
| a 🕅 | | Size | 318 mm | 318 mm | 288mm |
| δ | Grill Heater | | - | - | - |
| ₽ĕ₹ | Carton Box | | Full color box | Full color box | ECO BOX |
| | Pure Steam Bowl | | | • | - |
| 5 | Cooking Guide Label | | | • | - |
| | | Couity | • 334mm x 252.5mm x 357.5mm | • 334mm x 252.5mm x 357.5mm | 334mm x 252,5mm x 357,5mm |
| | Dimension (WxHxD) | Cavity | | | |
| | | Outside Shipping | 518mm x 297mm x 386mm 578mm x 376mm x 479mm | 518mm x 297mm x 386mm 578mm x 376mm x 479mm | 518mm x 297mm x 415mm 578mm x 376mm x 446mm |
| ပ္ပိုင့္ | | | | 1 5/8mm x 3/6mm x 4/9mm | 1 5/8mm x 3/6mm x 446mm |
| /sica pec. | N | | | | |
| nysica Spec. | Weight (kg) | Net | 15kg | 15kg | 14kg |
| Physica Spec. | Weight (kg) | | | | |

BIG PLUS

AME1113TW








| | Capacity | | 1.1 cu.ft. / 32 Liter | 1.0 cu.ft. / 28 Liter |
|--|---------------------------------|---------------------------------------|---|---|
| | Туре | Installation | CMO | CMO |
| | Type | Heat Source | Solo | Grill |
| | Power | Power Source | 120V / 60Hz | 120V / 60Hz |
| _ | 1 OW61 | Output Power (Microwave) | 1100 Watts | 950 Watts |
| Line in the second seco | | Output Power(Grill) | - | 1300 Watts |
| Ĕ | | Power Consumption (Microwave / Grill) | 1600Watts | 1500 Watts |
| , e | Display Type | Power Consumption (Microwave / Gnil) | LED | LEB |
| | Interior light | | Incandescent | Incandescent |
| | Control Method | | Electronic (Membrane) | Electronic (Membrane) |
| | | | | |
| | Door Open Mechanism | | Swing / Push | Swing / Push |
| | MW Distribution Mechanism | | Turntable | Turntable |
| | Cooking Modes | Microwave Oven | • | • |
| | | Brown / Grill | | • |
| | Clock | | • (12Hr.) | • (12Hr.) |
| | Max Cooking Time | | 99 Min, 99 Sec. | 99 Min, 99 Sec. |
| | Kitchen Timer / Hold Timer | | • | • |
| | More/Less | | • | • |
| | Power Level | | 10 | 10 |
| | Eco Mode Button | | • | • |
| | Time Control | | Numeric | Numeric |
| | Weight / Serving Control | | Numeric | Numeric |
| | One Minute / 30 Sec. Plus | | + 30 Sec. | + 30 Sec. |
| | Defrost (Auto / Power / Sensor) | | (Auto, 5) | • (Auto, 5) |
| | | | 1. Meat / 2. Fish fillet / 3. Ground meat / 4. Whole chicken / 5. Chicken nuggets | 1. Meat / 2. Fish fillet / 3. Ground meat / 4. Whole chicken / 5. Chicken nuggets |
| <u>e</u> | Auto Reheat | | • (3) | • (3) |
| Ę | | | 1. Plate of Food / 2. Guisado / 3. Pasta | 1. Plate of Food / 2. Guisado / 3. Soup&Sauce |
| | Instant Cook | | • (6) | • (8) |
| ШĽ | | | Popcorn / 2. Potato / 3. Choriqueso / 4. Fondue Roquefort | 1. Popcorn / 2. Potato / 3. Baby food / 4. Fresh vegetables / 5. Frozen dinner |
| | | | Champiñones aromáticos / 6. Risotto con camarones | Melt cheese / 7. Frozen breakfast / 8. Personal recipe |
| | Kids Meal | | • (4) | <u> </u> |
| | | | 1. Nachos / 2. Alitas de Pollo / 3. Cáscaras de Papa / 4. Palitos de Queso | |
| | Soften / Melt | | • (4) | - |
| | | | Chicken nuggets / 2. Hot dog / 3. Fried potato / 4. Sandwich | |
| | Deodorization | | • (3) | - |
| | | | 1. Melt chocolate / 2. Soften cream cheese / 3. Melt butter | |
| | Setting (My Choice) | Reminder End Signal | (On/Off) | • (On/Off) |
| | | Clock System Option (12H / 24H) | • | • |
| | | Child Lock | • | • |
| | | Word scrolling speed | (Hidden) | (Hidden) |
| | | Language selection | (Hidden) | (Hidden) |
| v v | Cabinet Color | | Silver | Silver |
| e e | Door Color | | White | Stainless |
| <u> </u> | Cavity Interior | | Ceramic Enamel | Ceramic Enamel |
| i Ż | Turntable | Material | Glass | Glass |
| ~~ % | - Grindello | Size | 288mm | 318mm |
| <u>v</u> č | Grill Heater | 04.0 | - | • |
| A B. | Carton Box | | ECO BOX | ECO BOX |
| ∕ Ite | Round Rack | | | • (1) |
| ~ | Cook Book | | | (1) |
| ~ | Dimension (WxHxD) | Cavity | 334mm x 252.5mm x 357.5mm | |
| | | Outside | 518mm x 292.5mm x 357.5mm | 520mm x 297mm x 403 |
| ပိပ | | Shipping | 578mm x 297mm x 415mm | 520mm x 297mm x 403 577mm x 479mm x 373 |
| jo o | Mainta (La) | | | |
| Physical Spec. | Weight (kg) | Net | 14kg | 18kg |
| Ф., | Less the Oceant's | Shipping | 15.5kg | 20kg |
| | Loading Quantity | 20ft / 40HQ | 280 / 600 / 600 sets | 288 / 600 / 700 sets |

MARIMBA











GE71MR



| | Capacity | | 0.7 cu.ft. / 20 Liter | 0.7 cu.ft. / 20 Liter | 0.7 cu.ft. / 20 Liter | 0.7 cu.ft. / 20 Liter |
|-------------------|---------------------------------|---|---|---|---|---|
| | Туре | Installation | CMO | CMO | CMO | CMO |
| | | Heat Source | Solo | Solo | Grill | Grill |
| | Power | Power Source | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| ਯ | | Output Power (Microwave) | 800W | 800W | 750W | 750W |
| e | | Output Power(Grill) | - | - | 1100W | 1100W |
| E I | | Power Consumption (Microwave) | 1150W | 1150W | 1150W | 1150W |
| Ğ | | Max Output Power | 1150W | 1150W | 2250W | 2250W |
| | Display Type | · · · · · · · · · · · · · · · · · · · | - | LED | - | LED |
| | Control Method | | Mechanical | Membrane | Mechanical | Membrane |
| | Door Open Mechanism | | Push button | Push button | Push button | Push button |
| | MW Distribution Mechanism | | Turntable | Turntable | Turntable | Turntable |
| | Cooking Modes | Microwave Oven | • | • | • | • |
| | | Brown / Grill | - | - | • | • |
| | | Combi 1 | - | - | • | • |
| | | Combi 2 | - | _ | • | • |
| | | Combi 3 | <u>.</u> | _ | • | • |
| | Clock | 00000 | | • | | • |
| | Max Cooking Time | | 35 min | 99 min.90sec | 60 min | 99 min.90sec |
| | Power Level | | 7 | 6 | 7 | 6 |
| ŝ | Eco Mode Button | | I | • | 1 | 0 |
| <u>e</u> | Time Control | | Timer Knob | Button (10',1',10") | Timer Knob | Button (10', 1', 10") |
| E I | One Minute / 30 Sec. Plus | | TITIER KIND | +30s Plus | TITIER KIND | +30s Plus |
| 8 | Defrost (Auto / Power / Sensor) | | (Manual defrost) | Rapid Defrost(4) | No (Manual defrost) | Rapid Defrost(4) |
| Ш. | Derrost (Auto / Power / Sensor) | | - (Manual Genosi) | 1.Meat / 2.Poultry / 3.Fish / 4.Fruit/Berry | INO (Mariual derrost) | 1.Meat / 2.Poultry / 3.Fish / 4.Fruit/Berry |
| - | Russian Auto cook | | | 1.Breakfast(7) / 2.Lunch(8) | | 1.Breakfast(10) / 2.Lunch(10) |
| | Hussian Auto Cook | | - | 3 Dinner(7) / 4 Special occasion(8) | - | 3.Dinner(11) / 4.Special occasion(10) |
| | Instant Reheat | | 1. Drinks / 2. Soup/Sauce / 3. Fresh Vegetables | 3.Dinner(7) / 4.Special occasion(8) | 1. Drinks / 2. Soup/Sauce / 3. Fresh Vegetables | 3.Dinner(11) / 4.Special occasion(10) |
| | Setting (My Choice) | Sound Option | 1. Drinks / 2. Soup/Sauce / 3. Fresh Vegetables | - | 1. Drinks / 2. Soup/Sauce / 3. Fresh Vegetables | (Hidden) |
| | Setting (wy Choice) | Reminder End Signal | - | - | - | (Hidden) |
| | | | | • | | |
| | | Clock System Option (12H / 24H) Child Lock | - | • | - | • (Hidden) |
| | 0.1.1.0.1 | Child Lock | Neo STS Silver | Neo STS Silver | Neo STS Silver | (Hidden) Neo STS Silver |
| ŝ | Cabinet Color | | | | | |
| Ë | Door Color | | Real Stainless steel | Real Stainless steel | Real Stainless steel | Real Stainless steel |
| i≘ ≥ | Cavity Interior | | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel |
| it S | Turntable | Material | Glass | Glass | Glass | Glass |
| ∞ % | | Size | diameter255mm | diameter255mm | diameter255mm | diameter255mm |
| <u>କ୍ଷ ମ</u> | Grill Heater | | - | - | Sheath | Sheath |
| ₩Š. | Carton Box | | Yellow | Yellow | Yellow | Yellow |
| | Round Rack | | - | - | • | • |
| | Crusty plate | | - | - | - | (Option) |
| | Cooking Guide Label | | - | • | - | • |
| | Dimension (WxHxD) | Cavity | 330mm x 211mm x 309mm | 330mm x 211mm x 309mm | 330mm x 211mm x 309mm | 330mm x 211mm x 309mm |
| 8.5 | | Outside | 489mm x 275mm x 344mm | 489mm x 275mm x 344mm | 489mm x 275mm x 371mm | 489mm x 275mm x 352 |
| ie a | | Shipping | 552mm x 329mm x 413mm | 552mm x 329mm x 413mm | 552mm x 329mm x 413mm | 552mm x 329mm x 413 |
| Physical Spec. | Weight (kg) | Net | 11.5kg | 11.5kg | 12.5kg | 12.5kg |
| もの | | Shipping | 12.5kg | 12.5kg | 14.5kg | 14.5kg |
| | Loading Quantity | 20ft / 40ft / 40HQ | 414 / 855 / 969 Set | 414 / 855 / 969 Set | 414 / 855 / 969 Set | 414 / 855 / 969 Set |

TRANSFORMER

ME88SSTR

GE88SSTR





| Capacity | | 0.8 cu.ft. / 23 Liter | 0.8 cu.ft. / 23 Liter |
|----------------------------------|--|-------------------------|-----------------------------|
| Туре | Installation | CMO | СМО |
| | Heat Source | Solo | Grill |
| Power | Power Source | 230V / 50Hz | 230V / 50Hz |
| σ | Output Power (Microwave) | 800W | 800W |
| eneral | Output Power(Grill) | - | 1100W |
| 5 | Power Consumption (Microwave) | 1150W | 1200W |
| σ | Max Output Power | 1150W | 2300W |
| Display Type | | LED (RED) | LED (RED) |
| Control Method | | Tact Button | Tact Button |
| Door Open Mechanism | | Push button | Push button |
| MW Distribution Mechanism | | Turntable | Turntable |
| Cooking Modes | Microwave Oven | • | • |
| | Brown / Grill | - | • |
| | Combi 1 | - | • |
| | Combi 2 | - | • |
| | Combi 3 | - | • |
| Clock | | • | • |
| Max Cooking Time | | 99 min 99 sec | 99 min 99 sec |
| 0 Power Level | | 6 | 6 |
| 2 Eco Mode | | • | • |
| Time Control | | Button (△, ▽) | Button (△, ▽) |
| Weight/Serving control | | Button (△, ▽) | Button (△, ▽) |
| One Minute / 30 Sec. Plus | | 30 sec. plus | 30 sec. plus |
| Defrost (Rapid / Power / Sensor) | | Rapid Defrost (4) | Rapid Defrost (4) |
| Russian Auto cook | | • (30) | • (41) |
| Deodorization | | • (30) | • (41) |
| Setting (My Choice) | Sound Option | (Hidden) | (Hidden) |
| Setting (Wy Choice) | Reminder End Signal | • (ridden) | • (Hidden) |
| | Clock System Option (12H / 24H) | • | • |
| | Child Lock | • (Hidden) | (Hidden) |
| Cabinet Color | Child Lock | (ridden) Neo STS Silver | (Hidden) Neo STS Silver |
| Door Color | | Real Stainless steel | Real Stainless steel |
| | | | |
| Cavity Interior | Marcal Control of Cont | Ceramic Enamel Glass | Ceramic Enamel Glass |
| 2 rumtable | Material Size | Glass diameter288mm | |
| | 5128 | | diameter/288mm Sheath |
| Grill Heater | | | |
| Carton Box | | Eco Box | Eco Box |
| Round Rack | | - | • |
| Steam Clean | | - | • |
| Cooking Guide Label | 0.7 | • | • |
| Dimension (WxHxD) | Cavity | 330mm x 211mm x 324mm | 330mm x 211mm x 324mm |
| đ | Outside | 489mm x 275mm x 339mm | 489mm x 275mm x 355mm |
| <u>0</u> | Shipping | 552mm x 326mm x 410mm | 552mm x 326mm x 410mm |
| Weight (kg) | Net | 12.0kg | 13.0kg |
| | Shipping | 13.5kg | 15.0kg |
| Loading Quantity | 20ft/40ft/40HQ | 377 / 783 / 890 Set | 377 / 783 / 890 Set |



















| Size | | 1.1 Cu.ft (32 Liter) | 1.1 Cu.ft (32 Liter) | 1.4 Cu.ft (40 Liter) | 1.4 Cu.ft (40 Liter) |
|------------------------------|---------------------|---------------------------|---------------------------|-----------------------|-----------------------|
| MP Site | | SEMA | SEMA | SEMA | SEMA |
| Input Voltage/Frequency | | 120V/60Hz | 120V/60Hz | 120V/60Hz | 120V/60Hz |
| Output Wattages | | 1100W | 1100W | 1000W | 1000W |
| Power Consumption(Microwave) | | 1600W | 1600W | 1500W | 1500W |
| Display | | LED | LED | LED | LED |
| Appearance | | White.Black.Stainless | White,Black,Stainless | White,Black,Stainless | White.Black.Stainless |
| Coating | | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel |
| Sensor | | | • | - | • |
| Packing Case | | Yellow | Yellow | Yellow | Yellow |
| Control Methode | | Membarne | Membarne | Membarne | Membarne |
| Instant Cook | Popcom | Wielhodine . | Wembarre | • | Wombarrio |
| Instant Gook | Potato | | • | • | |
| | Fresh vegetables | • | • | • | • |
| | Beverage | | | • | • |
| | Bacon | | | | |
| | Pizza reheat | | | | |
| Snack bar | Nachos | | • | • | • |
| Shack bar | Chicken wings | | • | • | |
| | Potato skins | | | • | |
| | | | - | - | |
| 5 | Cheese sticks | • | • | • | • |
| Kids meal | Chicken nuggets | • | • | • | • |
| | Hotdogs | • | • | • | • |
| | Fresh fries | • | • | • | • |
| | Frozen sandwich | • | • | • | • |
| Handy helps | Melt chocolate | • | • | • | • |
| | Soften cream cheese | • | • | • | • |
| | Melt butter | • | • | • | • |
| Auto reheat | Plate of food | • | • | • | • |
| | Casserole | • | • | • | • |
| | Pasta | • | • | • | • |
| Auto defrost | | • | • | • | • |
| 30Sec + | | • | • | • | • |
| Sound on/off | | • | • | • | • |
| Clock | | 12Hr | 12Hr | 12Hr | 12Hr |
| Power level | | 10 Level | 10 Level | 10 Level | 10 Level |
| Kitchen timer | | • | • | • | • |
| Pause/Cancel | | • | • | • | • |
| Start | | • | • | • | • |
| L More/Less | | More(9), Less(1) | More(9), Less(1) | More(9), Less(1) | More(9), Less(1) |
| Demo mode | | Hidden (0+1) | Hidden (0+1) | Hidden (0+1) | Hidden (0+1) |
| Child lock | | Hidden (0+2) | Hidden (0+2) | Hidden (0+2) | Hidden (0+2) |
| Stage cook | | 2 Stage(MW + MW) | 2 Stage(MW + MW) | 2 Stage(MW + MW) | 2 Stage(MW + MW) |
| Dimension (WxHxD) | Cavity | 334mm x 252.5mm x 357.5mm | 334mm x 252.5mm x 357.5mm | 375mm x 249mm x 408mm | 375mm x 249mm x 408mm |
| 5 Differiation (WAFIAD) | Outside | 518mm x 297mm x 395mm | 518mm x 297mm x 395mm | 555mm x 313mm x 448mm | 555mm x 313mm x 448mm |
| Weight | Net | 13.5kg | 13.5kg | 16.5kg | 16.5kg |
| 0 Weight | Shipping | 15.5kg | 15.5kg | 18.5kg | 18.5kg |
| Landing Quantity | 20ft/40ft/40HQ | 288 / 630 / 729 Set | | 220 / 440 / 440 Set | 200 / 400 / 400 Set |
| Loading Quantity | 201740T740HQ | 288 / 630 / 729 Set | 300 / 600 / 700 Set | 220 / 440 / 440 Set | 200 / 400 / 400 Set |

STEEL HEART









| | | 0.8 cu.ft. / 23 Liter | 0.8 cu.ft. / 23 Liter | 0.8 cu.ft. / 23 Liter |
|---------------------------------|---------------------------------------|-------------------------------|-------------------------------|--------------------------------|
| Туре | Installation | CMO | CMO | CMO |
| | Heat Source | Grill | Grill | Grill |
| Power | Power Source | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| | Output Power (Microwave) | 850W | 850W | 850W |
| | Output Power(Grill) | 1250W | 1250W | 1250W |
| | Power Consumption (Microwave / Grill) | 1300W | 1300W | 1300W |
| | Max Output Power | 2250W | 2250W | 2250W |
| Display Type | | LED-BAR | LED-BAR | LED-BAR |
| Control Method | | Tact + Dial | Tact + Dial | Tact + Dial |
| Door Open Mechanism | | Handle | Handle | Handle |
| MW Distribution Mechanism | | Turntable | Turntable | Turntable |
| Cooking Modes | Microwave Oven | • | • | • |
| | Brown / Grill | • | • | • |
| | Combi 1 | • | • | • |
| | Combi 2 | • | • | • |
| | Combi 3 | • | • | • |
| Clock | | • | • | • |
| Max Cooking Time | | 99 min | 99 min | 99 min |
| Power Level | | 6 | 6 | 6 |
| Time Control | | Dial | Dial | Dial |
| Weight / Serving Control | | Dial | Dial | Dial |
| One Minute / 30 Sec. Plus | | 30 sec Plus | 30 sec Plus | 30 sec Plus |
| Defrost (Auto / Power / Sensor) | | Power Defrost(4) | Power Defrost(4) | Power Defrost(4) |
| Auto Cook | | Auto cook(4) | Auto cook(4) | Auto cook(4) |
| | | Crusty Cook(3) | Crusty Cook(3) | Crusty Cook(3) |
| Auto Duo Grill Cook | | Duo Grill Cook(3) | Duo Grill Cook(3) | Duo Grill Cook(3) |
| Setting (My Choice) | Sound Option | • | - Duo chini ocon(o) | • |
| Octaing (My Onoice) | Reminder End Signal | • | • | • |
| | Clock System Option(12H / 24H) | • | • | • |
| | Child Lock | (Hidden) | (Hidden) | • (Hidden) |
| Cabinet Color | Child Eddit | Black | Wine Red | Silver |
| Door Color | | STSS | STSS | STSS |
| Cavity Interior | | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel |
| Turntable | Material | Glass | Glass | Glass |
| Turnable | Size | diameter288mm | diameter288mm | diameter288mm |
| Grill Heater | 0120 | Ceramic+Quartz | Ceramic+Quartz | Ceramic+Quartz |
| Carton Box | | Yellow | Yellow | Yellow |
| Round Rack | | • | reilow | • |
| Steam Clean | | | • | • |
| Crispy Dish | | • | • | • |
| Cook Book | | | | |
| Dimension (WxHxD) | Cavity | • 330mmx 211mm x329mm | • 330mmx 211mm x329mm | • 330mmx 211mm x329mm |
| Dimension (WXHXD) | Outside | 489mm x 275mm x 414mm | 489mm x 275mm x 414mm | 489mm x 275mm x 414mm |
| | Shipping | | | |
| | | 557mm x329mm x451mm 15.0kg | 557mm x329mm x451mm 15.0kg | 557mm x329mm x451mm 15.0 Kg |
| Mainha (La) | | | | |
| Weight (kg) | Net Shipping | 16.5kg | 16.5kg | 16.5 Kg |











GS89F-1S



| | Capacity | | 0.8 cu.ft. / 23 Liter | 1.0 cu.ft. / 28 Liter | 0.8 cu.ft. / 23 Liter | 1.0 cu.ft. / 28 Liter |
|-----------------|---------------------------------|---------------------------------|--|--|---|---|
| - F | Type | Installation | CMO | CMO | CMO | CMO |
| | 1,500 | Heat Source | Solo | Solo | Grill | Grill |
| ŀ | Power | Power Source | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| | 1 0 4 61 | Output Power (Microwave) | 800W | 1000W | 800W | 900W |
| , a | | Output Power(Grill) | | | 1100W | 1300W |
| ē | | Power Consumption(Microwave) | 1150W | 1500W | 1200W | 1400W |
| - - | | | | | | |
| ത് | | Max Output Power | 1150W | 1500W | 2300W | 2700W |
| | Display Type | | LED | LED | LED | LED |
| | Sensor (SmartSense) | | • | • | • | • |
| | Control Method | | Tact | Tact | Tact | Tact |
| | Door Open Mechanism | | Handle type | Handle type | Handle type | Handle type |
| | MW Distribution Mechanism | | Turntable | Turntable | Turntable | Turntable |
| | Cooking Modes | Microwave Oven | • | • | • | • |
| | | Brown / Grill | - | - | • | • |
| | | Combi 1 | - | - | • | • |
| | | Combi 2 | - | - | • | • |
| | | Combi 3 | - | - | • | • |
| | Clock | | • | • | • | • |
| | Max Cooking Time | | 99 min. | 99 min. | 99 min. | 99 min. |
| | Custom Cook | | • | • | - | |
| | Deodorization | | • | • | - | _ |
| | Power Level | | 6 | 7 | 6 | 6 |
| | Energy Saving button | | - | - | 5 | 0 |
| | Time Control | | Button (+,-) | Button (+,-) | Button (+,-) | Button (+,-) |
| | Weight / Serving Control | | Dutton (+,-) | Button (+,-) | Duttor (+,) | Button (+,-) |
| S | One Minute / 30 Sec. Plus | | +30s Plus | +30s Plus | +30s Plus | +30s Plus |
| <u>ଅ</u> | | | | | | |
| ΞI | Defrost (Auto / Power / Sensor) | | - Power Defrost | - Power Defrost | - Power Defrost | - Power Defrost |
| g | | | 1. Meat / 2. Poultry / 3. Fish | 1. Meat / 2. Poultry / 3. Fish / 4. Bread / Cake | 1. Meat / 2. Poultry / 3. Fish / 4. Bread / Cake | 1. Meat / 2. Poultry / 3. Fish / 4. Bread / Cake |
| ш | Auto Reheat | | 1. Plated Meal / 2. Frozen Ready Meal | 1. Plated Meal / 2. Frozen Ready Meal | 1. Plated Meal / 2. Soup (Chilled) | 1. Plated Meal / 2. Popcorn |
| _ | | | 3. Drinks | 3. Drinks / 4. Soup | 3. Drinks / 4. Frozen Pasta | 3. Chicken Pieces / 4. Frozen Bread Rolls |
| | Auto Crusty cook | | - | - | 1. Frozen Pizza / 2. Frozen Baguettes | Frozen Pizza / 2. Frozen Baguettes |
| | | | | | 3. Frozen Quiche/Pie / 4. Frozen Chicken Nuggets | Frozen Quiche/Pie / 4. Frozen Chicken Nugge |
| | Auto Power Steam cook | | White Rice / 2. Peeled Potatoes | White Rice / 2. Peeled Potatoes | - | - |
| | | | Fresh Vegetables / 4. Fruit Compote | Fresh Vegetables / 4. Fruit Compote | | |
| | Gas Sensor Cook | | Broccoli Florets / 2. Sliced Carrots | Broccoli Florets / 2. Sliced Carrots | 1. Broccoli Florets / 2. Sliced Carrots | Broccoli Florets / 2. Sliced Carrots |
| | | | Peeled Potatoes / 4. Chilled Soup | Peeled Potatoes / 4. Chilled Soup | Peeled Potatoes / 4. Chilled Soup | Peeled Potatoes / 4. Jacket Potatoes |
| | | | 5. Frozen Soup | 5. Frozen Soup | 5. Frozen Soup | Drinks / 6. Chilled Soup |
| | | | | | | 7. Frozen Soup / 8. Frozen Ready Meal |
| | Setting (My Choice) | Sound Option | (Hidden) | (Hidden) | (Hidden) | (Hidden) |
| | | Reminder End Signal | • | • | • | • |
| | | Clock System Option (12H / 24H) | • | • | • | • |
| | | Child Lock | • | • | (Hidden) | (Hidden) |
| | Cabinet Color | 2.112 2001 | Black | Black | Black | Black |
| S S S | Door Color | | Black | Black | Black | Black |
| e e | Cavity Interior | | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel |
| 0 | Turntable | Material | Glass | Glass | Glass | Glass |
| <u> </u> | runnable | Size | diameter288mm | diameter318mm | diameter288mm | diameter318mm |
| <u>'</u> LL | Grill Heater | SIZE | | | Ceramic coated Sheath | Ceramic coated Sheath |
| -∞ | Carton Box | | - | - | | |
| | | | Yellow | Yellow | Yellow | Yellow |
| \geq | Round Rack | | - | - | • | • |
| 8 | Steam Clean | | - | - | • | • |
| ŝ | Power Steam bowl | | • | • | - | - |
| 8 | Crusty plate | | - | - | • | • |
| ğ | Spit/Rotisserie | | - | - | - | - |
| \triangleleft | Cooking Guide Label | | • | • | • | • |
| | Dimension (WxHxD) | Cavity | 330mm x 211mm x 324mm | 336mm x 241mm x 349mm | 330mm x 211mm x 324mm | 336mm x 241mm x 349mm |
| | | Outside | 489mm x 275mm x 372mm | 512mm x 297mm x 409mm | 489mm x 275mm x 390mm | 512mm x 297mm x 435mm |
| 8 | | Shipping | 552mm x 329mm x 423mm | 570mm x 362mm x 466mm | 552mm x 329mm x 423mm | 570mm x 362mm x 466mm |
| TY I | Weight (kg) | Net | 12.0kg | 15.0kg | 13.5kg | 16.0kg |
| 201 | | | | | | |
| က် | 0 (0, | Shipping | 13.5kg | 17.0kg | 15.0kg -> 15.5kg | 18.5kg |

OGUN Solo / Grill



1







| Capacity | | 0.8 cu.ft. / 23 Liter | 0.8 cu.ft. / 23 Liter | 0.8 cu.ft. / 23 Liter |
|---------------------------------|---------------------------------|---|---|---|
| Туре | Installation | CMO | CMO | CMO |
| | Heat Source | Solo | Solo | Solo |
| Power | Power Source | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| 22 | Output Power (Microwave) | 850W | 850W | 850W |
| ۳. El | Power Consumption - MW | 1250W | 1250W | 1250W |
| ē | - Max | 1250W | 1250W | 1250W |
| Display Type | | LED | LED | LED |
| Control Method | | Tact | Tact | Tact |
| Door Open Mechanism | | Handle | Handle | Handle |
| MW Distribution Mechanism | | Turntable | Turntable | Turntable |
| Cooking Modes | Microwave Oven | • | • | • |
| Clock | | • | • | • |
| Max Cooking Time | | 99 min | 99 min | 99 min |
| Kitchen Timer / Hold Timer | | • | • | • |
| Custom Cook | | • | • | • |
| Power Level | | 6 | 6 | 6 |
| Time Control | | Button (+ , -) | Button (+ , -) | Button (+ , -) |
| 8 One Minute / 30 Sec. Plus | | 30 sec Plus | 30 sec Plus | 30 sec Plus |
| Defrost (Auto / Power / Sensor) | | Power Defrost (1) | Power Defrost (1) | Power Defrost (1) |
| Auto Reheat/cook | | 1 Ready Meal / 2 Frozen Ready Meal / 3 Drinks | 1.Ready Meal / 2.Frozen Ready Meal / 3.Drinks | 1 Ready Meal / 2 Frozen Ready Meal / 3 Drinks |
| Auto Cook | | Power steam(4) | Power steam(4) | Power steam(4) |
| (New Power Steam/ | | 1. Rice / 2. Peeled Potatoes | 1.Rice / 2.Peeled Potatoes | 1 Rice / 2 Peeled Potatoes |
| Crusty cook/New steamer) | | 3.Fresh Vegetables / 4. Fruit Compote | 3 Fresh Vegetables / 4. Fruit Compote | Fresh Vegetables / 4. Fruit Compote |
| Deodorization | | • | • | • |
| Setting (My Choice) | Sound Option | • | • | • |
| | Reminder End Signal | • | • | • |
| | Clock System Option (12H / 24H) | • | • | • |
| | Child Lock | • | • | • |
| Cabinet Color | | Black | Black | Silver |
| Door Color | | Stss | Black | Silver |
| Cavity Interior | | Epoxy | Epoxy | Epoxy |
| % Turntable | Material | Glass | Glass | Glass |
| 8 | Size | diameter288mm | diameter288mm | diameter288mm |
| Carton Box | | Yellow | Yellow | Yellow |
| Power Steam bowl | | • | • | • |
| Cooking Guide Label | | • | • | • |
| Dimension (WxHxD) | Cavity | 330mmx 211mm x329mm | 330mmx 211mm x329mm | 330mmx 211mm x329mm |
| | Outside | 489mm x 275mm x 385 mm | 489mm x 275mm x 385 mm | 489mm x 275mm x 385 mm |
| ្ល | Shipping | 557mm x329mm x451mm | 557mm x329mm x451mm | 557mm x329mm x451mm |
| Weight (kg) | Net | 13.5kg | 13.5kg | 13.5kg |
| <u>о</u> | Shipping | 15kg | 15kg | 15kg |
| Loading Quantity | 20ft/40ft/40HQ | 356 / 735 / 840 set | 356 / 735 / 840 set | 356 / 735 / 840 set |

OGUN Solo / Grill














| | Capacity | | 0.8 cu.ft. / 23 Liter | 0.8 cu.ft. / 23 Liter | 0.8 cu.ft. / 23 Liter |
|-----|---------------------------------|---------------------------------|---|---|---|
| | Туре | Installation | CMO | CMO | CMO |
| | | Heat Source | Grill Combi | Grill Combi | Grill Combi |
| | Power | Power Source | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| ਲ | | Output Power (Microwave) | 850W | 850W | 850W |
| ē | | Power Consumption - MW | 1300W | 1300W | 1300W |
| Ę. | | - Grill | 1100W | 1100W | 1100W |
| ത് | | - Max | 2400W | 2400W | 2400W |
| | Display Type | | LED | LED | LED |
| | Control Method | | Tact | Tact | Tact |
| | Door Open Mechanism | | Handle | Handle | Handle |
| | MW Distribution Mechanism | | Turntable | Turntable | Turntable |
| | Cooking Modes | Microwave Oven | • | • | • |
| | | Brown / Grill | • | • | • |
| | | Combi 1 | (MW1+Grill) | (MW1+Grill) | • (MW1+Grill) |
| | | Combi 2 | (MW2+Gril) | (MW2+Grill) | • (MW2+Grill) |
| | | Combi 3 | (MW3+Grill) | • (MW3+Grill) | • (MW3+Grill) |
| | Clock | Control Co | • | • | • |
| | Max Cooking Time | | 99 min | 99 min | 99 min |
| | Power Level | | 6 | 6 | 6 |
| ŝ | Time Control | | Button (+ , -) | Button (+ , -) | Button (+ , -) |
| ₩ | One Minute / 30 Sec. Plus | | 30 sec Plus | 30 sec Plus | 30 sec Plus |
| Ħ | Defrost (Auto / Power / Sensor) | | Power Defrost(4) | Power Defrost(4) | Power Defrost(4) |
| . e | | | 1 Meat / 2 Poultry / 3 Fish / 4 Bread/Cake | 1.Meat / 2.Poultry / 3.Fish / 4.Bread/Cake | 1.Meat / 2.Poultry / 3.Fish / 4.Bread/Cake |
| | Auto Reheat/cook | | 1.Ready Meal / 2.Soup/Sauce / 3.Pasta Gratin / 4.Drinks | 1. Ready Meal / 2. Soup/Sauce / 3. Pasta Gratin / 4. Drinks | 1 Ready Meal / 2 Soup/Sauce / 3 Pasta Gratin / 4 Drinks |
| | Auto Cook | | Crusty Cook(4) | Crusty Cook(4) | Crusty Cook(4) |
| | (New Power Steam/ | | 1.Frozen Pizza / 2.Frozen Baguettes | 1.Frozen Pizza / 2.Frozen Baguettes | 1.Frozen Pizza / 2.Frozen Baguettes |
| | Crusty cook/New steamer) | | 3 Frozen Quiche/Pie / 4 Frozen Chicken Nuggets | 3 Frozen Quiche/Pie / 4 Frozen Chicken Nuggets | 3. Frozen Quiche/Pie / 4. Frozen Chicken Nuggets |
| | Setting (My Choice) | Sound Option | • | • | of rozen dalener le 7 4. rozen enieker raggets |
| | Octaing (My Onoice) | Reminder End Signal | • | | |
| | | Clock System Option (12H / 24H) | • | • | • |
| | | Child Lock | • | • | • |
| | Cabinet Color | Offind Ebbit | Black | Silver | Black |
| | Door Color | | Black | Silver | STSS |
| | Cavity Interior | | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel |
| | Turntable | Material | Glass | Glass | Glass |
| ğ | Turritable | Size | diameter288mm | diameter288mm | diameter288mm |
| ŝ | Grill Heater | 0126 | Sheath | Sheath | Sheath |
| δ ŭ | Carton Box | | Yellow | Yellow | Yellow |
| A A | Round Rack | | • | • | • |
| | Steam Clean | | • | • | • |
| | Crispy Dish | | • | | |
| | Cooking Guide Label | | • | | • |
| _ | Dimension (WxHxD) | Cavity | 330mmx 211mm x329mm | 330mmx 211mm x329mm | 330mmx 211mm x329mm |
| र | Dimension (WXHXD) | Outside | 489mm x 275mm x 390 mm | 489mm x 275mm x 390 mm | 489mm x 275mm x 390 mm |
| 50 | | Shipping | 489mm x 275mm x 390 mm 557mm x329mm x451mm | 489mm x 275mm x 390 mm 557mm x329mm x451mm | 489mm x 275mm x 390 mm 557mm x329mm x451mm |
| 20 | Maight (kg) | Net | | | 15kg |
| Eみ | Weight (kg) | Shipping | 15kg 16.5kg | 15kg | |
| | Leading Quantity | | | 16.5kg | 16.5kg |
| | Loading Quantity | 20ft/40ft/40HQ | 356 / 735 / 840 set | 356 / 735 / 840 set | 356 / 735 / 840 set |

MUSE 2













| Capacity | | 0.7 cu.ft. / 20 Liter | 0.7 cu.ft. / 20 Liter | 0.8 cu.ft. / 23 Liter | 0.8 cu.ft. / 23 Liter |
|----------------------|---|------------------------------|-------------------------|-----------------------|-----------------------|
| Туре | Installation | CMO | CMO | CMO | CMO |
| | Heat Source | Solo | Grill Combi | Solo | Solo |
| Power | Power Source | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| | Output Power (Microwave) | 800W | 750W | 800W | 800W |
| | Output Power(Grill) | | 950W | - | - |
| | Power Consumption(Microwave) | 1150W | 1100W | 1150W | 1150W |
| | Max Output Power | 1150W | 2050W | 1150W | 1150W |
| Display Type | | LED | LED-BAR | LED | LED |
| Control Method | | Tact | Tact | Easytronics | Tact |
| Door Open Mechanis | sm | Handle | Handle | Handle | Handle |
| MW Distribution Med | | Turntable | Turntable | Turntable | Turntable |
| Cooking Modes | Microwave Oven | • | • | • | • |
| | Brown / Grill | - | • | | _ |
| | Combi 1 | - | • | - | - |
| | Combi 2 | - | | - | - |
| | Combi 2 | - | | - | |
| Clock | COTIDE 3 | • | | • | • |
| Max Cooking Time | | 99 min | 99 min | • 60 min | 99 min |
| Kitchen Timer / Hold | Tanan | 9911111 | 991111 | - | 99 11111 |
| | | • | - | - | • |
| Custom Cook (Mem | ory) | • | 6 | - | 6 |
| Power Level | | | | | |
| Time Control | | Button (+ , -) | Button (+ , -) | Dial knob | Button (+ , -) |
| Weight/Serving cont | | Button (+ , -) | Button (+ , -) | Dial knob | Button (+ , -) |
| One Minute / 30 Sec | | 30 sec Plus | 30 sec Plus | - | 30 sec Plus |
| Defrost (Auto / Powe | er / Sensor) | Auto Rapid (4) | Auto Power (4) | Auto Defrost (1) | Auto Rapid (4) |
| Auto Reheat/cook | | Auto Reheat (3) | - | - | Auto Reheat (2) |
| Auto Cook | | - | - | . | Auto Cook (4) |
| Auto Reheat/Cook | | - | Auto Reheat(3)/Cook (2) | - | - |
| Auto Cafeteria | | - | - | - | Auto Cafeteria (2) |
| Deodorization | | • | - | - | • |
| Setting (My choice) | Sound Option | • | • | - | • |
| | Reminder End Signal | • | • | • | • |
| | Clock System Option (12H / 24H) | • | • | • | • |
| | Child Lock | (Hidden) | (Hidden) | - | • |
| Cabinet Color | | White | White | White | White |
| Door Color | | White | White | White | White |
| Cavity Interior | | Epoxy | Epoxy | Ceramic Enamel | Ceramic Enamel |
| Turntable | Material | Glass | Glass | Glass | Glass |
| | Size | diameter255mm | diameter255mm | diameter288mm | diameter288mm |
| Grill Heater | | - | Quartz | - | - |
| Carton Box | | ECO Package | ECO Package | ECO Package | ECO Package |
| Round Rack | | - | • | - | - |
| Cooking Guide Labe | el la | • | • | - | • |
| Dimension (WxHxD) | | 330mm x 211mm x 309mm | 330mm x 199mm x 309mm | 330mm x 211mm x 324mm | 330mm x 211mm x 324mm |
| (| Outside | 489mm x 275mm x 361mm | 489mm x 275mm x 379mm | 489mm x 275mm x 374mm | 489mm x 275mm x 374mm |
| | Shipping | 552mm x 329mm x 423mm | 552mm x 329mm x 423mm | 552mm x 329mm x 423mm | 552mm x 329mm x 423mm |
| Weight (kg) | Net | 11.0kg | 12.0kg | 11.5kg | 11.5kg |
| rroigine (ing) | Shipping | 12.5kg | 13.5kg | 13.0kg | 13.0kg |
| | 20ft/40ft/40HQ | 356 / 735 / 840 set | 356 / 735 / 840 set | 356 / 735 / 840 set | 356 / 735 / 840 set |



| Capacity | | 0.8 cu.ft. / 23 Liter | 0.8 cu.ft. / 23 Liter | 1.0 cu.ft. / 28 Liter | 1.0 cu.ft. / 28 Liter |
|---------------------------------|---------------------------------------|-----------------------|-----------------------------------|-----------------------|-----------------------------------|
| Туре | Installation | CMO | CMO | CMO | CMO |
| | Heat Source | Grill Combi | Grill Combi | Solo | Solo |
| Power | Power Source | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| _ | Output Power (Microwave) | 800W | 800W | 1000W | 1000W |
| | Output Power(Grill) | 1100W | 1100W | - | - |
| 2 | Power Consumption(Microwave) | 1200W | 1200W | 1500W | 1500W |
| D | Max Output Power | 2300W | 2300W | 1500W | 1500W |
| Display Type | · · · · · · · · · · · · · · · · · · · | LED-BAR | LED-BAR | LED | LED |
| Control Method | | Easytronics | Tact | Easytronics | Tact |
| Door Open Mechanism | | Handle | Handle | Handle | Handle |
| MW Distribution Mechanism | | Turntable | Turntable | Turntable | Turntable |
| Cooking Modes | Microwave Oven | • | • | • | • |
| Coolining modelo | Brown / Grill | • | • | _ | _ |
| | Combi 1 | • | • | _ | _ |
| | Combi 2 | • | • | _ | _ |
| | Combi 3 | • | • | _ | _ |
| Clock | Combro | • | • | • | • |
| Max Cooking Time | | 60 min | 99 min | 60 min | 99 min |
| Custom Cook (Memory) | | - | | 0011111 | |
| Power Level | | 6 | 6 | 7 | 6 |
| Time Control | | Dial knob | Button (+ , -) | Dial knob | Button (+ , -) |
| Weight / Serving Control | | Dial knob | Button (+ , -) | Dial knob | Button (+ , -) |
| One Minute / 30 Sec. Plus | | Dial KIOD | 30 sec Plus | Dial KI IOU | 30 secs Plus |
| Turntable on/off | | - | 30 Sec Plus | - | 30 secs Plus |
| Defrost (Auto / Power / Sensor) | | - Auto Defrost (1) | Auto Power (4) | Auto Defrost (1) | Auto Power (4) |
| Auto Reheat | | Auto Deirost (1) | Auto Power (4) Auto Reheat (4) | Auto Deirost (1) | Auto Power (4) Auto Reheat (4) |
| | | - | | - | |
| Auto cook Auto Snack | | - | Auto Cook (3) | - | Auto Cook (3) |
| | | - | - | | Auto snack (4) |
| Setting (My Choice) | Sound Option | - | • | - | • |
| | Reminder End Signal | • | • | | • |
| | Clock System Option (12H / 24H) | • | • | • | • |
| | Child Lock | - | • | - | • |
| Cabinet Color | | White | White | White | White |
| Door Color | | White | White | White | White |
| Cavity Interior | | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel |
| Turntable | Material | Glass | Glass | Glass | Glass |
| | Size | diameter288mm | diameter288mm | diameter318mm | diameter318mm |
| Grill Heater | | Ceramic Heater | Ceramic Heater | - | - |
| Carton Box | | ECO Package | ECO Package | ECO Package | ECO Package |
| Round Rack | | • | • | - | - |
| Crispy Dish | | • | - | - | - |
| Cooking Guide Label | | - | - | - | - |
| Dimension (WxHxD) | Cavity | 330mm x 211mm x 324mm | 330mm x 211mm x 324mm | 336mm x 241mm x 349mm | 336mm x 241mm x 349mm |
| | Outside | 489mm x 275mm x 392mm | 489mm x 275mm x 392mm | 512mm x 297mm x 411mm | 512mm x 297mm x 411mm |
| | Shipping | 552mm x 329mm x 423mm | 552mm x 329mm x 423mm | 570mm x 362mm x 466mm | 570mm x 362mm x 466mm |
| Weight (kg) | Net | 13.0kg | 13.0kg | 15.0kg | 15.0kg |
| | Shipping | 15.0kg | 15.0kg | 17.0kg | 17.0kg |
| Loading Quantity | 20ft / 40HQ | 356 / 735 / 840 set | 356 / 735 / 840 set | 288 / 600 / 700 set | 288 / 600 / 700 set |

MUSE 2

GE102V-X







| Capacity | | 1.0 cu.ft. / 28 Liter | 1.0 cu.ft. / 28 Liter |
|---------------------------------|---------------------------------|---------------------------------------|-----------------------|
| Туре | Installation | CMO | СМО |
| | Heat Source | Grill Combi | Grill Combi |
| Power | Power Source | 230V / 50Hz | 230V / 50Hz |
| | Output Power (Microwave) | 900W | 900W |
| | Output Power(Grill) | 1300W | 1300W |
| | Power Consumption(Microwave) | 1400W | 1400W |
| 5 | Max Output Power | 2700W | 2700W |
| Display Type | Max output i ovioi | LED-BAR | LED-BAR |
| Control Method | | Easytronics | Tact |
| Door Open Mechanism | | Handle | Handle |
| MW Distribution Mechanism | | Turntable | Turntable |
| Cooking Modes | Microwave Oven | - Unitable | I UINADIE |
| COOKING MODES | Brown / Grill | • | • |
| | Combi 1 | • | • |
| | Combi 2 | • | |
| | Combi 2 Combi 3 | • | • |
| Clock | Combi 3 | · · · · · · · · · · · · · · · · · · · | • |
| | | • | |
| Max Cooking Time | | 60 min | 99 min |
| Custom Cook (Memory) | | - | • |
| Power Level | | 6 | 6 |
| Time Control | | Dial knob | - |
| Weight / Serving Control | | Dial knob | Button (+ , -) |
| One Minute / 30 Sec. Plus | | - | Button (+ , -) |
| Turntable on/off | | • | 30 secs Plus |
| Defrost (Auto / Power / Sensor) | | Auto Defrost (1) | Auto Power (4) |
| Auto Reheat | | - | Auto Reheat (4) |
| Auto cook | | | Auto Cook (2) |
| Setting (My Choice) | Reminder End Signal | • | • |
| | Clock System Option (12H / 24H) | • | • |
| | Child Lock | - | • |
| Cabinet Color | | Black | Black |
| Door Color | | White | White |
| Cavity Interior | | Ceramic Enamel | Ceramic Enamel |
| Turntable | Material | Glass | Glass |
| | Size | diameter318mm | diameter318mm |
| Grill Heater | | Ceramic coated Sheath | Ceramic coated Sheath |
| Carton Box | | ECO Package | ECO Package |
| Round Rack | | • | • |
| Power Steam bowl | | • | - |
| Dimension (WxHxD) | Cavity | 336mm x 241mm x 349mm | 336mm x 241mm x 349mm |
| | Outside | 512mm x 297mm x 437mm | 512mm x 297mm x 437mm |
| | Shipping | 570mm x 362mm x 466mm | 570mm x 362mm x 466mm |
| | | | |
| Woight (kg) | Not | 16 Okg | 16 Okg |
| Weight (kg) | Net Shipping | 16.0kg 18.5kg | 16.0kg 18.5kg |

MUSE MIRROR

GW76N-M



| | Capacity | | 0.7 cuft. / 20 Liter |
|---------------------------------------|---------------------------------|---------------------------------|--|
| | Туре | Installation | CMO |
| | | Heat Source | Grill Combi |
| | Power | Power Source | 230V / 50Hz |
| <u></u> | | Output Power (Microwave) | 750W |
| l So | | Output Power(Grill) | 950W |
| Č | | Power Consumption(Microwave) | 1100W |
| ж Ж | | Max Output Power | 2050W |
| | Display Type | Max Ouplat Forei | LED-BAR |
| | Control Method | | Tact |
| | Door Open Mechanism | | Handle |
| | MW Distribution Mechanism | | Tuntale |
| | Cooking Modes | Microwave Oven | |
| | COOKING MICLES | Brown / Grill | • |
| | | Combi 1 | • |
| | | Combi 2 | |
| | | Combi 3 | |
| | Clock | Combra | · · · · |
| | Max Cooking Time | | 99 min |
| Ś | Custom Cook | | |
| <u>e</u> | Power Level | | 6 |
| E I | Time Control | | Button (+ , -) |
| ea Ba | Weight/Serving control | | Button (+, -) |
| L. | One Minute / 30 Sec. Plus | | Bullion (+, -) 30 sec Plus |
| | Defrost (Auto / Power / Sensor) | | ou sec Pus Auto Rapid (4) |
| | Auto Reheat/cook | | Auto Apilo (+) Auto Reheat/Cook (5) |
| | | 0 | Auto Heneau Cook (5) |
| | Setting (My Choice) | Sound Option | |
| | | Reminder End Signal | |
| | | Clock System Option (12H / 24H) | |
| | Cabinet Color | Child Lock | (Hidden) Silver |
| ŝ | | | |
| she | Door Color | | Mirror |
| i i i i i i i i i i i i i i i i i i i | Cavity Interior | | Epxy |
| L SS | Turntable | Material | Glass |
| s s | 0.000 | Size | diameter255mm |
| Ac | Grill Heater | | Quartz |
| | Carton Box | | Eco Package |
| ŝ | Round Rack | | • |
| | Cooking Guide Label | 0.1 | • |
| | Dimension (WxHxD) | Cavity | 330mmx 197mm x320mm |
| Physical Spec. | | Outside | 489mm x 275mm x 410mm |
| e Gi | | Shipping | 557mm x329mm x451mm |
| 20 | Weight (kg) | Net | 13.5kg |
| Ъ., | | Shipping | 15.0kg |
| | Loading Quantity | 20ft / 40ft / 40HQ | 356 / 735 / 840 sets |

DREAM

ME83DR

GE83DTR





| Capacity | | 0.8 cu.ft. / 23 Liter | 0.8 cu.ft. / 23 Liter |
|--|---------------------------------|---|---|
| Туре | Installation | CMO | СМО |
| | Heat Source | Solo | Grill Combi |
| Power | Power Source | 230V / 50Hz | 230V / 50Hz |
| - | Output Power (Microwave) | 850W | 850W |
| eneral | Output Power(Grill) | - | 1100W |
| 2 | Power Consumption(Microwave) | 1250W | 1300W |
| | Max Output Power | 850W | 2400W |
| Display Type | | LED | LED |
| Control Method | | Membrane | Membrane |
| Door Open Mechanism | | Push button | Push button |
| MW Distribution Mechanisr | m | Turntable | Turntable |
| Cooking Modes | Microwave Oven | • | • |
| | Brown / Grill | - | • |
| | Combi 1 | - | • |
| | Combi 2 | - | • |
| | Combi 3 | - | • |
| Clock | | • | • |
| Max Cooking Time | | 99 min | 99 min |
| Kitchen Timer / Hold Timer | r | • | - |
| Power Level | | 6 | 6 |
| E Time Control | | Button (+ , -) | Button (+ , -) |
| One Minute / 30 Sec. Plus | | 30 sec Plus | 30 sec Plus |
| Defrost (Auto / Power / Ser | | Rapid (4) | Rapid (4) |
| Auto Reheat / Cook | | Auto (5) | Auto (5) |
| Cafeteria | | Cafeteria (2) | Cafeteria (2) |
| Deodorization | | • | |
| Setting (My Choice) | Sound Option | • | • |
| , or y | Reminder End Signal | • | • |
| | Clock System Option (12H / 24H) | • | • |
| | Child Lock | • | • |
| Cabinet Color | | Black | Black |
| Door Color | | Black | Black+STSS |
| 2 > Cavity Interior | | Ceramic Enamel | Ceramic Enamel |
| - Turntable | Material | Glass | Glass |
| Ç S | Size | diameter288mm | diameter288mm |
| Grill Heater | | - | Sheath |
| Carton Box | | Eco Package | Eco Package |
| Round Rack | | | • |
| Crusty plate | | - | • |
| Cook Book | | • | • |
| Dimension (WxHxD) | Cavity | 330mm x 211mm x 329mm | 330mm x 211mm x 329mm |
| | Outside | 489mm x 275mm x 351mm | 489mm x 275mm x 369mm |
| | | | |
| | Shipping | 557mm x 329mm x 418mm | 557mm x 329mm x 418mm |
| | Shipping Net | 557mm x 329mm x 418mm 12.5kg | 557mm x 329mm x 418mm 14.5ka |
| Weight (kg) | Shipping Net Shipping | 557mm x 329mm x 418mm 12.5kg 14kg | 557mm x 329mm x 418mm 14.5kg 16.0kg |



MW81Y











| | Capacity | | 0.8cu.ft. / 23 Liter | 0.8 cu.ft. / 23 Liter | 0.8 cu.ft. / 23 Liter |
|-------------|---------------------------------|---------------------------------|-----------------------|---|---|
| | Туре | Installation | СМО | CMO | СМО |
| | | Heat Source | Solo | Solo | Grill Combi |
| | Power | Power Source | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| 7 | | Output Power (Microwave) | 850W | 850W | 850W |
| E Se | | Power Consumption - MW | 1250W | 1250W | 1100W |
| Ĕ, | | - Conv | - | _ | 1300W |
| Å | | - Max | - | - | 2400W |
| \sim | Display Type | | | LED | LED |
| | Control Method | | Mechanic | Membrane | Membrane |
| | Door Open Mechanism | | Handle | Handle | Handle |
| | MW Distribution Mechanism | | Turntable | Turntable | Turntable |
| _ | Cooking Modes | Microwave Oven | - Cirinable | • | • |
| | COOKING MIDDLES | Brown / Grill | - | _ | • |
| | | Combi 1 | - | - | (MW1+Grill) |
| | | Combi 2 | - | | • (MW2+Gril) |
| | | Combi 3 | | | • (MW3+Grill) |
| | Clock | Combi 3 | | • | • (MW3+GHI) |
| | Max Cooking Time | | | 99 min | 99 min |
| | | | | | |
| | Kitchen Timer / Hold Timer | | - | • | - |
| SS | Custom Cook | | - | • | - |
| | Power Level | | 7 | 6 | 6 |
| ati | Time Control | | Knob | Dial | Dial |
| .ĕ. | One Minute / 30 Sec. Plus | | - | 30 sec Plus | 30 sec Plus |
| | Defrost (Auto / Power / Sensor) | | Manual def. | Power Defrost(1) | Power Defrost(4) |
| | | | | Meat / Poultry / Fish / Bread/Cake | 1 Meat / 2 Poultry / 3 Fish / 4 Bread/Cake |
| | Auto Reheat/cook | | | 1 Ready Meal / 2 Frozen Ready Meal / 3 Drinks | 1.Ready Meal / 2.Soup/Sauce / 3.Pasta Gratin / 4.Drinks |
| | Auto Cook | | - | Power steam(4) | 1.Frozen Pizza / 2.Frozen Baguettes |
| | | | | 1. Rice / 2. Peeled Potatoes / 3. Fresh Vegetables / 4. Fruit Compote | 3 Frozen Quiche/Pie / 4 Frozen Chicken Nuggets |
| | Setting (My Choice) | Sound Option | = | • | • |
| | | Reminder End Signal | • | • | • |
| | | Clock System Option (12H / 24H) | - | • | • |
| | | Child Lock | - | • | • |
| | Cabinet Color | | White | White | White |
| SS | Door Color | | White | White | White |
| Ĕ. | Cavity Interior | | Epoxy | Epoxy | Ceramic Enamel |
| i≌ ≥ I | Turntable | Material | Glass | Glass | Glass |
| it SI | | Size | diameter 288mm | diameter 288mm | diameter 288mm |
| X X | Grill Heater | | - | - | Sheath |
| လီပီ | Carton Box | | Eco Package | Eco Package | Eco Package |
| R a | Round Rack | | - | - | • |
| - er | Steam Clean | | - | - | • |
| ਼ੁੱਤ | Power Steam bowl | | - | • | - |
| Σ | Crispy Dish | | - | - | • |
| | Cooking Guide Label | | - | • | • |
| | Dimension (WxHxD) | Cavity | 330mmx 211mm x329mm | 330mmx 211mm x329mm | 330mmx 211mm x329mm |
| . sa | | Outside | 489mm x 275mm x 374mm | 489mm x 275mm x 374mm | 489mm x 275mmx379mm |
| <u> </u> | | Shipping | 557mm x329mm x451mm | 557mm x329mm x451mm | 557mm x329mm x451mm |
| 'hys Spe | Weight (kg) | Net | 13.5kg | 13.5kg | 15 Kg |
| r Ω | 0 (0) | Shipping | 15.0kg | 15.0kg | 16.5 Kg |
| | | 20ft / 40ft / 40HQ | 356 / 735 / 840set | 356 / 735 / 840set | |



MW83G

0





GE83GR



| Capacity | | 0.8 cu.ft. / 23 Liter |
|-----------------------------------|---------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Type | Installation | CMO | CMO | СМО | СМО |
| | Heat Source | SOLO | SOLO | SOLO | Grill Combi |
| Power | Power Source | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| | Output Power (Microwave) | 850W | 850W | 850W | 850W |
| <u> </u> | Output Power(Grill) | - | - | - | 1100W |
| 2 | Power Consumption(Microwave) | 1250W | 1250W | 1250W | 1300W |
| 5 | Max Output Power | 2450W | 2450W | 2450W | 2400W |
| Display Type | | LED-BAR | LED-BAR | LED-BAR | LED-BAR |
| Control Method | | Membrane | Tact | Tact | Membrane |
| Door Open Mechanism | | Handle | Handle | Handle | Handle |
| MW Distribution Mechanism | | Turntable | Turntable | Turntable | Turntable |
| Cooking Modes | Microwave Oven | • | • | • | • |
| | Brown / Grill | - | - | - | • |
| | Combi 1 | • | • | • | • |
| | Combi 2 | • | • | • | • |
| | Combi 3 | • | • | • | • |
| Clock | | • | • | • | • |
| Max Cooking Time | | 99 min | 99 min | 99 min | 99 min |
| Power Level | | 6 | 6 | 6 | 6 |
| Time Control | | Button(+,-) | Button(+,-) | Button(+,-) | Button(+,-) |
| Weight/Serving control | | Button(+,-) | Button(+,-) | Button(+,-) | Button(+,-) |
| One Minute / 30 Sec. Plus | | 30 sec Plus | 30 sec Plus | 30 sec Plus | 30 sec Plus |
| Defrost (Auto / Power / Sensor) | | Power Defrost(4) | Power Defrost(4) | Power Defrost(4) | Power Defrost(4) |
| Auto Reheat / Cook | | Auto cook(5) | Auto cook(5) | Auto cook(5) | T OWEL DEITOSI(H) |
| Auto cook (New poewr Steam Bowl / | | Power Steam cook(4) | Power Steam cook(4) | Power Steam cook(4) | Auto cook(3) |
| Crusty cook / New Steamer) | | TOWER Stearn COOK(4) | T OWER Stearn COOK(4) | Tower Stearn COOK(4) | Crusty Cook(4) |
| Auto Cafeteria | | 2 | 2 | 2 | Giusty GOOK(4) |
| Setting (My Choice) | Sound Option | • | • | • | • |
| Octaing (My Onolog) | Reminder End Signal | • | | | |
| | Clock System Option (12H / 24H) | • | • | | • |
| | Child Lock | (Hidden) | (Hidden) | (Hidden) | (Hidden) |
| Cabinet Color | CHIId LOCK | White | White | White | White |
| Door Color | | White | White | White/Red | White |
| Cavity Interior | | Epoxy | Epoxy | Epoxy | Ceramic Enamel |
| Turntable | Material | Glass | Glass | Glass | Glass |
| Turniable | Size | diameter288mm | diameter288mm | diameter288mm | diameter288mm |
| Grill Heater | Size | diameter288mm | diameter288mm | diameter288mm | Sheath |
| Carton Box | | Eco Package | Eco Package | Eco Package | |
| Round Rack | | Eco Package | Eco Package | Eco Package | Eco Package |
| Power Steam bowl | | • | • | • | • |
| Crispy Dish | | • | | • | • |
| | | - | - | - | • |
| Cooking Guide Label | 0. 1 | | - | | - |
| Dimension (WxHxD) | Cavity | 330mmx 211mm x329mm | 330mmx 211mm x329mm | 330mmx 211mm x329mm | 330mmx 211mm x329mm |
| | Outside | 489mm x 275mm x 383mm | 489mm x 275mm x 383mm | 489mm x 275mm x 383mm | 489mm x 275mm x 401mm |
| | Shipping | 557mm x329mm x451mm | 557mm x329mm x451mm | 557mm x329mm x451mm | 557mm x329mm x451mm |
| Weight (kg) | Net | 13.5kg | 13.5kg | 13.5kg | 15.0kg |
| | Shipping | 15kg | 15kg | 15kg | 16.5kg |
| Loading Quantity | 20ft / 40ft / 40HQ | 356 / 735 / 840set | 356 / 735 / 840set | 356 / 735 / 840set | 356 / 730 / 830set |

MONET

GE83GDT-B



GE87GR





| Installation leaf Source over Source over Source over Source Dutput Power (Microwave) Dutput Power (Grill) over Consumption(Microwave) Aax Output Power | CMO Grill Combi 230V / 50Hz 850W 1100W 1300W 2400W LED-BAR Membrane | CMO Gritt Combi 230V / 50Hz 850W 1100W 1300W 2400W LED-BAR | CMO Grill Combi 230V / 50Hz 850W 1100W 1300W 2400W |
|---|---|--|--|
| Power Source Dutput Power (Microwave) Dutput Power(Grill) Power Consumption(Microwave) | 230V/ 50Hz 850W 1100W 1300W 2400W LED-BAR | 230V / 50Hz 850W 1100W 1300W 2400W | 230V / 50Hz 850W 1100W 1300W |
| Dutput Power (Microwave) Dutput Power(Grill) Power Consumption(Microwave) | 850W 1100W 1300W 2400W LED-BAR | 850W 1100W 1300W 2400W | 850W 1100W 1300W |
| Dutput Power(Grill) Power Consumption(Microwave) | 1100W 1300W 2400W LED-BAR | 1100W 1300W 2400W | 1100W 1300W |
| Power Consumption(Microwave) | 1300W 2400W LED-BAR | 1300W 2400W | 1300W |
| | 2400W LED-BAR | 2400W | |
| | 2400W LED-BAR | | 0.400W/ |
| | | LED BAR | 24007 |
| | Membrane | | LED-BAR |
| | | Membrane | Tact |
| | Handle | Handle | Handle |
| | Turntable | Turntable | Turntable |
| Aicrowave Oven | | | • |
| | • | • | • |
| | • | • | • |
| | | • | • |
| | | | • |
| JOI 101 3 | | | • |
| | | | 99 min |
| | | | 6 |
| | | | |
| | | | Button(+,-) |
| | | | Button(+,-) |
| | | | 30 sec Plus |
| | | | Power Defrost(4) |
| | | | Auto cook(3) |
| | | | Crusty Cook(4) |
| | | | • |
| | | | • |
| | | - | • |
| Child Lock | | | (Hidden) |
| | | | White |
| | | | White |
| | | | Ceramic Enamel |
| | | | Glass |
| Size | diameter288mm | diameter288mm | diameter288mm |
| | Sheath | Sheath | Sheath |
| | Yellow | Yellow | Yellow |
| | • | • | • |
| | • | • | • |
| | • | • | • |
| Cavity | 330mmx 211mm x329mm | 330mmx 211mm x329mm | 330mmx 211mm x329mm |
| Dutside | 489mm x 275mm x 401mm | 489mm x 275mm x 401mm | 489mm x 275mm x 401mm |
| | | | 557mm x329mm x451mm |
| | | | 15.0kg |
| | | | 16.5kg |
| | | | 356 / 730 / 830set |
| | Savity | ticrowave Oven ficrowave Oven ficrowave Oven formit / Gril formit / Gril formit / Critil formi | Intervave Oven brown / Grill • • isrown / Grill • • • Somb 1 • • • • Somb 2 • < |





1 3

ME73AR

1



1






| Capacity | | 0.7 cu.ft. / 20 Liter | 0.7 cu.ft. / 20 Liter | 0.7 cu.ft. / 20 Liter | 0.7 cu.ft. / 20 Liter |
|---------------------------------|---------------------------------|---|--|--|---|
| Туре | Installation | CMO | CMO | CMO | CMO |
| | Heat Source | Solo | Solo | Gril | Gril |
| Power | Power Source | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| 3 | Output | 800W | 800W | 750W | 750W |
| 5 | Output Power(Grill) | - | - | 950W | 950W |
| | Power Consumption(Microwave) | 1150W | 1150W | 1100W | 1100W |
| | Max Output Power | 1150W | 1150W | 2050W | 2050W |
| Display Type | Iviax Output I owei | | LED | - | LED |
| Control Method | | Mechanical | Membrane | Mechanical | Membrane |
| Door Open Mechanism | | Handle | Handle | Handle | Handle |
| | | | Turntable | | Turntable |
| MW Distribution Mechanism | | Turntable | | Turntable | |
| Cooking Modes | Microwave Oven | • | • | • | • |
| | Brown / Grill | - | - | • | • |
| | Combi 1 | - | - | • | • |
| | Combi 2 | - | - | • | • |
| | Combi 3 | - | - | • | • |
| Clock | | - | • | - | • |
| Max Cooking Time | | 35 min | 99 min. 90 sec | 60 min | 99 min. 90 sec |
| Power Level | | 7 | 6 | 7 | 6 |
| Energy Saving button | | - | • | - | • |
| Time Control | | Timer Knob | Button (10'.1'.10") | Timer Knob | Button (10'.1'.10") |
| One Minute / 30 Sec. Plus | | _ | +30s Plus | _ | +30s Plus |
| Defrost (Auto / Power / Sensor) | | - (Manual defrost) | Rapid Defrost(4) | - (Manual defrost) | Rapid Defrost(4) |
| | | (mandal donod) | 1.Meat / 2.Poultry / 3.Fish / 4.Fruit/Berry | (Manual demosty | 1 Meat / 2 Poultry / 3 Fish / 4 Fruit/Berry |
| Auto Reheat / Cook | | | 1. Weat 7 2.1 Outry 7 5 1 Bit 7 4.1 Git Deity | | 1. Ready Meal / 2. Drinks / 3. Fronzen Ready Me |
| Auto Helleat / OOOK | | _ | 1.Ready Meal / 2.Frozen Ready Meal / 3.Drinks | - | 4. Frozen Fish Gratin / 5. Frozen Pasta Gratin |
| | | - | 1. Ready Meal / 2. Flozen Ready Meal / 3. Dhinks | - | 6.Frozen Mini Quiche/Mini Pizza |
| | | | | | 6 Frozen Mini Quiche/Mini Pizza |
| Instant Reheat | | 1. Drinks / 2. Soup/Sauce / 3. Fresh Vegetables | - | - | |
| Setting (My Choice) | Sound Option | - | - | - | (Hidden) |
| | Reminder End Signal | - | • | - | • |
| | Clock System Option (12H / 24H) | - | • | - | • |
| | Child Lock | - | - | - | (Hidden) |
| Cabinet Color | | White | White | White | White |
| Door Color | | White | White | White | White |
| Cavity Interior | | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel |
| 8 Turntable | Material | Glass | Glass | Glass | Glass |
| 8 | Size | diameter255mm | diameter255mm | diameter255mm | diameter255mm |
| Grill Heater | | - | - | Quartz | Quartz |
| Carton Box | | Yellow | Yellow | Yellow | Yellow |
| Round Rack | | | - | | • |
| Dimension (WxHxD) | Cavity | 330mm x 211mm x 309mm | 330mm x 211mm x 309mm | 330mm x 199mm x 309mm | 330mm x 199mm x 309mm |
| Dimonsion (www.ixD) | Outside | 489mm x 275mm x 349mm | 489mm x 275mm x 349mm | 489mm x 275mm x 367mm | 489mm x 275mm x 367mm |
| 5 | Shipping | 489mm x 275mm x 349mm 552mm x 329mm x 403mm | 489mm x 275mm x 349mm 552mm x 329mm x 403mm | 489mm x 275mm x 367mm 552mm x 329mm x 403mm | 489mm x 275mm x 367mm 552mm x 329mm x 403mm |
| | | | | | |
| Weight (kg) | Net | 11.0kg | 11.0kg | 12.0kg | 12.0kg |
| Weight (kg) | Shipping | 12.5kg | 12.5kg | 13.5kg | 13.5kg |
| Loading Quantity | 20ft / 40ft / 40HQ | 414 / 855 / 969set | 414 / 855 / 969set | 414 / 855 / 969set | 414 / 855 / 969set |







GE81A





| Capacity | | 0.8 cu.ft. / 23 Liter | 0.8 cu.ft. / 23 Liter | 0.8 cu.ft. / 23 Liter | 0.8 cu.ft. / 23 Liter |
|---------------------------|---------------------------------|---|-----------------------|---|------------------------------|
| Туре | Installation | CMO | CMO | CMO | CMO |
| | Heat Source | Solo | Solo | Grill | Grill |
| Power | Power Source | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| ភូ | Output | 800W | 800W | 800W | 800W |
| e | Output Power(Grill) | - | - | 1100W | 1100W |
| 5 | Power Consumption(Microwave) | 1150W | 1150W | 1200W | 1200W |
| 5 | Max Output Power | 1150W | 1150W | 2300W | 2300W |
| Display Type | | - | LED | - | LED |
| Control Method | | Mechanical | Membrane | Mechanical | Membrane |
| Door Open Mechanism | | Handle | Handle | Handle | Handle |
| MW Distribution Mechanism | | Turntable | Turntable | Turntable | Turntable |
| Cooking Modes | Microwave Oven | • | • | • | • |
| Ť | Brown / Grill | - | - | • | • |
| | Combi 1 | - | - | • | • |
| | Combi 2 | - | - | • | • |
| | Combi 3 | - | - | • | • |
| Clock | | - | • | - | • |
| Max Cooking Time | | 35 min | 99 min. 90 sec | 60 min | 99 min. 90 sec |
| Power Level | | 7 | 6 | 7 | 6 |
| Energy Saving button | | - | • | - | • |
| Time Control | | Timer Knob | Button (10', 1', 10") | Timer Knob | Button (10',1',10") |
| One Minute / 30 Sec. Plus | | - | +30s Plus | - | +30s Plus |
| Instant Reheat | | 1. Drinks / 2. Soup/Sauce / 3. Fresh Vegetables | - | 1. Drinks / 2. Soup/Sauce / 3. Fresh Vegetables | No |
| Setting (My Choice) | Sound Option | - | - | - | (Hidden) |
| | Reminder End Signal | - · · · | • | - | • |
| | Clock System Option (12H / 24H) | - | • | - | • |
| | Child Lock | - | - | - | (Hidden) |
| Cabinet Color | | White | White | White | White |
| Door Color | | White | White | White | White |
| Cavity Interior | | Epoxy | Epoxy | Enamel | Enamel |
| 7 Turntable | Material | Glass | Glass | Glass | Glass |
| 2 | Size | diameter288mm | diameter288mm | diameter288mm | diameter288mm |
| Grill Heater | | - | - | Sheath | Sheath |
| Carton Box | | Eco Package | Eco Package | Eco Package | Eco Package |
| Round Rack | | - | - | • | • |
| Dimension (WxHxD) | Cavity | 330mm x 211mm x 324mm | 330mm x 211mm x 324mm | 330mm x 211mm x 324mm | 330mm x 211mm x 324mm |
| | Outside | 489mm x 275mm x 364mm | 489mm x 275mm x 364mm | 489mm x 275mm x 382mm | 489mm x 275mm x 382mm |
| 3 | Shipping | 552mm x 329mm x 410mm | 552mm x 329mm x 410mm | 552mm x 329mm x 410mm | 552mm x 329mm x 410mm |
| Weight (kg) | Net | 11.5kg | 11.5kg | 13.0kg | 13.0kg |
| | Shipping | 13.0kg | 13.0kg | 14.5kg | 14.5kg |
| Loading Quantity | 20ft / 40ft / 40HQ | 359 / 732 / 825set | 377 / 783 / 890set | 359 / 732 / 825set | 377 / 783/ 8 90set |


SOFT 1



0









| Capacity | | 0.7 cu.ft. / 20 Liter | 0.7 cu.ft. / 20 Liter | 0.7 cu.ft. / 20 Liter | 0.7 cu.ft. / 20 Liter |
|--------------------------------------|---------------------------------|--------------------------------------|--|-----------------------|--|
| Туре | Installation | CMO | CMO | CMO | CMO |
| | Heat Source | Solo | Solo | Gril | Gril |
| Power | Power Source | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| ন্ত | Output Power (Microwave) | 800W | 800W | 750W | 750W |
| 0 | Output Power (Grill) | - | - | 950W | 950W |
| | Power Consumption (Microwave) | 1150W | 1150W | 1100W | 1100W |
| κ | Max Output Power | 1150W | 2050W | 2050W | 2050W |
| Display Type | | | LED | | LED |
| Control Method | | Mechanical | Membrane | Mechanical | Membrane |
| Door Open Mechanism | | Push Button | Push Button | Push Button | Push Button |
| MW Distribution Mechanism | | Turntable | Turntable | Turntable | Turntable |
| Cooking Modes | Microwave Oven | • | • | • | • |
| | Brown / Grill | | | - | |
| | Combi 1 | - | | - | • |
| | Combi 2 | _ | | - | |
| | Combi 3 | - - | | - | |
| Clock | COMDI 3 | | | | |
| Max Cooking Time | | 35 Min | 99 Min 90 Sec. | - 60 Min | 99 Min 90 Sec. |
| | | 30 Min 7 | 99 Min 90 Sec. | 7 | 99 Mill 90 Sec. |
| Power Level | | / | 6 | - | 6 |
| Energy Saving Button Time Control | | - | - | - Timer Knob | • |
| | | Timer Knob | Button (10'.1'.10") | limer Knob | Button (10'.1'.10") |
| One Minute / 30 Sec. Plus | | - | 30 Sec. Plus | - | 30 Sec. Plus |
| Defrost (Auto / Power / Sensor) | | (Manual Defrost) | Rapid Defrost (4) | - (Manual Defrost) | Rapid Defrost (4) |
| | | | 1.Meat / 2.Poultry / 3.Fish / 4. Fruit / Berry | | 1. Meat / 2. Poultry / 3. Fish / 4. Fruit / Bern |
| Russian Cook | | - | 1.Breakfast(7) / 2. Lunch (8) | - | 1. Breakfast(10) / 2. Lunch(10) |
| | | | 3. Dinner (7) / 4. For Special (8) | | 3. Dinner(11) / 4. For Special(10) |
| Setting (My Choice) | Sound Option | - | - | - | (Hidden) |
| | Reminder End Signal | - | • | - | • |
| | Clock System Option (12H / 24H) | - | • | - | • |
| | Child Lock | - | - | - | (Hidden) |
| Cabinet Color | | White | White | White | White |
| Door Color | | White | White | White | White |
| Cavity Interior | | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel |
| 7 Turntable | Material | Glass | Glass | Glass | Glass |
| ğ | Size | Diameter 255mm | Diameter 255mm | Diameter 255mm | Diameter 255mm |
| Grill Heater | | - | - | Quartz | Quartz |
| Carton Box | | Eco Package | Eco Package | Eco Package | Eco Package |
| Round Rack | | - | - | | • |
| Dimension (WxHxD) | Cavity | 330mm x 211mm x 309mm | 330mm x 211mm x 309mm | 330mm x 199mm x 309mm | 330mm x 199mm x 309mm |
| | Outside | 489mm x 275mm x 343mm | 489mm x 275mm x 320mm | 489mm x 275mm x 361mm | 489mm x 275mm x 338mm |
| | Shipping | 547mm x 328mm x 388mm | 547mm x 328mm x 388mm | 547mm x 328mm x 388mm | 547mm x 328mm x 388mm |
| Weight | Net | 10.5kg | 10.5kg | 11.5kg | 11.5kg |
| | Shipping | 12.0kg | 12kg | 13kg | 13kg |
| Loading Quantity | 20ft / 40ft / 40HQ | 377 / 783 / 890set | 377 / 783 / 890set | 377 / 783 / 890set | 377 / 783 / 890set |











ME732KR



GE712KR



GE732KR

| Capacity | | | 0.7 cu.ft. / 20 Liter | 0.7 cu.ft. / 20 Liter | 0.7 cu.ft. / 20 Liter | 0.7 cu.ft. / 20 Liter |
|-----------------|---------------------|----------------------------------|-----------------------|---|-----------------------|--|
| Туре | | Installation | CMO | CMO | CMO | CMO |
| | | Heat Source | Solo | Solo | Grill | Grill |
| Power | | Power Source (V / Hz) | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| ज | | Output Power / Microwave (Watts) | 800W | 800W | 750W | 750W |
| ā | | Output Power / Grill (Watts) | - | - | 950W | 950W |
| <u>Ē</u> | | Power Consumption / Microwave | 1150W | 1150W | 1100W | 1100W |
| ക് | | Max Output Power | 1150W | 2050W | 2050W | 2050W |
| Display Type | | | | LED | | LED |
| Control Metho | | | Mechanical | Membrane | Mechanical | Membrane |
| Door Open M | | | Push Button | Push Button | Push Button | Push Button |
| | tion Mechanism | | Turntable | Turntable | Turntable | Turntable |
| Cooking Mod | | Microwave oven | • | • | • | • |
| | | Brown / Grill | _ | | - | |
| | | Combi 1 | - | - | - | • |
| | | Combi 2 | - | | - | |
| | | Combi 2 Combi 3 | - | - | - | |
| Clock | | COMDI 3 | | ······· | | |
| | | | 35 Min | 99 Min 90 Sec. | | 99 Min 90 Sec. |
| Max Cooking | | | 35 Min 7 | | 60 Min | |
| O Power Level | | | 1 | 6 | / | 6 |
| Energy Saving | | | | • | | • |
| Time control | | | Timer Knob | Button (10'.1'.10") | Timer Knob | Button (10'.1'.10") |
| | / 30 secs Plus | | - | 30 Sec. Plus | - | 30 Sec. Plus |
| Defrost (Auto | o / Power / Sensor) | | - (Manual defrost) | Rapid Defrost (4) | - (Manual defrost) | Rapid Defrost (4) |
| | | | | 1. Meat / 2. Poultry / 3. Fish / 4. Fruit / Berry | | 1. Meat / 2. Poultry / 3. Fish / 4. Fruit / Berr |
| Russian cook | k | | - | 1. Breakfast(7) / 2. Lunch (8) | = | 1. Breakfast (10) / 2. Lunch (10) |
| | | | | 3. Dinner (7) / 4. For Special (8) | | 3. Dinner (11) / 4. For Special (10) |
| Setting (My cl | | Sound Option | - | - | - | (Hidden) |
| | | Reminder End Signal | - | • | - | • |
| | | Clock System Option (12H / 24H) | - | • | - | • |
| | | Child Lock | - | - | - | (Hidden) |
| Cabinet Color | or | | White | White | White | White |
| Door Color | | | White | White | White | White |
| Cavity Interior | or | | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel |
| Turntable | | Material | Glass | Glass | Glass | Glass |
| <u>a ğ</u> | | Size | Diameter 255mm | Diameter 255mm | Diameter 255mm | Diameter 255mm |
| Grill Heater | | | - | - | Quartz | Quartz |
| Carton Box | | | Yellow | Yellow | Yellow | Yellow |
| Round Rack | | | - | - | - | • |
| Dimension (W | WxHxD) | Cavity | 330mm x 211mm x 309mm | 330mm x 211mm x 309mm | 330mm x 199mm x 309mm | 330mm x 199mm x 309mm |
| | | Outside | 489mm x 275mm x 343mm | 489mm x 275mm x 320mm | 489mm x 275mm x 361mm | 489mm x 275mm x 338mm |
| 8 | | Shipping | 547mm x 328mm x 388mm | 547mm x 328mm x 388mm | 547mm x 328mm x 388mm | 547mm x 328mm x 388mm |
| Weight | | Net | 10.5kg | 10.5kg | 11.5kg | 11.5kg |
| Weight | | Shipping | 12.0kg | 12.0kg | 13.0kg | 13.0kg |
| Loading Quar | | 20ft / 40ft / 40HQ | 377 / 783 / 890set | 377 / 783 / 890set | 377 / 783 / 890set | 377 / 783 / 890set |

SOFT 3







ME733KR



GE713KR



GE733KR

| Capacity | | 0.7 cu.ft. / 20 Liter | 0.7 cu.ft. / 20 Liter | 0.7 cu.ft. / 20 Liter | 0.7 cu.ft. / 20 Liter |
|---------------------------------|----------------------------------|--------------------------------------|---|--------------------------------------|---|
| Type | Installation | CMO | СМО | CMO | CMO |
| | Heat Source | Solo | Solo | Gri | Gri |
| Power | Power Source (V / Hz) | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| | Output Power / Microwave (Watts) | 800W | 800W | 750W | 750W |
| 5 | Output Power / Grill (Watts) | | - | 950W | 950W |
| | Power Consumption / Microwave | 1150W | 1150W | 1100W | 1100W |
| K | Max Output Power | 1150W | 2050W | 2050W | 2050W |
| Display Type | max oupur romor | - | LED | | LED |
| Control Method | | Mechanical | Membrane | Mechanical | Membrane |
| Door Open Mechanism | | Push Button | Push Button | Push Button | Push Button |
| MW Distribution Mechanism | | Turntable | Turntable | Turntable | Turntable |
| Cooking Modes | Microwave oven | - Turntable | i unitable | • | - Turnable |
| Cooking wodes | Brown / Grill | | - | | |
| | Combi 1 | - | - | - | |
| | Combi 1 Combi 2 | - | | - | |
| | | - | - | - | • |
| | Combi 3 | - | - | - | • |
| Clock | | - | • | - | • |
| Max Cooking Time | | 35 Min | 99 Min 90 Sec. | 60 Min | 99 Min 90 Sec. |
| Power Level | | 7 | 6 | 7 | 6 |
| Energy Saving button | | - | • | - | • |
| Time control | | Timer Knob | Button (10'.1'.10") | Timer Knob | Button (10'. 1'. 10") |
| One Minute / 30 secs Plus | | - | 30 Sec. Plus | - | 30 Sec. Plus |
| Defrost (Auto / Power / Sensor) | | (Manual Defrost) | Rapid Defrost (4) | (Manual Defrost) | Rapid Defrost (4) |
| | | | 1. Meat / 2. Poultry / 3. Fish / 4. Fruit / Berry | | 1. Meat / 2. Poultry / 3. Fish / 4. Fruit / Ben |
| Russian cook | | - | 1. Breakfast(7) / 2. Lunch(8) | - | 1. Breakfast (10) / 2. Lunch (10) |
| | | | Dinner(7) / 4. For special(8) | | Dinner (11) / 4. For special (10) |
| Setting (My choice) | Sound Option | - | | - | (Hidden) |
| | Reminder End Signal | - | • | - | • |
| | Clock System Option(12H / 24H) | - | • | - | • |
| | Child Lock | - | - | - | (Hidden) |
| Cabinet Color | | White | White | White | White |
| Door Color | | White | White | White | White |
| Cavity Interior | | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel |
| Turntable | Material | Glass | Glass | Glass | Glass |
| | Size | Diameter 255mm | Diameter 255mm | Diameter 255mm | Diameter 255mm |
| Grill Heater | | | | Quartz | Quartz |
| Carton Box | | Yellow | Yellow | Yellow | Yellow |
| Round Rack | | - 310 W | | . 3104 | • |
| Dimension (WxHxD) | Cavity | 330mm x 211mm x 309mm | 330mm x 211mm x 309mm | 330mm x 199mm x 309mm | 330mm x 199mm x 309mm |
| Dimonsion (WARAD) | Outside | 489mm x 275mm x 343mm | 489mm x 275mm x 320mm | 489mm x 275mm x 361mm | 489mm x 275mm x 338mm |
| | Shipping | 547mm x 328mm x 388mm | 547mm x 328mm x 388mm | 547mm x 328mm x 388mm | 547mm x 328mm x 388mm |
| Weight | Net | 10.5kg | 10.5kg | 11.5kg | 11.5kg |
| Weight | Shipping | 10.5kg 12.0kg | 12.0kg | 13.0kg | 11.5kg 13.0kg |
| | | | | | |
| Loading Quantity | 20ft / 40ft / 40HQ | 377 / 783 / 890set | 377 / 783 / 890set | 377 / 783 / 890set | 377 / 783 / 890set |

ECO BASIC









| Capacity | | 0.7 cu.ft. / 20 Liter | 0.7 cu.ft. / 20 Liter | 0.7 cu.ft. / 20 Liter |
|---------------------------------|---------------------------------|---|--|--|
| Туре | Installation | CMO | CMO | CMO |
| | Heat Source | Solo | Solo | Solo |
| Power | Power Source | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| | Output Power (Microwave) | 800W | 800W | 800W |
| | Power Consumption (Microwave) | 1150W | 1150W | 1150W |
| | Max Output Power | 2050W | 1150W | 2050W |
| Display Type | | LED | No | LED |
| Control Method | | Membrane | Mechanical | Membrane |
| Door Open Mechanism | | Push Button | Push Button | Push Button |
| MW Distribution Mechanism | | Turntable | Turntable | Turntable |
| Cooking Modes | Microwave Oven | • | • | • |
| | Brown / Grill | • | - | • |
| | Combi 1 | • | - | • |
| | Combi 2 | • | - | • |
| | Combi 3 | • | - | • |
| Clock | | • | - | • |
| Max Cooking Time | | 99 Min 90 Sec. | 35 Min | 99 Min 90 Sec. |
| Power Level | | 6 | 7 | 6 |
| Energy Saving Button | | • | - | • |
| Time Control | | Button (10'.1'.10") | Timer Knob | Button (10'.1'.10") |
| One Minute / 30 Sec. Plus | | 30 Sec. Plus | - | 30 Sec. Plus |
| Defrost (Auto / Power / Sensor) | | Rapid Defrost (4) | - (Manual defrost) | Rapid Defrost (4) |
| | | 1. Meat / 2. Poultry / 3. Fish / 4. Fruit / Berry | | 1. Meat / 2. Poultry / 3. Fish / 4. Fruit/Berry |
| Auto Reheat / Cook | | 1. Ready Meal / 2. Frozen Ready Meal / 3. Drinks | - | 1. Ready Meal / 2. Frozen Ready Meal / 3. Drinks |
| Instant Reheat | | - | Drinks / 2. Soup/Sauce / 3. Fresh Vegetables | - |
| One Touch Instant Cook Pads | | • | - | • |
| Setting (My Choice) | Sound Option | • | - | • |
| | Reminder End Signal | • | - | • |
| | Clock System Option (12H / 24H) | • | - | • |
| | Child Lock | • | - | • |
| Cabinet Color | | White | White | Black |
| Door Color | | White | White | Black |
| Cavity Interior | | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel |
| Turntable | Material | Glass | Glass | Glass |
| | Size | Diameter 255mm | Diameter 255mm | Diameter 255mm |
| Grill Heate | | Quartz | - | Quartz |
| Carton Box | | Yellow | Yellow | Yellow |
| Dimension (WxHxD) | Cavity | 330mm x 211mm x 309mm | 330mm x 211mm x 309mm | 330mm x 211mm x 309mm |
| | Outside | 489mm x 275mm x 320mm | 489mm x 275mm x 320mm | 489mm x 275mm x 320mm |
| | Shipping | 547mm x 328mm x 388mm | 547mm x 328mm x 388mm | 547mm x 328mm x 388mm |
| Weight | Net | 10.5kg | 10.5kg | 10.5kg |
| P | Shipping | 12kg | 12kg | 12kg |
| Loading Quantity | 20ft / 40ft / 40HQ | 416 / 864 / 990set | 416 / 864 / 990set | 416 / 864 / 990set |

ECO BASIC











| | Capacity | | 0.7 cu.ft. / 20 Liter | 0.7 cu.ft. / 20 Liter | 0.7 cu.ft. / 20 Liter |
|-------------------------|---------------------------------|---------------------------------|--|---|--|
| General | Туре | Installation | CMO | СМО | СМО |
| | | Heat Source | Solo | Solo | Solo |
| | Power | Power Source | 230V / 50Hz | 230V / 50Hz | 230V / 50Hz |
| | | Output Power (Microwave) | 800W | 800W | 800W |
| | | Power Consumption (Microwave) | 1150W | 1150W | 1150W |
| | | Max Output Power | 1150W | 2050W | 1150W |
| | Display Type | | - | LED | - |
| | Control Method | | Mechanical | Membrane | Mechanical |
| | Door Open Mechanism | | Push Button | Push Button | Push Button |
| | MW Distribution Mechanism | | Turntable | Turntable | Turntable |
| | Cooking Modes | Microwave Oven | • | • | • |
| | | Brown / Grill | - | - | - |
| es | | Combi 1 | - | - | - |
| | | Combi 2 | - | - | - |
| | | Combi 3 | - | - | - |
| | Clock | | - | • | - |
| | Max Cooking Time | | 35 Min | 99 Min 90 Sec. | 35 Min |
| | Power Level | | 7 | 6 | 7 |
| | Energy Saving Button | | - | • | - |
| Ľ, | Time Control | | Timer Knob | Button (10'.1'.10") | Timer Knob |
| Feat | One Minute / 30 Sec. Plus | | - | 30 Sec. Plus | - |
| | Defrost (Auto / Power / Sensor) | | (Manual defrost) | Rapid Defrost (4) | - (Manual defrost) |
| | | | | 1. Meat / 2. Poultry / 3. Fish / 4. Fruit / Berry | |
| | Auto Reheat / Cook | | - | Ready Meal / 2. Frozen Ready Meal / 3. Drinks | - |
| | Instant Reheat | | Drinks / 2. Soup/Sauce / 3. Fresh Vegetables | - | Drinks / 2. Soup/Sauce / 3. Fresh Vegetables |
| | One Touch Instant Cook Pads | | | • | - |
| | Setting (My Choice) | Sound Option | - | • | - |
| | | Reminder End Signal | - | • | - |
| | | Clock System Option (12H / 24H) | - | • | - |
| | | Child Lock | - | • | - |
| Materials & Finishes | Cabinet Color | | White | White | Silver |
| | Door Color | | White | White | Silver |
| | Cavity Interior | | Ceramic Enamel | Ceramic Enamel | Ceramic Enamel |
| | Turntable | Material Size | Glass Diameter 255mm | Glass Diameter 255mm | Glass Diameter 255mm |
| | Grill Heate | Size | Diameter 255mm | | |
| | Carton Box | | Yellow | - Yellow | Yellow |
| | Dimension (WxHxD) | Cavity | 330mm x 211mm x 309mm | 330mm x 211mm x 309mm | 330mm x 211mm x 309mm |
| | | Outside | 489mm x 275mm x 320mm | 489mm x 275mm x 320mm | 489mm x 275mm x 320mm |
| Physic: Spec. | | Shipping | 547mm x 328mm x 388mm | 547mm x 328mm x 388mm | 547mm x 328mm x 388mm |
| | Weight | Net | 10.5kg | 10.5kg | 10.5kg |
| | Wogin | Shipping | 12kg | 12kg | 12kg |
| | Loading Quantity | 20ft / 40ft / 40HQ | 416 / 864 / 990set | 416 / 864 / 990set | 416 / 864 / 990set |
| | Loading Quantity | 2017 4017 40110 | 41070047990581 | 41070047990581 | 41070047990580 |